

ชื่อเรื่องการค้นคว้าแบบอิสระ

ปัจจัยที่มีผลต่อการเลือกรับบริการนวดแผนไทยของผู้ป่วย
โรคปวดกล้ามเนื้อและโครงร่างทั่วไป ที่มารับบริการคลินิก
แพทย์แผนไทยประยุกต์ศูนย์บริการสาธารณสุข เทศบาล
เมืองลำพูน

ผู้เขียน

นางสาวอัจฉริยา อยู่ประเสริฐ

ปริญญา

สาธารณสุขศาสตรมหาบัณฑิต

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รศ. ชารทิพย์ พรหมชาติแก้ว

ประธานกรรมการ

รศ. วราภรณ์ ศิริสว่าง

กรรมการ

บทคัดย่อ

การวิจัยครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาความรู้ ความคิดเห็นและปัจจัยที่มีผลต่อการเลือกรับบริการนวดแผนไทยของผู้ป่วยโรคปวดกล้ามเนื้อและโครงร่างทั่วไป ที่มารับบริการคลินิกแพทย์แผนไทยประยุกต์ ศูนย์บริการสาธารณสุข เทศบาลเมืองลำพูน กลุ่มตัวอย่างที่ใช้ในการศึกษาครั้งนี้ คือ ผู้ป่วยโรคปวดกล้ามเนื้อและโครงร่างทั่วไปที่มารับบริการศูนย์บริการสาธารณสุข เทศบาลเมืองลำพูน 280 คน เป็นผู้ที่เลือกรับบริการนวดแผนไทยร่วมกับการแพทย์แผนปัจจุบัน 110 คน และผู้ที่เลือกรับบริการด้านการแพทย์แผนปัจจุบันเพียงอย่างเดียว 170 คน เครื่องมือที่ใช้ในการเก็บรวบรวมข้อมูลใช้แบบสอบถาม วิเคราะห์ข้อมูลโดยการหาค่าความถี่ ร้อยละ ส่วนเบี่ยงเบนมาตรฐาน และใช้สถิติ Chi-square และ Logistic Regression ในการหาความสัมพันธ์ของปัจจัยที่มีผลต่อการเลือกรับบริการนวดแผนไทยของกลุ่มตัวอย่าง ผลการศึกษา พบว่า

1. ความรู้ด้านนวดแผนไทยของผู้ป่วยโรคปวดกล้ามเนื้อและโครงร่างทั่วไป กลุ่มผู้เลือกรับบริการนวดแผนไทยมีความรู้ด้านนวดแผนไทยอยู่ในระดับมากและผู้ที่ไม่เลือกรับบริการนวดแผนไทยมีความรู้ด้านนวดแผนไทยอยู่ในระดับปานกลาง

2. ผู้ป่วยโรคปอดกล้ำเนื้อและโครงร่างทั่วไปทั้ง 2 กลุ่ม มีความคิดเห็นโดยรวมต่อปัจจัยหลัก ปัจจัยสนับสนุนและปัจจัยเสริมในเชิงบวก

3. ปัจจัยที่มีความสัมพันธ์กับการเลือกรับบริการนวดแผนไทย ได้แก่ เพศ, ระดับการศึกษา, รายได้เฉลี่ยต่อเดือน, ความเพียงพอของรายได้, วิธีการรักษาการเจ็บป่วยในอดีต, อาการเจ็บป่วยด้วยโรคอื่น, ข้อมูลด้านนวดแผนไทยที่ได้รับและระดับความรู้ด้านนวดแผนไทย อย่างมีนัยสำคัญทางสถิติที่ระดับ 0.04, 0.01, 0.01, 0.03, <0.01, 0.01, <0.01 และ <0.01 ตามลำดับ ด้านความคิดเห็นเกี่ยวกับปัจจัยหลัก เช่น การนวดแผนไทยต้องมาหลายครั้งกว่าจะหาย, ความเชื่อมั่นต่อความรู้ความชำนาญของผู้ให้บริการนวด, การนวดแผนไทยมีผลดีต่อสุขภาพ, นวดแผนไทยเป็นการรักษาอาการปวดแทนยาแผนปัจจุบัน, ผู้หญิงหรือผู้ชายก็ให้บริการนวดแผนไทยได้และ การนวดแผนไทยสามารถพิสูจน์ผลการรักษาได้ มีความสัมพันธ์กับการเลือกรับบริการนวดแผนไทย อย่างมีนัยสำคัญทางสถิติที่ระดับ <0.01, <0.01, <0.01, <0.01, 0.03 และ <0.01 ตามลำดับ ด้านความคิดเห็นเกี่ยวกับปัจจัยสนับสนุน เช่น ระยะเวลาในการเดินทางมารับบริการไม่นานมาก, สถานที่จอดรถมีเพียงพอ สะดวก ปลอดภัย, สถานที่ควรจัดเป็นสัดส่วนมีความเป็นส่วนตัว, สถานที่ตั้งอยู่ใกล้ สะดวก, การรับบริการใช้เวลา 1- 3 ชั่วโมงเป็นระยะเวลาเหมาะสมและการเปิดให้บริการวันจันทร์-เสาร์ เวลา 09.00-18.00 น.เป็นช่วงเวลาที่เหมาะสมมีความสัมพันธ์กับการเลือกรับบริการนวดแผนไทย อย่างมีนัยสำคัญทางสถิติที่ระดับ <0.01 และความคิดเห็นเกี่ยวกับปัจจัยเสริม เช่น การนวดแผนไทยใช้เวลารักษานานกว่าจะเห็นผล, นวดแผนไทยอาจได้รับบาดเจ็บจากการนวดและผู้ใช้บริการควรมีความรู้ที่มีความสัมพันธ์กับการเลือกรับบริการนวดแผนไทย อย่างมีนัยสำคัญทางสถิติที่ระดับ <0.01, 0.02 และ 0.03 ตามลำดับ

จากผลการศึกษาี้ คาดว่าจะเป็นประโยชน์ในการพัฒนาปรับปรุงการให้บริการนวดแผนไทยของคลินิกแพทย์แผนไทยประยุกต์ ศูนย์บริการสาธารณสุข เทศบาลเมืองลำพูน เพื่อให้การบริการมีประสิทธิภาพสูงสุด ขณะเดียวกันก่อให้เกิดความพึงพอใจสูงสุดแก่ผู้มารับบริการ รวมไปถึงข้อมูลที่ได้จากการศึกษาจะเป็นประโยชน์แก่ผู้ที่มีความสนใจจะเปิดให้บริการด้านนวดแผนไทยต่อไป

Independent Study Title Factors Affecting Decision of Patients with Myopathy to Choose Thai Traditional Massage Services at Public Health Care Unit Lamphun Municipality

Author Miss Ajchariya Yoopresert

Degree Master of Public Health

Independent Study Advisory Committee

Assoc. Prof. Thanthip Promkhitkeaw Chairperson

Assoc. Prof. Waraporn Sirisawang Member

ABSTRACT

The objectives of this study were to study the knowledge, opinions and factors affecting decision of patient with Myopathy to choose Thai traditional massage services at health care unit Lamphun municipality. A randomize sampling method was used with patient with Myopathy who consumed service at public health care unit Lamphun municipality, getting a total number of 280. Another number of 110 people, consuming the Thai traditional massage and 170 people, consuming conventional medicine, were also used in the study. Instrument for collecting data were a questionnaire. Data were analyzed quantitatively through used of frequencies, standard deviations, Chi-square and Logistic Regression statistic for related between factors affecting decision to choose Thai traditional massage. The result of study were as follow

1. The patients who consumed the Thai traditional massage were rate at high level on their knowledge of Thai traditional massage and the patients who consumed conventional medicine wererate at moderate level.

2. The patients with Myopathy had positive opinions of predisposing factors, reinforcing factors and enabling factors affecting to choose Thai traditional massage.

3. Factors related significant with decision to choose Thai traditional massage were sex, education, incomes, incomes sufficiency, method for treatment of Myopathy, complications of disease status of health, information of Thai traditional massage and knowledge at 0.04, 0.01, 0.01, 0.03, <0.01, 0.01, <0.01 and <0.01 level. Opinions of predisposing related significant were Thai traditional massage was beneficial to health, Thai traditional massage was a therapy instead of pain medication, women or man would have to massage, Thai traditional massage had proven results at <0.01, <0.01, <0.01, <0.01, 0.03 and <0.01 level. Opinions of reinforcing factors related significant were time travel was not very long, car park was easy enough security, location should be accounted for with privacy, location was conveniently close, the service take 1-3 hrs. assurance was a good time, the open Monday-Saturday 09.00am.-06.00pm. at a good time at <0.01 level. Opinions of enabling factors related significant were Thai traditional massage in the treatment took longer to see results, Thai traditional massage may be injured by rubbing, provider should have knowledge and infrastructure to obstruction advice at <0.01, 0.02 and 0.03 level.

The result of this research, expected to benefit to develop for Thai traditional massage service and the patients who consumed service were most satisfied with the quality of treatment given by the therapists and the provision of services according to the needs of patients.