ชื่อเรื่องการค้นคว้าแบบอิสระ ปัจจัยที่มีผลต่อพัฒนาการของเด็กในศูนย์พัฒนาเด็กเล็ก

อำเภอคอยเต่า จังหวัดเชียงใหม่

ผู้เขียน นางเยาวลักษณ์ อุดมวรรธน์กุล

ปริญญา สาธารณสุขศาสตรมหาบัณฑิต

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ ธารทิพย์ พรหมบัติแก้ว อาจารย์ที่ปรึกษาหลัก รองศาสตราจารย์ วราภรณ์ ศิริสว่าง อาจารย์ที่ปรึกษาร่วม

บทคัดย่อ

การศึกษาครั้งนี้ เป็นการศึกษาปัจจัยที่มีผลต่อพัฒนาการของเด็กที่อยู่ในศูนย์พัฒนาเด็กเล็ก อำเภอคอยเต่า จังหวัดเชียงใหม่ ซึ่งทำการเก็บรวบรวมข้อมูลจากการสัมภาษณ์ผู้ปกครองและ ประเมินพัฒนาการของเด็ก จำนวน 250 คน โดยเก็บข้อมูลระหว่างเดือน พฤษภาคม - พฤศจิกายน 2553 การวิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา ได้แก่ ความถี่ ร้อยละ ค่าเฉลี่ย ส่วนเบี่ยงเบน มาตรฐาน และการหาความสัมพันธ์ระหว่างปัจจัยที่มีผลต่อพัฒนาการของเด็ก โดยใช้ Chi-square test

กลุ่มตัวอย่างจำนวน 250 คน เป็นเพศหญิง ร้อยละ 56.0 เพศชาย ร้อยละ 44.0 จากการ ประเมินพัฒนาการของเด็ก พบว่าเด็กมีพัฒนาการไม่สมวัยด้านการช่วยเหลือตัวเองและสังคมมาก ที่สุด ร้อยละ 18.8 ด้านการใช้กล้ามเนื้อมัดเล็กและสติปัญญา ร้อยละ 18.4 ด้านการเข้าใจภาษาร้อย ละ 17.2 ด้านการใช้ภาษา ร้อยละ 14.8 และด้านการเคลื่อนไหว ร้อยละ 12.0 ตามลำดับ เมื่อสรุป พัฒนาการทั้งหมดของเด็กพบพัฒนาการสมวัย ร้อยละ 61.2 และพัฒนาการไม่สมวัย ร้อยละ 38.8

จากการศึกษายังพบว่า ปัจจัยที่มีความสัมพันธ์กับพัฒนาการของเด็กอย่างมีนัยสำคัญทาง สถิติ (p<0.05) ได้แก่ ปัจจัยด้านข้อมูลพื้นฐานของเด็ก คือ ประวัติการป่วยด้วยโรคอุจจาระร่วงและ โรคปอดบวม การนอนหลับ ปัจจัยด้านข้อมูลพื้นฐานของครอบครัว ได้แก่ เด็กอยู่ภายใต้การดูแล ความสัมพันธ์ภายในครอบครัว ปัจจัยด้านข้อมูลพื้นฐานของบิดา ได้แก่ การสูบบุหรี่ระหว่าง

กรรยาให้นมบุตร การคื่มแอลกอฮอล์ของบิคาระหว่างกรรยาให้นมบุตร ปัจจัยค้านข้อมูลพื้นฐาน ของมารคา ไค้แก่ การสูบบุหรี่ระหว่างตั้งครรภ์และระยะให้นมบุตร การคื่มแอลกอฮอล์ก่อน ตั้งครรภ์และระยะให้นมบุตร การคื่มชา/กาแฟระหว่างตั้งครรภ์และระยะให้นมบุตร การฝากครรภ์ ครั้งแรก ภาวะแทรกซ้อนขณะตั้งครรภ์ วิธีการคลอด และอายุครรภ์ขณะคลอด และความรู้เกี่ยวกับ การส่งเสริมพัฒนาการเด็ก

ผลการศึกษาครั้งนี้ สามารถนำไปใช้เป็นข้อมูลพื้นฐานในการส่งเสริมพัฒนาการและการ แก้ไขปัญหาพัฒนาการของเด็ก ในระดับครอบครัวและชุมชน



Independent Study Title

Factors Affecting Development of the Preschooler in

Child Development Center in Doi Tao District,

Chiang Mai Province

Author

Mrs. Yaowalag Udomwattakul

Degree

Master of Public Health

Independent Study Advisory Committee

Assoc. Prof. Tharnthip Promkutkao

Advisor

Assoc. Prof. Varaporn Sirisawang

Co - advisor

ABSTRACT

This study was to study the factors affecting development of the preschooler in child development center Doi Tao district, Chiang Mai province. The data was collected by interviewing 250 parents and evaluated the development of preschoolers from May to November 2010. The data then was analyzed by using Descriptive Statistic; Frequency, Percentage, Mean, Standard Deviation and found the relation among factors affecting development of the preschoolers by using Chi-square test.

According to the 250 interviewees who were the sample group of this study, 56% were female and 44% were male. The evaluation's results of preschoolers' development found that 18.8% of children had the unsuitable development of helping themselves and society according to their ages, 18.4% had the unsuitable development of the small muscle and the intelligence according to their ages, 17.2% had the unsuitable development of the language comprehension according to their ages, 14.8% had the unsuitable development of the language use according to their ages and 12.0% had the unsuitable development of movement according to their ages.

In conclusion, 61.2% of children had the suitable development and 38.8% had the unsuitable development according to their ages

The study also found that these factors; Children' Backgrounds such as the case history from diarrhea and pneumonia, sleep, Family's Background such as child care providers, the relation in family, Fathers' Backgrounds such as smoking during the children were nursed, drinking alcohol during the children were nursed. Mothers' Backgrounds such as smoking before the pregnancy and during the children were nursed, drinking alcohol during the pregnancy and nursing, drinking tea or coffee during the pregnancy and nursing, prenatal care first, the complication during pregnancy, the way of parturition, and the gestational age of the parturition, and Knowledge of supporting preschoolers' developments had significantly related to the development of the preschoolers (p<0.05).

The results of this study could be used as the background knowledge for supporting development and solving the developmental problems of children in family and community.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved