

## ชื่อเรื่องวิทยานิพนธ์

การสนับสนุนส่งเสริมความหวังที่พยาบาลวิชาชีพใช้  
กับผู้ที่เป็นโรคจิตเภท

## ชื่อผู้เขียน

นางสาวมณีรัตน์ โพธิ์นิล

## พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช

## คณะกรรมการสอบวิทยานิพนธ์

ผู้ช่วยศาสตราจารย์ ดร. ดารารวรรณ ต๊ะปิ่นตา	ประธานกรรมการ
อาจารย์ ดร. หรรษา	เศรษฐบุปผา กรรมการ
ผู้ช่วยศาสตราจารย์ ศรีนวล	วิวัฒน์คุณูปการ กรรมการ
รองศาสตราจารย์ ดร. ชวพรพรรณ จันทร์ประสิทธิ์	กรรมการ
ผู้ช่วยศาสตราจารย์ วันเพ็ญ	เอี่ยมจ้อย กรรมการ

## บทคัดย่อ

ผู้ที่เป็นโรคจิตเภทเป็นผู้ป่วยเรื้อรัง ซึ่งการเจ็บป่วยเรื้อรังจะส่งผลให้ผู้ป่วยเกิดความรู้สึกสิ้นหวัง และอาจถึงขั้นฆ่าตัวตายได้ ดังนั้น การสนับสนุนส่งเสริมความหวังจึงมีความสำคัญสำหรับผู้ที่เป็นโรคจิตเภท การศึกษาวิจัยเชิงพรรณนาคั้งนี้ มีวัตถุประสงค์เพื่อศึกษาการสนับสนุนส่งเสริมความหวังที่พยาบาลวิชาชีพใช้กับผู้ที่เป็นโรคจิตเภท กลุ่มตัวอย่างได้จากการสุ่มตัวอย่างแบบแบ่งชั้น (stratified random sampling) จากพยาบาลวิชาชีพที่ปฏิบัติหน้าที่ดูแลผู้ที่เป็นโรคจิตเภทแผนกผู้ป่วยในโรงพยาบาลจิตเวช สังกัดกรมสุขภาพจิต กระทรวงสาธารณสุขจำนวน 169 คน เครื่องมือที่ใช้ในการวิจัยเป็นแบบสอบถามซึ่งผู้วิจัยสร้างขึ้นจากวิธีการสนับสนุนส่งเสริมความหวังของ เคิร์กแพทริกและคณะ (Kirkpatrick et al., 1995) ประกอบด้วย 3 ส่วน คือ ข้อมูลทั่วไป กิจกรรม การพยาบาลที่พยาบาลวิชาชีพใช้เพื่อสนับสนุนส่งเสริมความหวังในผู้ที่เป็นโรคจิตเภท และคำถามปลายเปิดเกี่ยวกับกิจกรรมการพยาบาลอื่น ๆ ที่พยาบาลวิชาชีพใช้เพื่อสนับสนุนส่งเสริมความหวังในผู้ที่เป็นโรคจิตเภท แบบสอบถามได้รับการตรวจสอบความตรงของเนื้อหา (Content

Validity) โดยผู้ทรงคุณวุฒิได้ค่าเท่ากับ .80 ทดสอบหาความเชื่อมั่นโดยใช้สูตร KR-21 ค่าความเชื่อมั่นที่คำนวณได้ คือ .80 และทำการวิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา

ผลการวิจัย พบว่า วิธีการสนับสนุนส่งเสริมความหวังในผู้ที่เป็นโรคจิตเภทที่พยาบาลวิชาชีพปฏิบัติมากที่สุด คือ การจัดการกับการเจ็บป่วย รองลงมา คือ การสร้างสัมพันธภาพ โดยพยาบาลวิชาชีพได้ปฏิบัติในทุกกิจกรรมการพยาบาลมากกว่าร้อยละ 75 ยกเว้น 5 กิจกรรมการพยาบาล ที่พยาบาลวิชาชีพกระทำไม่ถึงร้อยละ 75

ผลการวิจัยครั้งนี้ เสนอแนะให้พยาบาลวิชาชีพได้ตระหนักในบทบาทการสนับสนุนส่งเสริมความหวังในผู้ที่เป็นโรคจิตเภทมากยิ่งขึ้น โดยเฉพาะอย่างยิ่งในเรื่องวิธีการให้ความรู้แก่ผู้ป่วยและชุมชน และวิธีการช่วยให้ประสบความสำเร็จ

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved

**Thesis Title** Hope Instillation Used by Professional Nurses for Persons with Schizophrenia

**Author** Miss Maneerat Ponil

**M.N.S.** Mental Health and Psychiatric Nursing

**Examining Committee :**

Asst. Prof. Dr. Darawan	Thapinta	Chairman
Lect. Dr. Hunsa	Sethabouppha	Member
Asst. Prof. Srinuan	Wiwatkunupakan	Member
Assoc. Prof. Dr. Chawapornpan	Chanprasit	Member
Asst. Prof. Wanpen	Eamjoy	Member


**Abstract**

Persons with schizophrenia, known as chronic patients, are susceptible to be hopeless and to have suicidal attempt. Thus, hope instillation is important for these population. The purpose of this descriptive study was to investigate hope instillation used by professional nurses for persons with schizophrenia. Stratified random sampling method was used for subject recruitment. One hundred and sixty-nine professional nurses providing in-patient unit care for persons with schizophrenia of the Department of Mental Health Ministry of Public Health were chosen in the study. The instrument was a questionnaire developed by the researcher based on the concept of hope instillation by Kirkpatrick et al. (1995). The questionnaire was comprising three parts of demographic data, nursing activity used by professional nurses to instilling hope for persons with schizophrenia and open ended question for other activities regarding hope instillation. This questionnaire was confirmed by a panel of experts, and its content validity index

was .80. The reliability of instrument was tested and result in values for KR-21 coefficient was .80. Data were analyzed by using descriptive statistics.

The results revealed that, almost all professional nurses used the strategies of building relationships and managing the illness. It is also suggested that professional nurses instilled hope for persons with schizophrenia for over 75 percent in almost nursing activities with the exception of five activities that professional nurses did less than 75 percent.

The results from this study will be beneficial for encouraging professional nurses to be sensitive to the role of instilling hope for persons with schizophrenia especially the strategy of educating patients and their community and facilitating success.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved