

ชื่อเรื่องการค้นคว้าแบบอิสระ การวิเคราะห์สถานการณ์การดูแลผู้ที่เป็นโรคติดเชื้อและเสฟสุราซ้ำที่มารับบริการในคลินิกบำบัดสุรารักษาโรงพยาบาลแม่เมาะ จังหวัดลำปาง

ผู้เขียน นางกมลพร สุขรื่องช้าง

ปริญญา พยาบาลศาสตรมหาบัณฑิต (การพยาบาลสุขภาพจิตและจิตเวช)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

อาจารย์ ดร.हरรรษา เศรษฐบุปผา ประธานกรรมการ
ผู้ช่วยศาสตราจารย์ ดร.จิตติณัฐ อัครคะเดชอนันต์ กรรมการ

บทคัดย่อ

การดูแล ผู้ที่เป็นโรคติดเชื้อและเสฟสุราซ้ำ ในคลินิกบำบัดสุรามีการดำเนินการอย่างต่อเนื่องแต่จำนวนผู้ป่วยในกลุ่มนี้ยังเพิ่มสูงขึ้น การศึกษาครั้งนี้มีวัตถุประสงค์เพื่อ วิเคราะห์สถานการณ์การดูแลผู้ที่เป็นโรคติดเชื้อและเสฟสุราซ้ำ ตามแนวคิดของโดนาปีเดียน ซึ่งมีองค์ประกอบ 3 ด้าน ได้แก่ โครงสร้าง กระบวนการ และผลลัพธ์ของการดูแล เลือกผู้ให้ข้อมูลแบบเฉพาะเจาะจง ประกอบด้วย 4 กลุ่ม ได้แก่ 1) ผู้ที่เป็นโรคติดเชื้อและเสฟสุราซ้ำ 10 คน 2) ญาติหรือผู้ดูแล 10 คน 3) แกนนำชุมชน 10 คน และ 4) บุคลากรทีมสุขภาพ 3 คน เครื่องมือที่ใช้ในการรวบรวมข้อมูล ประกอบด้วย 1) แบบสอบถามข้อมูลส่วนบุคคล 2) แบบประเมินพฤติกรรมกราดดื่มสุรา 3) แบบประเมินความพึงพอใจผู้ป่วยจิตเวชไทย และ 4) แนวทางการสัมภาษณ์รายบุคคล และรายกลุ่ม เก็บรวบรวมข้อมูลในเดือนกันยายน 2552 วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา และข้อมูลที่ได้จากการสัมภาษณ์ นำมาจัดหมวดหมู่

ผลการศึกษา สรุปได้ดังนี้

1. ด้านโครงสร้าง พบว่า 1.1) ไม่มีการจัดโครงสร้างองค์กร นโยบายและ แผนการดำเนินงาน 1.2) มีทรัพยากร บุคคลไม่เพียงพอ และไม่มีแผนพัฒนาทรัพยากรบุคคลที่เกี่ยวข้อง โดยเฉพาะสำหรับการดูแลผู้ที่เป็นโรคติดเชื้อและเสฟสุราซ้ำ 1.3) ไม่มีคู่มือแนวทางการปฏิบัติเฉพาะ สำหรับการดูแลผู้ที่เป็นโรคติดเชื้อและเสฟสุราซ้ำ 1.4) ไม่มียาเพียงพอสำหรับรักษาอาการติดเชื้อ

และ 1.5) ไม่มีสถานที่ในการทำกิจกรรมกลุ่มบำบัด

2. ด้านกระบวนการ พบว่า 2.1) บุคลากรทีมสุขภาพไม่มีแนวทางในการคัดกรองบำบัดรักษา การป้องกัน การฟื้นฟูสภาพ การติดตามหรือส่งต่อ 2.2) ญาติหรือผู้ดูแลให้การดูแลช่วยเหลือด้านจิตใจน้อย และ 2.3) แกนนำชุมชนให้การดูแลช่วยเหลือน้อย และไม่ตระหนักว่าโรคติดสุราและเสพติดสุราจำเป็นปัญหาของชุมชน

3. ด้านผลลัพธ์หลังได้รับการบริการในคลินิกบำบัดสุรา โรงพยาบาลแม่เมาะ จังหวัดลำปาง พบว่า 3.1) ผู้ที่เป็นโรคติดสุราและเสพติดสุรา ไม่มี การเปลี่ยนแปลงความรู้เกี่ยวกับสาเหตุของการเป็นโรคติดสุราและเสพติดสุรา 3.2) ผู้ที่เป็นโรคติดสุราและเสพติดสุรา ส่วนใหญ่มีการเปลี่ยนแปลงพฤติกรรม การดื่มสุราเพียงเล็กน้อย และ 3.3) ผู้ที่เป็นโรคติดสุราและเสพติดสุรา และญาติหรือผู้ดูแล มีความพึงพอใจในการให้บริการโดยรวมอยู่ในระดับพึงพอใจมากที่สุด

ผลการศึกษาในครั้งนี้ใช้เป็นข้อมูลพื้นฐานในการพัฒนาระบบการดูแลผู้ที่เป็นโรคติดสุราและเสพติดสุรา ในด้าน โครงสร้าง กระบวนการ และผลลัพธ์ เพื่อส่งเสริมคุณภาพการดูแลให้มีประสิทธิภาพต่อไป

Independent Study Title	Situational Analysis of Caring for Persons with Alcohol Dependence and Repeated Drinking Receiving Services at Cessation Clinic, Maemoh Hospital, Lampang Province		
Author	Mrs. Kamonporn Sukrongchang		
Degree	Master of Nursing Science (Mental Health and Psychiatric Nursing)		
Independent Study Advisory Committee	Lecturer Dr. Hunsana	Sethabouppha	Chairperson
	Assistant Professor Dr. Thitinut	Akkadechanunt	Member

ABSTRACT

Care for persons with alcohol dependence and repeated drinking (ADRD) in a cessation clinic has been implemented continuously; however, the number of this group is still increased. The objective of this study was to explain the care situation based on Donabedian's concept, which is comprised of 3 components: structure, process and outcome. The samples were purposively selected and consisted of 4 groups: 1) ten persons with ADRD, 2) ten relatives or caregivers, 3) ten community leaders, and 4) three health care personnel. The instruments used for data collection were 1) a demographic data questionnaire, 2) the Alcohol Use Disorders Identification Test, 3) the Thai Psychiatric Satisfaction Questionnaire, and 4) individual and group interview guidelines. Data were obtained in September, 2009 and were analyzed using descriptive statistics. Data from interviews were categorized.

Results of the study are as follows:

1. For structural aspects: The study found that 1.1) there were no specific structure of organization, policy and implementation plan; 1.2) there were insufficient human resources and no specific plan for development of human resources in caring for persons with

ADRD; 1.3) there were no clinical practice guidelines for persons with ADRD; 1.4) there were insufficient medications for treatment; and 1.5) there was no space for conducting group therapy.

2. For process aspects: The study found that 2.1) health care personnel had no specific guidelines for screening, treatment, prevention, rehabilitation and follow up or referrals; 2.2) relatives or caregivers provided little mental support; and 2.3) community leaders provided little support and did not recognize the ADRD as a community's problem.

3. For outcome aspects: After receiving the services at cessation clinic, Maemoh hospital, Lampang Province, the study found that: 3.1) persons with ADRD had not changed their knowledge about causes of alcohol dependence and repeated drinking; 3.2) most persons with ADRD had slightly changed their behaviors towards alcohol drinking; 3.3) persons with ADRD and relatives or caregivers were satisfied with the services at a highest level.

The results of this study could be used as basic information for the development of effective and appropriate quality of care for persons with alcohol dependence and repeated drinking regarding structure, process and outcome.