

ชื่อเรื่อง การค้นคว้าแบบอิสระ ประสิทธิภาพของการใช้แนวปฏิบัติทางคลินิกสำหรับการป้องกัน
ภาวะเจ็บครรภ์คลอดก่อนกำหนดในสตรีมีครรภ์ที่มีความเสี่ยง
คลินิกฝากครรภ์ โรงพยาบาลลำพูน

ผู้เขียน นางกัลยา กิติมา

ปริญญา พยาบาลศาสตรมหาบัณฑิต (การผดุงครรภ์ขั้นสูง)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ ดร. สุกัญญา ปริสฺณญกุล อาจารย์ที่ปรึกษาหลัก

รองศาสตราจารย์ ดร. ณวี เบาทรวง

อาจารย์ที่ปรึกษาร่วม

บทคัดย่อ

ภาวะเจ็บครรภ์คลอดก่อนกำหนดเป็นอาการแทรกซ้อนทางสูติกรรมที่พบได้บ่อย ถ้าไม่สามารถยับยั้งได้จะก่อให้เกิดการคลอดก่อนกำหนดซึ่งเป็นสาเหตุของการตายและภาวะทุพพลภาพของทารกแรกเกิด การป้องกันระดับปฐมภูมิ เป็นสิ่งที่สำคัญที่สุดของการป้องกันภาวะเจ็บครรภ์คลอดก่อนกำหนด การศึกษาครั้งนี้เป็นการศึกษาเชิงเปรียบเทียบ ชนิดศึกษาย้อนหลังและไปข้างหน้าแบบไม่ควบคุมก่อนและหลังการใช้แนวปฏิบัติทางคลินิก มีวัตถุประสงค์เพื่อศึกษาประสิทธิภาพของการใช้แนวปฏิบัติทางคลินิกสำหรับการป้องกันการเกิดภาวะเจ็บครรภ์คลอดก่อนกำหนดในสตรีมีครรภ์ที่มีความเสี่ยงที่มาฝากครรภ์ ณ คลินิกฝากครรภ์ โรงพยาบาลลำพูน กลุ่มตัวอย่างประกอบด้วยสตรีมีครรภ์ที่มีความเสี่ยงกลุ่มที่ได้รับการดูแลตามปกติ ระหว่างเดือนกรกฎาคม ถึงเดือนตุลาคม พ.ศ. 25 52 จำนวน 60 คน และสตรีมีครรภ์ที่มีความเสี่ยงกลุ่มที่ได้รับการดูแลโดยใช้แนวปฏิบัติทางคลินิกระหว่างเดือนมีนาคม ถึงเดือนมิถุนายน พ.ศ. 2553 จำนวน 65 คน เครื่องมือที่ใช้ดำเนินการศึกษา คือ แนวปฏิบัติทางคลินิกสำหรับการป้องกันภาวะเจ็บครรภ์คลอดก่อนกำหนดระดับปฐมภูมิในสตรีมีครรภ์ ของภาควิชาสูติศาสตร์-นรีเวชวิทยา คณะแพทยศาสตร์ศิริราชพยาบาล พ.ศ. 2550 การดำเนินการศึกษาใช้กรอบแนวคิดการนำแนวปฏิบัติทางคลินิกไปใช้ของสมาคมพยาบาลอונทารีโอ ปี ค.ศ. 2002 เครื่องมือที่ใช้ในการ

รวบรวมข้อมูล คือ แบบบันทึกภาวะการเจ็บครรภ์คลอดก่อนกำหนด วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา และสถิติทดสอบไคสแควร์

ผลการศึกษาพบว่า สตรีมีครรภ์ที่มีความเสี่ยงกลุ่มที่ใช้แนวปฏิบัติทางคลินิก สำหรับการป้องกันภาวะเจ็บครรภ์คลอดก่อนกำหนดมีจำนวนการเกิดภาวะเจ็บครรภ์คลอดก่อนกำหนดต่ำกว่ากลุ่มที่ได้รับการดูแลตามปกติอย่างมีนัยสำคัญทางสถิติที่ระดับ .05

ผลการศึกษาครั้งนี้ยืนยันได้ว่าการใช้แนวปฏิบัติทางคลินิก สำหรับการป้องกันภาวะ เจ็บครรภ์คลอดก่อนกำหนดในสตรีมีครรภ์ที่มีความเสี่ยงสามารถเพิ่มผลลัพธ์ที่มีคุณภาพได้



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Independent Study Title Effectiveness of Implementing Clinical Practice Guidelines
for Preterm Labor Prevention Among At-risk Pregnant Women,
Antenatal Care Clinic, Lamphun Hospital

Author Mrs.kanlaya kitima

Degree Master of Nursing Science (Advanced Midwifery)

Independent Study Advisory Committee

Associate Professor Dr. Sukanya Parisunyakul Advisor


Associate Professor Dr. Chavee Baosoung Co-advisor

ABSTRACT

Preterm labor is a common complications in Obstetrics. Uninhibited preterm labor will cause preterm birth, which can lead to neonatal mortality and morbidity. Primary prevention is the most important prevention of preterm labor. This comparative retrospective and prospective, uncontrolled before and after intervention study was conducted to determine the effectiveness of implementing clinical practice guidelines (CPGs) for prevention of preterm labor among at risk pregnant women at antenatal care clinic in Lamphun hospital. The study samples consisted of 60 pregnant women who received usual nursing care between July and October 2009 and 65 pregnant women who received care based on the CPGs between March and June 2010. The instrument was the CPGs for primary prevention of preterm labor developed by the Department of Obstetrics and Gynecology, Faculty of Medicine, Mahidol University (2007). The implementation of the CPGs model of Registered Nurse Association of Ontario (2002) was applied as a framework for this study. Data collection tools consisted of preterm labor record forms. Data were analyzed by using descriptive statistics and the Chi-square test.

The results of this study revealed that the pregnant women in the CPGs implementing group had significantly lower incidence of preterm labor when compared with the pregnant women who received usual nursing care ($p < .05$).

This results confirm that implementation of CPGs for prevention of preterm labor among at risk pregnant women can lead to improved quality outcome.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved