



ข้อเสนอแนะจำนวน 24 ข้อ จัดเป็น 3 องค์ประกอบ คือ 1) การให้ความรู้เรื่องมะเร็งปากมดลูก 2) การเสริมสร้างแรงสนับสนุนในชุมชน และ 3) การให้บริการตรวจคัดกรองมะเร็งปากมดลูกและการเข้าถึงบริการ สำหรับความเป็นไปได้ในการนำแนวปฏิบัติไปใช้พบว่า กลุ่มตัวอย่างทุกรายระบุว่าแนวปฏิบัติมีความเหมาะสมกับการนำไปใช้ในหน่วยงาน มีประสิทธิผลของการใช้แนวปฏิบัติ และมีความเป็นไปได้ในทางปฏิบัติที่จะนำไปใช้ในหน่วยงานอยู่ในระดับมาก กลุ่มตัวอย่าง 3 ใน 5 ราย ระบุว่าข้อเสนอแนะของแนวปฏิบัติมีความง่ายในการใช้และการปฏิบัติตามอยู่ในระดับมาก และกลุ่มตัวอย่าง 4 ใน 5 ราย ระบุว่าข้อเสนอแนะของแนวปฏิบัติมีความชัดเจน และช่วยให้ประหยัด ลดต้นทุน (ด้านกำลังคน เวลา และงบประมาณ) ในการดำเนินการป้องกันและควบคุมโรคมะเร็งปากมดลูกอยู่ในระดับมาก

จากผลการศึกษานี้ผู้วิจัยเสนอแนะว่าควรมีการนำแนวปฏิบัติดังกล่าวไปใช้ในหน่วยงาน และศึกษาประสิทธิผลการใช้แนวปฏิบัติสำหรับการส่งเสริมการรับบริการตรวจคัดกรองมะเร็งปากมดลูกของสตรีใน โรงพยาบาลแม่ข่าย อำเภอแม่ข่าย จังหวัดเชียงใหม่ เพื่อพัฒนาแนวปฏิบัติให้มีความทันสมัยอยู่เสมอ

**Independent Study Title** Development of Practice Guidelines for Promoting Cervical Cancer Screening Among Women, Mae Ai Hospital, Mae Ai District, Chiang Mai Province

**Author** Mrs. Sangduean Pattanakiti

**Degree** Master of Nursing Science (Community Nursing)

**Independent Study Advisory Committee**

Associate Professor Nongyao Udomvong Advisor

Lecturer Dr. Phanida Juntasopeepun Co-advisor

**ABSTRACT**

Promoting the cervical cancer screening is crucial to decrease morbidity and mortality from cervical cancer among women. This developmental study aimed to develop the practice guideline for promoting the cervical cancer screening among women at Mae Ai hospital, Mae Ai district, Chiang Mai province. The practice guideline was developed using the framework of the clinical practice guideline development established by the National Health and Medical Research Council (NHMRC) in 1999. Subjects were recruited using purposive sampling: 12 practice guideline developers including physicians, nurses, public health volunteers, and women who worked for cervical cancer prevention and control; and 5 practice guideline users who were nurses working for the cervical cancer at Mae Ai hospital. The study was conducted during December 2009 to December 2010. Data were collected using the questionnaire on feasibility in implementing the guideline and were analyzed using descriptive statistics.

Results of this study found that the practice guideline for promoting cervical cancer screening among women, Mae Ai hospital Chiang Mai province composed of 24 recommendations categorized as 3 domains including: 1) the provision of cervical cancer knowledge, 2) the

encouragement of community support, and 3) the provision of cervical cancer screening services. Regarding the feasibility of the guideline implementation, all guideline users rated at a high level for the practice guidelines' appropriateness of use, effectiveness, and the potential for use in the department. Three of five guideline users in this study rated that the practice guideline recommendations were easy to use and to follow at a high level. Four of them also rated at a high level on the practice guidelines' clarity, and cost and resources (manpower, time, budget) saving.

From the results of this study, the researcher suggests the implementation of this practice guideline in the department and the evaluation of its effectiveness for quality development of the cervical cancer screening among women, Mae Ai hospital, Mae Ai district, Chiang Mai province.