

REFERENCES

- Alatortsev, E.V., Kramerova, A.I., Frolov, V.M., Lavrov, A.S. and Westphal, D.E. 1997. Vinculin gene is non-essential in *Drosophila melanogaster*. *Fed. of Eur. Bio. Soc. FEBS Letter* 413: 197-201.
- Amplification Refractory Mutation System (ARMS). 1999[online]. Available: <http://www.ich.bpmf.ac.uk/cmgs/arms99.html> [2000, August 26].
- Andersson, E.L., Marklund, L., Lundström, K., Haley, S.C., Andersson, K., Hansson, I., Moller, M. and Andersson, L. 1998. Mapping quantitative trait loci for carcass and meat quality traits in a Wild boar-Large White intercross. *J. Anim. Sci.* 76 :694-700.
- Archibald, L.A. and Haley, S.C. 1998. Pig genome mapping – a beginning. *J. of the Royal Agri Soc of England.* 159 : 107-117.
- Barsted, J.R. and Waterson, H.R. 1991. Vinculin is essential for muscle function in the nematode. *The J. of Cell Bio.* 114 (4):715-724.
- Belkin, A.M. and Koteliansky, V.E. 1987. Interaction of iodinated vinculin, metavinculin and α -actinin with cytoskeleton proteins. *FEBS Lett.* 200: 291-294.
- Bellas, R.E., Bendori, R. and Farmer, S.R. 1991. Epidermal growth factor activation of vinculin and beta-integrin gene transcription in quiescent Swiss 3T3 cells. *J. Biol.Chem.* 266: 12008-12014.

- Bershadsky,D.A., GliECK,U., Denisenko,N.O., Sklyarova,V.T. Spector,I. And Ben-Ze'ev,A. 1995. The state of actin assembly regulates actin and vinculin expression by a feedback loop. *J. of Cell Sci.* 108: 1183-1193.
- Byrne,J.B.,Kaczorowski,J.Y.,Coutu,D.M.and Craig,W.S. 1992. Chicken vinculin and meta vinculin are derived from a single gene by alternative splicing of a 207-base pair exon unique to meta-vinculin. 1992. *The J. of Bio. Chem.* 267(18):12845-12850.
- Cater,P. and Morgan,M. [1999]. Polymorphism online.
Available:<http://www.wsu.edu/~mmorgan/gencb521s99/selection/node.5.html>. [2000, September 28].
- Clauster,M.[2001]. Frequency and nature of mutations and the methods to detect them. Available :
<http://www.leeds.ac.uk/cmgs/leedsdna/hugo/lectures/Mctext.html>. [2001 February 25].
- CMG-Mutation detection. [1998].DMGS MRCPATH course . Available :
<http://www.ich.bpmt.ac.uk/cmgs.sequence.html>. [2001 February 24].
- Devid.L.,Steffens.,Scott.L.,Sutter and Stephen.D.R. 1993. An Alternate universal forward primer for improved automated DNA sequencing of M13. *BioFeedback.* 15(4).
- Farell, E.R. 1993. Transcription and the Organization of Eukaryotic Gene Sequences and messengerRNA : in *RNA Methodologies: A laboratory guide for isolation and characterization* .

Human Genome Science. [2000]. Available:

http://www.omdarticles.com/cf_o/m4RPN/2000_April_7/61401370/p2/article.jhtm
m. [2000, September 28].

Hynes,R.O. 1992. Integrin: Versatility, modulation, and signalling in cell adhesion. *Cell*.
69: 11-25.

Illingworth,A.J.[2000]. Muscle structure and function [online]. Available:

<http://www.bmb.leeds.ac.uk/illingworth/muscle>. [2000,September 11]

ImpRH panel . [2000]. Available:http://www-shgc.stanford.edu/Mapping/rh/RH_poster/.
[2000, August 20].

Jenssens,B., Staes,K. and Roy,V.F. 1999. Human α -catulin, a novel α -catenin-like
molecule with conserved genomic structure, but deviating alternative splicing.
Biochimica et Biophysica Acta .1447: 341-347.

Kalmodin, A.L. and William, F.J. nodate. PCR: basic principle and routine practice.
Methods in molecular biology (67). B. A. White Humana Press.

Law,J.D.,Allen,L.D.and Tidball,G.J. 1994. Talin, vinculin and DRP(utrophin)
concentrations are increased at *mdx* myotendinous junctions following onset of
necrosis. *J. of Cell Sci.*107:1477.1483.

Lewin,B.1994.GENES V. New York: Oxford University Press.

Liu,H.B. 1997. Statistical Genomics. New York: CRC Press LLC.

Lockusch, M.B. and Riedge, M. 1996. Crosstalk between cell adhesion molecule :
vinculin as a paradigm for regulation by conformation. *Cell Bio.* 6: 311-314.

- Mathuros, P. 1997. PCR in detection mutations. PCR Technique in genome detection and typing. Mahidol University, Salaya Campus.
- Matteri, R.L. and Becker, A.B. 1994. Somatotroph, Lactotroph and Thyrotroph function in three-week- old gilt reared in a hot or cool environment. *Domest. Anim. Endocrinol.* 11: 217.
- Meyer,U.,Meyer,T.and Jones,B.D. 1997. Vinculin does not play a direct role in mechano-sensitivity in primary bovine osteoblasts and is not necessary short-term focal contactattachment. Available;<http://www.med.uni-marburg.de/eobm/mechano.html>. [2000 June 15].
- Moiseyeva,P.E.,Weller,A.P.,Zhidkova,I.N.,Corben,B.E.,Patel,B.,Jasinska,I.,Koteliansky, E.V. and Critchley,R.D. 1993. Organization of the human gene encoding the cytoskeletal protein vinculin and the sequence of the vinculin promoter. *The J. of Bio. Chem.* 269(6):4318-4325.
- Mulligan,L.M.,Gardner,E.,Telenius,H.and Ponder,B.A. 1992. Complementary physical and genetic techniques map the vinculin(VCL) gene on chromosome 10q. *Genomics.* 13(4):1347-1349.
- Murani,E., Wimmers, K., Ponsuksili,S. and Schellander,K. 2000. Identification of molecular marker for carcass traits in the pig using AELP. 51th Annual Meeting of the EAAP, Den Hague, Session G2, No.32.

Perez-Moreno,M., Avila,A., Islas,S.,Sanchez,S.and Gonzalez-Mariscal,L.1998. Vinculin but not alpha-actinin is a target of PKC phosphorylation during junctional assembly induced by calcium. *J.of Cell.Sci.* 111: 3563-3571.

pGEM-T and pGEM-T Easy Vector Systems. 1999. Technical manual No.042 , Promega.

Ponsuksili,S.,Wimmer,K., Pongpiachan, P., Mekchay, S. and Thonglohm, S. 1996.

Molecular genetics in farm animal breeding. Department of Animal Science. Faculty of Agriculture, Chiangmai University.

Ponsuksili,S.,Wimmer,K.,Schmoll,F.and Schellander,K.1999. Application of the differential display technique for the detection of candidate genes. *Arch.Tierz.,Dummerstorf.*42:Special Issue.

Ponsuksili,S. 2000a. University of Bonn, personal communication.

Ponsuksili, S., Wimmers, K., Schmoll, F., Robic, A., Schellander, K. 2000b. Porcine ESTs detected by differential display representing possible candidates for carcass traits. *J. of animal breeding and genetics.* 117, 25-35.

Ponsuksili,S.,Wimmer,K.,Schmoll,F.and Schellander,K.2000c. Detection of candidate genes for carcass and meat quality in pigs by differential display. Available E-mail ; SPON@itz.uni-bonn.de[2000, August 30].

Recombinant DNA Labs:Basic tools for the molecular biologist.[2000].

Available:<http://www.sci-ed-ga.org>. [2000, September 13].

Restriction Fragment Length Polymorphism (RFLP).[2000]. Available:

http://www.ianr.unl.edu/ianr/plntpath/nemethod/its_id/per_rflp.html. [2000, September 20].

- Riediger, M., Korneeva, N., Schwienbacher, C., Weiss, E.E. and Jockusch, M.B. 1998. Differential actin organization by vinculin isoforms: implications for cell type-specific microfilament anchorage. *J. Cell. Bio.* FEBS Letter 431: 49-54.
- Robic, A., Riguest, J., Yerle, M., Milan, D., Lahbib-Mansais, Y., Dubut-Fontana, C. and Gellin, J. 1996. Porcine linkage and cytogenetic maps integrated by regional mapping of 100 microsatellites on somatic hybrid panel. *Mamm. Genome*, 7; in press.
- Roche Molecular Biochemicals. 1999. High Pure Plasmid Isolation Kits: Instruction Manual. Roche Diagnostics GmbH, Germany.
- Rohrer, A.G. and Keele, W.J. 1998a. Identification of quantitative traits loci affecting carcass composition in swine: I. Fat deposition traits. *J. Anim. Sci.* 76:2247-2254.
- Rohrer, A.G. and Keele, W.J. 1998b. Identification of quantitative traits loci affecting carcass composition in swine: II. Muscling and wholesale product yield traits. *J. Anim. Sci.* 76:2255-2262.
- Sambrook, J., Fritsch, F.E. and Maniatis, T. 1989. *Molecular Cloning: A laboratory manual*. USA: Cold Spring Harbor Laboratory Press.
- Schwienbacher, C., Jockusch, J.M. and Riediger, M. 1996. Intramolecular interaction regulate serine/threonine phosphorylation of vinculin. *FEBS* 384:71-74.

Sigma. No date. Monoclonal Anti-Human vinculin[online]. Available :

<http://www.sigma.sial.com/techinfo/v9131.html> [2000,May 19].

Soller, M.[1998]. Candidate gene as QTL. Plant and Animal Genome VI Conference,

January 18-22 San Diego .Available :[http://www.intl-](http://www.intl-pag.org/pag/6/abstracts/soller.html)

[pag.org/pag/6/abstracts/soller.html](http://www.intl-pag.org/pag/6/abstracts/soller.html). [2000, October 26] .

Stanislaw,M.C. nodate . Swine on-farm performance testing program adopts advanced

technology [online]. Available :

http://www.cals.nosu.edu/an_sci/ann_rep94/emsta107.html [2000,September 10].

Swine Grading. nodate [online]. Available

:<http://www.abs.sgstate.edu/ars/AnimalEval/Swin/SwineGrade.html>

[2000,September 11].

Taylor,G.R.,Geesink,H.G.,Thomson,F.V.,Koochmaraie,M.,and Goll,E.D. 1995. Is Z-disk degradation responsible for postmortem tenderization. *J. Anim. Sci.* 73:1351-1367.

Turner,C.E. and Burrige,K. 1989. Detection of metavinculin in human platelets using a modified talin overlay assay. *Eur J Cell Bio.* 49(1):202-6.

Voet,D., Voet,G.J.and Pratt,W.J. 1990. Expression and Transmission of Genetic

Information. in Biochemistry, JOHN WILEY&SONS.,New York ,pp.772-982.

Volberg,T.,Geiger,B.,Kam,Z.,Pankov,R.,Simcha,I.,Sabanay,H.,Coll,L.J.,Adamsom,E.and Avri,B-Z. 1995. Focal adhesion formation by F9 embryonal carcinoma cells after vinculin gene distruption. *J.of Cell Sci.* 108:2253-2260.

- Vohra, S.M., Komiyama, M., Hayakawa, K., Obinata, T. and Shimada, Y. 1998. Subcellular localization of dystrophin and vinculin in cardiac muscle fibers and fiber of the conduction system of the chicken ventricle. *Cell and Tissue Res.* 294(1): 137-143.
- Watson, D.J., Hopkin, H.N., Roberts, W.J., Steitz, A.J. and Weiner, M.A. 1987. *Molecular Biology of the gene*. USA. The Benjamin/Cummings Publishing Company Inc.
- Webb, J. [1997]. The role of genetics: Sow productivity. Manitoba swine seminar. Available: <http://www.gov.mb.ca/agriculture/livestock/pork/swine/bab10s15.html>. [2000, September 17].
- Weller, P.A., Ogryzko, E.P., Corben, E.B., Zhidkova, N.I., Patel, B., Price, G.J., Spurr, N.K., Koteliansky, V.E. and Critchley, D.R. 1990. Complete sequence of human vinculin and assignment of the gene to chromosome 10. *Proc. Nat. Acad. Sci.* 87:5667-5671.
- Westmeyer, A., Ruhnau, K., Wegner, A. and Jockusch, B.M. 1990. Antibody mapping of functional domains in vinculin. *EMBO J.* 9: 2071-2078.
- Whipple, L.D. [1998]. DNA fingerprinting of *Mycobacterium bovis* isolates. Bovine Tuberculosis Research, Zoonotic Disease Research Unit, USDA/ARS/National Animal Disease Center. Available: <http://www.dnr.state.mi.us/wildlife/div...oselake/Publications/Documents/RFLP.html>. [2000, September 20].
- Wilatrat, P. 1997. Polymerase chain reaction. PCR technique in genome detection and typing. Faculty of science, Mahidol University.
- William, W., Welsh, L.M., Kaufman, B.P. and Zhang, H.H. 1997. *Method in Gene*

Biotechnology. New York: CRC press.

Wimmer,K.,Ponsuksili,S.,Schmoll,F.,Lammer,T.,Hardge,T.and Schellander,K. 2000.

Approaches to identify candidate genes for general disease resistance and carcass traits. Available E-mail ; kwim@itz.uni-bonn.de [2000, August 30].

Wood,K.C.,Turner,E.C.,Jackson,P.and Critchley,R.D. 1994. Characterisation of the paxillin-binding site and the C-terminal focal adhesion targeting sequence in vinculin. *J. of Cell Sci.* 107:709-717.

Wutthipong, I, Sumdang, K. and N.Chiangmai,A. 2000. Improvement of animal genetic in hot climate. Bangkok.

Xu,W.,Coll,J.L. and Adamson D.E. 1998. Rescue of the mutant phenotype by reexpression of full –length vinculin in null F9 cells; effects on cell locomotion by domain delete vinculin. *J. of Cell Sci.* 111:1535-1544.