## REFERENCES

- Adams, D.O., and S.F. Yang. 1979. Ethylene biosynthesis: Identification of 1-aminocyclopropane-1-carboxylic acid as an intermediate in the conversion of methionine to ethylene. Proc. Natl. Acad. Sci. USA. 76:170-174.
- Angelopoulos, K., B. Dichio and C. Xiloyannis. 1996. Inhibition of photosynthesis in olive tree (*Olea europaea* L.) during water stress and rewatering. Journal of Experimental Botany. 47(301): 1093-1100.
- Arikado, H. 1955. Anatomical and ecological responses of barley and some forage crops to the flooding treatment. Bull. Fac. Agric. Mie Univ. 11: 1-29.
- Arp, W.J. 1991. Effect of source-sink relations on photosynthetic acclimation to elevated CO<sub>2</sub>. Plant, Cell and Environment. 14:869-875.
- Armstrong, J. and W. Armstrong. 1988. *Phragmites australis* preliminary study of soil oxidizing sites and internal gas transport pathways. New Phytologist. 108:373-382.
- Armstrong, W., and P.M. Beckett. 1987. Internal aeration and the development of stellar waterlogging in submerged roots: a multishelled mathematical model combining axial diffusion of oxygen in the cortex with radial losses to the stele, the wall layers and the rhizosphere. New Phytol. 105: 221-245.
- Andrews, D.L., B.G. Cobb, J.R. Johnson, and M.C. Drew. 1993. Hypoxic and anoxic induction of alcohol dehydrogenase in roots and shoots of seedlings of *Zea mays*. Plant Physiol. 101: 407-414.
- Blackwell, P.S., and S.M. Ayling. 1981. Changes in aeration following transient waterlogging of sandy loam and clay soils cropped with winter cereals. Annu. Rep. Agric. Res. Counc. Letcombe Lab. 1980:35-38
- Blokhina, O.B., K.V. Fagerstedt, and T.V. Chirkova. 1999. Relationships between lipid peroxidation and anoxia tolerance in a range of species during post-anoxic reaeration. Physiologia Plantarum. 105: 625-632.

- Brummer, J.G. 1990. Barley for malt. p.305. National barley and wheat conference. on January 24-26, 1990. at Golden Triangle Resort Hotel. Chiang Rai. Thailand.
- Chafai-Elalaoui, A., and S.R. Simmons. 1988. Quantitative translocation of photoassimilates from nonsurviving tillers in barley. Crop Sci. 28:969-972.
- Chmpigny, Marie-Louise, and C. Foyer. 1992. Nitrate activation of cytosolic protein kinases diverts photosynthetic carbon from sucrose to amino acid biosynthesis. Plant Physiol. 100: 1-12.
- Chumpukaew, W., and A. Markul. 1992. Efffect of planting date and nitrogen application on yield of barley after rice (in Thai). p.171-174. *In* The Thirteenth National Barley and Wheat Conference. on Aug. 19-21, 1992. at Royal Ciff Beach Resort. Pattay, Chonburi, Thailand.
- Colmer, T.D. 1996. An overview of environmental constraints and plant adaptation during waterlogging and flooding. 1 pp. *In* The international seminar "New developments in plant adaptation to waterlogging and flooding" on October 7, 1996. at Department of Agriculture, Bangkok. Thailand.
- Curry, R.B., C.H. Baker, and J.G. Streeter. 1975. SOYMOD I: A dynamics simulator of soybean growth and development. TRANSACTIONS of the ASAE. presented as ASAE paper.No. 75-4049. 963-968 pp.
- Drew, M,C., M.B. Jackson, and S. Gifford. 1979. Ethylene promoted adventitious rooting and development of cortical air spaces (aerenchyma) in roots may be adaptive responses to flooding in *Zea mays* L. Planta. 147:83-88.
- Drew, M.C., and J.M. Lynch. 1980. Soil anaerobiosis, microorganisms and root function. Annu. Rev. Phytopathol.18: 37-66.
- Drew, M.C. 1983. Plant injury and adaptation to oxygen deficiency in the root environment: A review. Plant and Soil. 75:179-199.
- Drew, M.C., and E. Dikumwin. 1985. Sodium exclusion from the shoots by roots of *Zea mays* (cv.LG11) and its breakdown with oxygen deficiency. J. Exp. Bot. 36:55-62.

- Drew, M,C., P.H. Saglio, and A. Pradet. 1985. Adenylate energy charge and ATP/ADP ratios in aerenchymatous roots of *Zea mays* in anaerobic media as consequence of improved internal oxygen transport. Planta 165: 51-58.
- Drew, M.C., C.J. He, and P.W. Morgan. 1989. Decreased ethylene biosynthesis, and induction of aerenchyma, by nitrogen- or phosphate starvation in adventitious roots of *Zea mays* L. Plant Physiol. 91:266-271.
- Drew, M.C. 1991. Oxygen deficiency in the root environment and plant mineral nutrition. p.303-316. *In*: Jackson, M.B; D.D.Davies; H.Lambers, (eds.) Plant life under oxygen deprivation. The Netherlands: Academic Publishing, The Hague.
- Drew, M.C., and L.H. Stolzy. 1991. Growth under oxygen stress. P 331-350. In: Plant roots: the hidden half. Y. Waisel; A.Eshel and U.Kafkafi. (eds.). Marcel Dekker, Inc. New York. USA.
- Drew, M.C., B.G. Cobb, J.R. Johnson, D. Andrews, P.W. Morgan, W.J. Ordan, and C.J. He. 1994. Metabolic acclimation of root tips to oxygen deficiency. Annals of Botany. 74:281-286.
- Drew, M.C. 1997. Oxygen deficieny and root metabolism: Injury and acclimation under hypoxia and anoxia. Ann. Rev. Plant Physiol. Plant Mol. Biol. 48: 223-250.
- Ella, E.S. 1996. Importance of carbohydrates in rice expose to anoxia. 1 pp. *In* The international seminar "New developments in plant adaptation to waterlogging and flooding" on October 7, 1996. at Department of Agriculture, Bangkok. Thailand.
- Else, M.A., E. Annemiek, S.J. Tiekstra, W.J. Croker, and M.B. Jackson. 1996. Stomatal closure in flooded tomato plants involves abscisic acid and a chemically unidentified anti-transpirant in xylem sap. Plant Physiol. 112(1): 239-247.
- English, P.J., G.W. Lycett, J.A. Roberts, and M.B.Jackson. 1995. Increased
  1-aminocyclopropane-1-carboxylic acid oxidase activity in shoots of flooded
  tomato plants raises ethylene production to physiologically active levels.
  Plant Physiol. 109:1435-1440.
- Everard, J.D., and M.C.Drew. 1987. Mechanisms of inhibition of water movement in anaerobically treated roots of *Zea mays* L. J. Exp. Bot. 38:1154-1165.

- Fisher, R.A. 1984. Physiological limitations to producing wheat in semitropical and tropical environments and possible selection criteria. Wheat for more tropical environments: A processings of the international symposium. September 24-28, 1984. CIMMYT, Mexico. 209-230 pp.
- Forrester, J. W. 1968. Market growth as influenced by capital investment. Industrial Management Review. 9:83-105.
- Graf, B., M. Dingkuhn, F. Schnier, V. Coronel, and S. Akita. 1991. A simulation model for the dynamics of rice growth and development: III. Validation of the model with high-yielding varieties. Agricultural System. 36: 329-349.
- Goudriaan, J., and H.H. Van Laar. 1994. Modelling potential crop growth processes: textbook with exercises. Kluwer Academic Pubblishers. London. 238 pp.
- Greenway, H. 1993. The measurement of plant responses to waterlogging. 30 pp. In workshop "Physiology of waterlogged plants". on Jan. 25-Feb.5,1993. at Multiple Cropping Center, Chiang Mai University. Ching Mai, Thailand.
- Hale, M.G., and D.M. Orcutt. 1987. The physiology of plants under stress. A Wiley-interscience publication, John Wiley & Sons, Inc. USA. p. 148.
- Hammer, G.L., T.R. Sinclair, K.J. Boote, G.C. Wright, H. Meinke, and M.J. Bell. 1995. A peanut simulation model: I. Model development and testing. Agron. J. 87: 1085-1093.
- Hanson, A.D., and J.V. Jacobsen. 1984. Control of lactate dehydrogenase, lactate glycolysis, and alpha-amylase by  $\rm O_2$  in barley aleurone layers. Plant Physiol. 75:566-572.
- He, Chuan-Jiu, W. P. Morgan, and C.D. Malcolm. 1996. Transduction of an ethylene signal is required for cell death and lysis in the root cortex of maize during aerenchyma formation induced by hypoxia. Plant Physiol. 112:463-472.
- Hobbs, P.R. 1990. Wheat technical issues needing coordinated research in rice-wheat systems. (in Thai). p.15-36. *In* The 1990 National Barley and Wheat Conference: January 24-26,1990 Golden Triangle Resort Hotel, Chiangrai. Thailand.
- Hoffman N.E., A.F. Bent, and A.D. Hanson. 1986. Induction of lactate dehydrogenase isozymes by oxygen deficit in barley root tissue. Plant Physiology. 82:658-663.

- Huang, B., J. W. Johnson, S. Nesmith, and D. C. Bridges. 1994a. Growth, physiological and anatomical responses of two wheat genotypes to waterlogging and nutrient supply. J. Exp. Bot. 45:193-202.
- Huang, B., J. W. Johnson, D. S. Nesmith, and D. C. Bridges. 1994b. Root and shoot growth of wheat genotypes in response to hypoxia and subsequent resumption of aeration. Crop Sci. 34:1538-1544
- Hwang, Shih-Ying, and Tara T. VanToai. 1991. Abscisic acid induces anaerobiosis tolerance in corn. Plant Phylol. 97: 593-597.
- Jackson, M.B., K. Gales, and D. J. Cambell. 1978. Effect of waterlogged soil conditions on the production of ethylene and on water relationships in tomato plants.

  J. Exper. Bot. 29:183-193.
- Jackson, M. B., and M.C. Drew. 1984. Effects of flooding on growth and metabolism of herbaceous plants. p.47-127. *In* Kozlowski, T.T. (ed.) 1984. Flooding and plant growth., Academic press. USA.
- Jackson, M. B. 1985. Ethylene and responses of plants to soil waterlogging and submergence. Ann. Rev. Plant Physiol. 36: 145-174.
- Jackson, M. B., T. M. Fenning, M.C. Drew, and L.R. Saker. 1985. Stimulation of ethylene production and gas-space (aerenchyma) formation in adventitious roots of *Zea mays* L. by small partial pressures of oxygen. Planta.165:486-492.
- Jackson, M. B. 1996. Root to shoot communication in plants adapting to flooding and submergence. 1 pp. *In* The international seminar "New developments in plant adaptation to waterlogging and flooding".on October 7, 1996. at Department of Agriculture, Bangkok. Thailand.
- Janjalernsuk, J., S. Tanjalern, and C. Jirawattanachai. 1998. Comparing the analysis methods of amonium-nitrogen (NH<sub>4</sub><sup>+</sup>-N) in the extracted plant solution by Kjeldahl. Thai Journal of Soil and Fertilizers. 20: 24-31.
- Jaworski, E.G. 1971. Nitrate reductase assay in intact plant tissues. Biochemical and biophysical research communications. 43(6): 1274-1279.
- Jiang, M. 1995. Effects of water logging as dependent on endogenous and exogenous factors on strawberry (*Fragaria X ananassa* Dutch.). Ph.D dissertation. Univ. of Bonn, Germany. 124 p.

- Jongdee, B., and P. Youngsook. 1993. Wheat constraints associated with cultural practices in northern Thailand, (in Thai). p. 49-54. *In* The 14th National Temperate Cereals Conference: Research and Development for Southeast Asia. on Feb. 9-111993. at The Holiday Inn Mekong Royal. Nong Kai. Thailand.
- John, C.D., and H. Greenway. 1976. Alcoholic fermentation and activity of some enzymes in rice roots under anaerobiosis. Aust. J. Plant Physiol. 3:325-336.
- Johnson, J., B.G. Cobb, and M.C. Drew. 1989. Hypoxic induction of anoxia tolerance in root tips of *Zea mays*. Plant Physiol. 91:837-841.
- Kaiser, W., and J. Forster. 1989. Low CO<sub>2</sub> prevents nitrate reduction in leaves. Plant Physiol. 91:970-974.
- Karishnev, R.V. 1958. Resistance of summer wheat to excess water. Sov. Plant Physiol. (Engl. Transl.). 5:410-416.
- Kawase, M. 1979. Role of cellulase in aerenchyma development in sunflower. J. Bot. 66(2):183-190.
- Kawase, M. 1981. Effect of ethylene on aerenchyma development. Amer. J. Bot. 68(5): 651-658.
- Kennedy, R.A., M.E. Rumpho, and T.C. Fox. 1992. Anaerobic metabolism in plants.

  Plant Physiol. 100:1-6.
- Kennedy, R.A., M. E. Rumpho, and T.C. Fox. 1992. Anaerobic metabolism in plants. Plant Physiol. 100:1-6.
- Kibreab, T. and V. Ananboontarick. 1980. Chillie pepper response to moisture stress and nitrogen fertillization. Research report of water management section. MCP., Chiang Mai Univ. Thailand. 178 pp.
- Klamsomboon, P. 1983. Studies on nitrate reductase in rice seedlings in response to application of nitrogenous fertilizers. M.Sc.(Biology). Kasetsart University. Thailand. 99 pp.
- Krizek, D.T. 1982. Plant response to atmospheric stress caused by waterlogging. p.293-334. *In* Christiansen, M.N. and C.F.Lewis. (eds.) 1982. Breeding plants for less favorable environments. John Wiley & Sons, Inc. USA.

- Larpruai, T., P. Pongsukul, N. Sangplung, and C. Chainuvati. 1995. Production technology utilization of successful barley grower in paddy condition. (in Thai). p.124-187. *In* The 16th national temperate cereal conference. on Jan. 0-12, 1995. at LARTC and Lampang Wiengtong Hotel, Lampang. Thailand.
- Lauer, J.G., and J.R. Patridge. 1990. Planting date and nitrogen rate effects on spring malting barley. Agron. J. 82:1083-1088.
- Lersrutaiyotin, R., S. Anusonpornperm, T. Toojinda, S. Boonlang, C. Chuaiprasit, and P. Bhirombhakdee. 1992a. Effect of planting date on some malting quality characteristics of barley. (in Thai). p.73-80. *In* The 16<sup>th</sup> National Temperate Cereal Conference. on January 10-12, 1995. at Lampang Agricultural Research and Training Center, Lampang, Thailand.
- Lersrutaiyotin, R., S. Anusonpornperm, T. Toojinda, S. Boonlang, C. Chuaiprasit, and P. Bhirombhakdee. 1992b. Stibility study of malting quality in barley (in Thai). p.111-134. *In* The 16<sup>th</sup> National Temperate Cereal Conference. on January 10-12, 1995. at Lampang Agricultural Research and Training Center, Lampang, Thailand.
- Levitt, J. 1980. Responses of plants to environmental stresses. Vol.2. 2<sup>nd</sup> edition USA. 471 pp.
- Liu, Xiaozhong. 1996. SOD activity and lipid peroxidation in leaves of waterlogged maize. 1 pp. *In* Seminar in "New Developments in Plant Adaptation to Waterlogging and Flooding. on October 7, 1996 at Department of Agriculture, Ministry of Agriculture. Bangkok, Thailand.
- Loomis, R.S., R. Rabbinge, and E. Ng. 1979. Explanatory models in crop physiology. Ann.Rev. Plant Physiol. 30: 339-367.
- Loomis, R.S., and W.A. William. 1963. Maximum crop productivity: an estimate. Crop Sci. 3:67-72.
- Losada, M. 1976. Metalloenzymes of the nitrate-reducing system. J. Mol. Catal. 1: 245-264.
- McCloud, D.E.1974. Growth analysis of high yielding peanuts. Soil Crop Sci. Soc. Fla.Proc. 33:24-26.

- Mankeb, P. 1993. Calibration of genetic coefficients of paddy rice (*Oryza sativa* L.) for validation of the CERES-Rice model in northern Thailand. M.Sc. Thesis. Chiang Mai Univiersity, Chiang Mai, Thailand. 120 pp.
- Marcelis, L.F.M. 1994. A simulation model for dry matter partitioning in cucumber.

  Annals of Botany 74:43-52.
- Meechoui, S. 1985. Effect of planting date and moisture stress on growth and yield of wheat (*Triticum aestivum* L. cv. INIA-66). MS. (agronomy) thesis. Chiang Mai Univ.Chiang Mai.Thailand. 56 pp.
- Meechoui, S., and L. Kaochaimaha. 1987. The effects of planting date and water stress on seed quality of wheat (*Triticum aestivum*. L. var. INIA66). Journal of Agricultural Science. 5: 360-307.
- Meek, B.D., C.F. Ehlig, L.H. Stolzy, and L.E. Graham. 1983. Furrow and trickle irrigation: effects on soil oxygen and ethylene and tomato yield. Soil Sci. Soc. Am. J. 47: 631-635.
- Mekanavakul, M., and P. Laosuwan. 1996. Effects of waterlogging on growth and yield of mungbeans. Suranaree J. Sci. Technol. 3:85-94.
- Menegus, F., L. Cattaruzza, H. Molinari, and E. Ragg. 1993. Rice and wheat seedlings as plant models of high and low olerance to anoxia (in Chapter 5). Surviving hypoxia: mechanism of adaptation and control. CRC.Press,Boca Raton, Findsland. 53-64 pp.
- Morrison, M.J., and D.W. Stewart. 1995. Radiation-use efficiency in summer rape. Agron. J. 87: 1139-1142.
- Muchow, R.C., and D.B. Coates. 1986. An analysis of the environmental limitation to yield of irrigated grain sorghum during the dry season in Tropical Australia using a radiation interception model. Aust. J. Agric. Res. 37: 135-148.
- Murata, Y. 1975. Crop productivity and solar energy utilization in various climates in Japan. JIBP Synthesis. Vol.11. Japannese Committee for International Biological Program. Tokyo, Japan. 125-243 pp.
- Nelson, R.B., D.W. Davis, J.P. Palta, and D.R. Laing. 1983. Measurement of soil waterlogging tolerance in *Phaseolus vulgaris* L.: A comparison of screening techniques. Scientia Horticulturae. 20:303-313.

- Newman, D.S., and B.A. Smit. 1993. Root hypoxia-induced changes in the pattern of translatable mRNA in polar laves. J. Exper. Bot. 44:1781-1786.
- Palada, M.C., and B.S. Vergara. 1972. Environmental effects on the resistance of rice seedlings to complete submergence. Crop Sci. 12:209-212.
- Pate, J.S., and D.B. Layzell. 1981. Carbon and nitrogen partitioning in the whole plantathesis based on empirical modeling. (chapter 4). p.94-134. *In* J.D.Bewly (ed.). Nitrogen and carbon metabolism. Dr.W.Junk Publishers. The Netherlands.
- Pate, J. S. 1980. Transport and partitioning of nitrogenous solutes. Ann. Rev. Plant Physiol. 31: 313-340.
- Penning de Vries, F.W.T., D. M. Jansen, H.F.M. ten Berge, and A. Bakema. 1989.

  Simulation of eco-physiological processes of growth in several annual crops.

  Pudoc Wageningen. Netherlands. 271 pp.
- Pintasen, S., B. Rerkasem, and S. Jamjod. 1997. Effects of waterlogging and boron on sterility in wheat. (in Thai). p.217-225. *In* Proceedings on "Thailand International Temperate Cereals Conference 1997: Production and Utililzation" on Dec.11-13, 1997 at Faculty of Agriculture, Chiang Mai University. Chiang Mai. Thailand.
- Pradet. A., and J.L. Bomsel. 1978. Energy metabolism in plants under hypoxia and anoxia. p. 89-118. D.D.Hook and R.M.M. Crawford (eds). *In* Plant life in anaerobic environments. Ann Arbor Science Publisher Inc.
- Pressakli, M. 1994. Handbook of plant and crop physiology. Marcel Dekker, Inc. USA. 1004 pp.
- Pookpadee, A., K. Terawirod, S. Pongkao, and R. Lawn. 1987. The responses of five soybean varieties to saturated soils culture.(in Thai). p.96-145. *In* Proceeding of the second soybean research workshop 1987. on Dec. 22-5, 1987. at Pailin Hotel, Phitsanuloke. Thailand.
- Raskin, I., and H. Kende. 1983. Regulation of growth in rice seedlings. J. Plant Growth Regul. 2:193-203.
- Reid, D.M., and K.J. Bradford. 1984. Effects of flooding on hormone relations. p.195-219. *In* T.T.Kozlowski, Ed. Flooding and Plant Growth. Academic Press, Orlando, Canada.

- Ricard B, R. J., A. Spiteri, and A. Pradet. 1991. Anaerobic stress induces the transcription of sucrose synthase in rice. Plant Physiol. 95:669-674.
- Rickman, R.W., S.E. Waldman, and B. Klepper, 1996, MODWht3: A development-driven wheat growth simulation. Agron. J. 88: 176-185.
- Roberts, J.K.M., K. Chang, C. Webster, J. Callis, and V. Walbot. 1989. Dependence of ethanolic fermentation, cytoplasmic pH regulation and viability on the activity of alcohol dehydrogenase in hypoxic maize root tips. Plant Physiol. 89:1275-1278.
- Rosario, D.A. del, and R.K. Pandey. 1985. Screening legumes for waterlogging resistance for rice based cropping system. p. 24. *In* The Workshop on varietal improvement for rice-based farming systems. on March 11-15,1985. at Phitsanuloke, Thailand.
- Runaphi, N., C.Sukaphu, and V. Phochin. 1997. Temperate cereal researches of Office of Agricultural Economics (in Thai). p. 245-236 *In* the18th National Temperate Cereal Conference. on January 27-29,1997. at Khoza Hotel. Khon Khaen, Thailand.
- Sachs, M.M., M. Freeling and R. Okimoto. 1980. The anaerobic proteins of maize. Cell. 20:761-767.
- Saglio, P., M.C. Drew, and A. Pradet. 1988. Metabolic acclimation to anoxia induced by low (2-4 kPa) partial pressure oxygen pretreatment (hypoxia) in root tips of *Zea mays*. Plant Physiol. 86:61-66.
- Senthong, C. 1979. Growth analysis in several peanut cultivars and the effect to peanut root-knot nematode (*Meloidogyne arenaria*) on peanut yields. Ph.D. Dissertation, Univ. of Florida, Gainesville, USA. 62 pp.
- Senthong, C., S. Julsrigival, N. Dechsakulrat, V. Sriwattanapong, and A.
  Kanjanaprachot. 1997. Yield Physiology of barley under no-tillage system and different date of planting. p. 252-270. *In* Proceedings Thailand International Temperate Cereals Conference 1997: Production and Utilization. on December11-13, 1997 at Fac. of Agriculture, Chiang Mai university, Chiang Mai, Thailand.
- Setter, T.L., T. Kupkanchanakul, I. Waters, and H. Greenway. 1988. Evaluation of factors contributing to diurnal changes in O<sub>2</sub> concentrations in floodwater of deepwater rice fields. New Physiol. 110: 151-162.

- Smirnof, N., M.D.Winslow, and G.R.Stewart. 1985. Nitrate reductase activity in leaves of barley (*Hordeum vulare*) and durum wheat (*Triticum durum*) during field and rapidly applied water deficits. J.of Exp.Botany. 36(169):1200-1208.
- Supakhumnert, N. 1998. Amonium-nitrogen analysis by colorization method (in Thai).

  Scientific Press. Chiang Rai Horticulture Reasearch Center. Chiang Rai, Thailand.

  2 pp.
- Tanaka, A. 1976. Comparisons of rice growth in different environments. Proceedings of the symposium on climate & rice. IRRI. Los Banos, Philippines. 429-448.
- Thomson, C.J., and H.Greenway. 1991. Metabolic evidence for stelar anoxia in maize roots exposed to low O<sub>2</sub> concentrations. Plant Physiol. 96: 1294-1301.
- Thomson, C.J., T.D. Colmer, E.L. Watkin, and H. Greenway. 1992. Tolerance of wheat (*Triticum aestivum* cvs. Gamenya and Kite) and triticale (*Triticosecale* cv. Muir) to waterlogging. New Phytol. 120: 335-344.
- Trought, M.C., and M.C. Drew. 1980. The development of waterlogging damage in young wheat plants in anaerobic solution cultures. J. Exp. Bot. 31:1573-1585.
- Trought, M.C., and M.C. Drew. 1981. Alleviation of injury to young wheat plants in anaerobic solution cultures in relation to the supply of nitrate and other inorganic nutrients. J. Exp.Bot. 33:509-522.
- Toojinda, T., C. Chuaiprasit, and P. Bhirombhakdee. 1992a. Effect of genotypes, environments, and fertilizers on protein percentage of barley grown in Thailand (in Thai). p.138-149. *In* The Thirteenth National Barley and Wheat Conference. on Aug. 19-21, 1992. at Royal Ciff Beach Resort. Pattay, Chonburi, Thailand.
- Toojinda, T., V. Chompukao, A. Markul, S. Cheevaviriyakul, C. Chuiprasert, and
  P. Prompakdi. 1992b. Barley production technology in irrigated conditions (in
  Thai). p.83-94. *In* The Thirteenth National Barley and Wheat Conference. on Aug.
  19-21, 1992 at Royal Cliff Beach Resort, Pattaya, Chunburi. Thailand.
- Uraikool, A., and C. Sakapoo. 1991. The future of barley in Thailand (in Thai). 7 pp. In The 1991National winter cereal seminar. on August 7-9,1991. at Mae Sod Hill, Tak. Thailand.
- Vartapetian, B.B., and M.B. Jackson. 1997. Plant adaptation to anaerobic stress. (Review). Annuals of Botany. 79 (Supplement A): 3-20.

- Waters, S.M., H.Greenway, and T.D.Colmer. 1991. Effects of anoxia on wheat seedlings. Annal of Experimental Botany. 42(244): 1437-1447.
- Wiengweera, A. 1994. Use of agar nutrient solution that mimics the gas composition of waterlogging to evaluate root development and nutrient uptake by seminal and nodal roots of wheat. Ph.D. Thesis, University of Western Australia. Australia. 122 pp.
- Wiengweera, A., H. Greenway, and C.J. Thomson. 1997. The use of agar nutrient solution to stimulate lack of convection in waterlogged soils. Annals of Botany. 80:115-123.
- Wignarajah, K., H. Greenway, and C.D. John. 1976. Effect of waterlogging on growth and activity of alcohol dehydrogenase in hominy and rice. New Phytol. 77:585-592.
- Wilkerson, G.G., J.W. Jones, K.J. Boote, K.T. Ingram, and J. W. Mishoe. 1983.

  Modeling soybean growth for crop management. TRANSACTIONS of the ASAE.

  presented as ASAE Paper No.81-4014. 63-73 pp.
- Wych,R.D., S.R. Simmons, R.L. Warner, and E.J.M. Kirby. 1985. Physiology and development, p.103-118. *In* D.C. Rasmusson (ed.). Baley. American Society of Agronomy. Wisconsin, USA.
- Xia, Jian-Hua, and P. Saglio. 1992. Lactic acid efflux as a mechanism of hypoxic acclimation of maize root tips to anoxia. Plant Physiol. 100:40-46.
- Yoshida, S., D.A. Forno, J.H.Cock, and K.A. Gomez. 1976. Laboratory manual for physiological studied of rice. IRRI, Los Banos, Laguna. Philippines. 83 pp.
- Yoshida, S. 1981. Fundamentals of rice crop science. IRRI. Los Banos, Philippines. 269 pp.
- Youngsuk, P., B. Jongdee, and P. Hanwiriyapan. 1988. Appropriate bed width for furrow irrigation on wheat field after rice. p.124-136. *In* Wheat research and development workshop 1988/99. On August 9-11, 1988. at Asia Hotel, Lampang. Thailand.
- Zhang, J., and W.J. Davies. 1987. ABA in roots and leaves of flooded pea plants.

  J. Exp. Bot.38: 649-659.