

## TABLE OF CONTENTS

	<b>Page</b>
Acknowledgement	iii
Abstract	v
Thai Abstract	viii
Table of Contents	xi
List of Figures	xvii
List of Appendix Tables	xix
Abbreviation	xx
<b>CHAPTER I INTRODUCTION</b>	
1.1 Background	1
1.2 Strawberry varieties	3
1.2.1 Phraradchatan 16 Variety	4
1.2.2 Phraradchatan 20 Variety	5
1.2.3 Phraradchatan 50 Variety	5
1.2.4 Phraradchatan 70 Variety	5
1.2.5 Selva Variety	6
1.3 Rationale	6
1.4 Objectives of the study	7
1.5 Usefulness of the study	8

## **CHAPTER II RESEARCH METHODS**

2.1 The development of Biotechnology	9
2.2 Concept and definition of project impact assessment	10
2.3 Purpose of impact study	11
2.4 The method of impact study	12
2.4.1 Comparison with and without approaches	12
2.4.2 Economic surplus	12
2.4.3 Estimating hedonic price	13
2.4.4 Budget analysis and profitability	14

## **CHAPTER III METHODOLOGY**

3.1 Scope and limitation of the study	16
3.2 Conceptual framework	16
3.3 Data collection	18
3.3.1 Primary data	18
3.3.1.1 Farmers survey	18
3.3.1.2 Consumers survey	20
3.3.1.3 Processors and Exporters survey	20
3.3.1.4 Strawberry qualities and residual	21
3.3.1.5 Residue measuring	22
3.3.2 Secondary data	22
3.4 Data analysis	22

3.4.1 Descriptive analysis	24
3.4.2 The farmer surplus approach	24
3.4.3 Budget analysis	27
3.4.4 Hedonic price equation function	28

## **CHAPTER IV THE CHARACTERISTICS OF THE STUDY SITES**

4.1 Background of CSPUCS project	29
4.2 The characteristics of promoted sites within CSPUCS project	32
4.2.1 The Intanon Royal Project	32
4.2.2 The Huai Nam Rin Royal Project	33
4.2.3 The Ang Khang Royal project	34
4.3 The household characteristics of the study sites	34
4.3.1 The farmers growing strawberries	34
4.3.1.1 Household components	34
4.3.1.2 Land tenure and land ownership	37
4.3.1.3 Debt condition	38
4.3.1.4 Farming activities and cropping patterns	39
4.3.1.5 Household income	44
4.3.2 The farmers producing runners	45
4.3.2.1 Household components	45
4.3.2.2 Land tenure and land ownership	47
4.3.2.3 Debt condition	47
4.3.2.4 Farming activities and cropping patterns	48

4.3.2.5 Household income	49
--------------------------	----

## **CHAPTER V COMPARING PRODUCTION SYSTEMS OF THE NORMAL AND THE VIRUS-FREE SYSTEM**

5.1 Introduction	50
5.2 Strawberry production	50
5.2.1 Damage of strawberry plants using VFS and NS in cultivation period	51
5.2.2 Farming practices in strawberry production	52
5.2.2.1 Land and soil preparation	53
5.2.2.2 Planting and mulching	54
5.2.2.3 Fertilizer application	56
5.2.2.4 Watering	57
5.2.2.5 Weeding and runner plucking	58
5.2.2.6 Plant protection	58
5.2.2.7 Harvesting	59
5.2.2.8 Production yields	59
5.3 Runner production	60
5.3.1 Experience in runner production	61
5.3.2 Farming practices in runner production	61
5.3.2.1 Soil preparation	62
5.3.2.2 Propagation	62
5.3.2.3 Crown division	63
5.3.2.4 Fertilizer application	64

7.1.1 Chemical use and food safety	94
7.1.2 Labor use	97
7.1.3 Farmers' health	101
7.4 Consumer preference	102
7.4.1 The consumer preference in the taste of strawberry	103
7.4.2 The consumer preference in color of skin	104
7.4.3 The consumer preference in the size of strawberr	104
7.4.4 The consumer preference in the shape of strawberry	106
7.4.5 The consumer preference in the fragrance of strawberry	107

## **CHAPTER VIII CONCLUSION AND SUGGESTIONG**

<b>REFERENCES</b>	119
<b>APPENDICES</b>	123
<b>CURRICULUM VITAE</b>	124

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
Table 4.1. Production of strawberry plants from tissue culture technique in 1996/97	
Table 4.2. Extension areas of runner production from tissue cultured plants.	
Table 4.3. Demographic information of the farmers growing strawberries.	
Table 4.4. Land tenure and land holding of the farmers growing the strawberries.	
Table 4.5. Source of credit of the farmers growing the strawberries	
Table 4.6 Household income of the farmers growing the strawberries.	
Table 4.7. Demographic information of the farmers producing the runners	
Table 4.8. Sources of income of the farmers producing runners.	
Table 5.1 The percentage of damage strawberry plants	
Table 5.2. Spacing patterns used by the farmer using VFS	
Table 5.3. Spacing patterns used by the farmer using NS	
Table 5.4. Each fertilizer type applied in pre-planting period by percentage.	
Table 5.5. The production yield of strawberry using VFS	
Table 5.6. The production yields of strawberry using NS	
Table 5.7. Average of crown division per a mother plant in each variety both VFS and NS.	
Table 5.8. The frequencies of fertilizer application in VFS and NS	

Table 5.9. The methods of fertilizer application for runner production.

Table 5.10. Chemical use in the runner production of VFS and NS

มหาวิทยาลัยเชียงใหม่  
Chiang Mai University

**LIST OF FIGURE**

<b>Figure</b>	<b>Page</b>
Figure 3.1 Research framework	
Figure 3.2 Analytical Framework	
Figure 4.1. The production process of virus-free runners	
Figure 4.2 Cropping pattern of the farmers growing strawberry in Sameong district	
Figure 4.3 Cropping pattern of the farmers growing strawberry in Fang District	
Figure 4.4 Cropping pattern of the farmer growing strawberry in Mae Rim	
Figure 4.5 Cropping pattern of the farmer growing strawberry in Mae Sai	
Figure 7.1 Shapes of strawberry	



## ABBREVIATIONS

BAAC = Bank for Agriculture and Agricultural Cooperatives

BIOTEC = Nation Center for Genetic Engineering and Biotechnology

CSPUCS = Commercial Strawberry Production by Using Certified Seedlings

NS = Normal system

P16 = Phraradchatan 16 variety

P20 = Phraradchatan 20 variety

P50 = Phraradchatan 50 variety

P70 = Phraradchatan 70 variety

RNS = Runner Production in the Normal System

RPF = The Royal Project Foundation

RVFS = Runner Production in the Virus-Free System

SNS = Strawberry Production in the Normal System

SVFS = Strawberry Production in the Virus-Free System

VFS = Virus-free system