

REFERENCES

- Abraham, M. J., Pandey, D. K. (1989): Performance of selected varieties and advanced generation genotypes in rainfed lowland iron toxic soil. *Int. Rice Res. Newsl.* 14, 21–21.
- Abu, M. B., Tucker, E. S., Harding, S. S., Sesay, J. S. (1989): Cultural Practices to reduce iron toxicity in rice. *Int. Rice Res. Newsl.* 14, 19–19.
- Alaily, F., Sib, J., Madrid, K., Soubeiga, Z., Roth, C. (1998): Paddy soils derived from basaltic colluvium in the highland of Madagascar. *J. Plant Nutr. Soil Sci.* 161, 633–637.
- Armstrong, W. (1979): Aeration in higher plants. *Adv. Bot. Res.* 7, 226–332.
- Audebert. 2001. WARDA Annual Report 2001–02. *Painting the Rice Red, Iron Toxicity in the Lowlands.* 29 p.
- Ayotade, K. A. (1979): Reaction of some rice varieties to iron toxicity in flooded strongly acid ferralitic soil in Nigeria. *WARDA (West Africa Rice Dev. Assoc.) Techn. Newsl.* 1, 11–11.
- Baba, I, Takahashi, Y. and Iwata, I. 1953. Studies on the nutrition of the rice plant with reference to helminthosporium leaf spot (preliminary report), V. The plant growth and susceptibility to the disease as affected by the addition of iron to culture solution. *Proc. Crop Sci. Soc. Jpn.* 22: 41-42.
- Benckiser G, Ottow JCG, Santiago S and I Watanabe. 1983. Iron toxicity – effect of

phosphorus, potassium, calcium and magnesium fertilization on rhizoflora, redoxpotential and iron uptake by different rice varieties (*Oryza sativa* L.). *Landw.Forschung* 36, 285-299.

Blake, R. C., Shute, E. A., Greenwood, M. M., Spencer, G. H., Ingledew, W. J. (1993): Enzymes of aerobic respiration on iron. *FEMS Microbial Reviews* 11, 9-18.

Cakmak, I., N. Sari, H. Marschner, H. Ekiz, M. Kalayci, A. Yilmaz & H.J. Braun, 1996a. Phytosiderophore release in bread and durum wheat genotypes differing in zinc efficiency. *Plant and Soil* 180: 183-189

Cheema, S. S., Chaudhary, U., Takkar, P. N., Sharma, B. D. (1990): Effect of dates of transplanting on uptake of micronutrients by rice cultivars of different growth stages. *J. Res. Punjab Agric. Univ.* 27, 199-206.

Clark, R. B., Tiffin, L. O., Brown, J. C. (1973): Organic acids and iron translocation in maize genotypes. *Plant Physiol.* 52, 147-150

Das, K. N., Bordoloi, P. K., Bora, N. (1997): Tolerance level of iron in irrigation water for rice crop. *Int. J. Trop. Agric.* 15, 59-166.

Deturck, P. (1994): Iron toxicity to rainfed lowland rice in Sri Lanka. KULFLT, Leuven, Belgium.

Dobermann A and TH Fairhurst. 2000. Rice: Nutrient disorders and nutrient management. Manila, The Philippines: International Rice Research Institute.

191 p.

Emerson, D., Moyer, C. (1997): Isolation and characterization of novel iron oxidizing bacteria that grow at circumneutral pH. *Appl. Environ. Microbiol.* 60, 4032-4038.

Fageria, N. K. (1988): Influence of iron on nutrient uptake by rice. *Int. Rice Res.*

Newsl. 13, 20–21.

Fairhurst, T. H., Witt, C. (2002): *Rice: A practical guide to nutrient management.*

The International Rice Research Institute, Manila, The Philippines.

Frenzel, P., Bosse, U. (1999): Rice roots and methanogenesis in a paddy soil: ferric

iron as an alternative electron acceptor in rooted soil. *Soil Biol. Biochem.* 31,

421–430.

Greipsson, S., Crowder, A. A. (1991) Amelioration of copper and nickel toxicity by

iron plaque on roots of rice (*Oryza sativa*). *Can. J. Bot.*, 70: 824-830.

Grusak MA, 1994. Iron transport to developing ovules of *Pisum sativum*. L. Seed

import characteristics and phloem iron-loading capacity of source regions.

Plant Physiol 104:649-655.

Gunawardena, I., Virmani, S., Sumo, F. J. (1982): Breeding rice for tolerance to iron

toxicity. *Oryza* 19, 5–12.

Halliwell B and JMC Gutteridge. 1984. Oxygen toxicity, oxygen radicals, transition

metals and disease. *Biochem. J.* 219, 1-14.

Halliwell, B. and Gutteridge, J.M.C. 1986. Iron and free radical reactions: two aspects

of antioxidant protection. *Trends Biochem. Sci.* 11:372-375.

Harmsen, K., Van Breemen, N. (1975): Translocation of iron in sulfate acid soils: II.

Reduction and diffusion of dissolved ferrous iron. *Soil Sci. Soc. Am. Proc.* 39,

1148–1153.

Hevitt E.J. 1983. Essential and Functional metals in plants. In *Metals and*

Micronutrients, D.D. Rubb and W.S. Pierpoint. pp. 277-323. Academic Press,

New York.

Hayashi, M. Hashizume, A., Shinohara, S. and Igarashi, G. 1960. Studies on the influence of water-percolation in rice plants during ripening period in ill-drained paddy field. Proc. Crop Sci. Soc. Jpn. 29: 43-46 (in Japanese with English summary).

Howeler, R. H. (1973): Iron-induced orange disease of rice in relation to physiochemical changes in a flooded Oxisol. Soil Sci. Soc. Am. Proc. 37, 98-903.

Howeler, R. H., Bouldin, D. R. (1971): The diffusion and consumption of oxygen in submerged soils. Soil Sci. Soc. Am. Proc. 35, 202-208.

INTHAPANYA, P., J.M.SCHILLER, SURAPONG SAKRKARUNG, TAWEE KUPKANCHANAKUL, and VIRAVANH OHANNOURATH. 1995. Varietal improvement strategies for rainfed lowland environment of the Lao PDR: 1995-2000. P. 767-787. In: Fragile Live in Fragile Ecosystem. Proceedings for the International Rice Research Conference, 13-17 February 1995, Los Banos, Philippines. Manila. IRRI.

Jacq, V. A. (1977): Sensibilité du riz aux sulfures d'origine microbienne. Cahiers Orstom, Série Biologie XII 2, 97-99.

Kawata, S. and Katano, M. 1977. Effect of water management of paddy fields on the direction of crown root growth and the lateral root formation of rice plants. Jpn. J. Crop Sci. 46: 543-557.

Kido, M. 1956. Ill-drained and well drained paddies. In Y. Togari and T. Matsuoeds, Rice Culture 3., Asakura Shoten, Tokyo. 191-204.

Kirk GJD. 2004. The Biogeochemistry of submerged soils. Chichester, UK: John Wiley and Sons. 291 p

- Lantin, R. S., Neue, H. U. (1989): Iron toxicity: a nutritional disorder in wetland rice. 17th Irrigated Rice Meeting. Brazil. 26–30 Sep. 1989. Lavoura-Arrozeira 42, 3–8.
- Liesack, W., Schnell, S., Revsbech, N. P. (2000): Microbiology of flooded rice bodies. *FEMS Microbiol. Rev.* 24, 625–645.
- LINQUIST, B.A., B. KEOBOULAPHA, SIPASEUTH. and P. INTHAPANYA. 2006. Rice production system in Laos. p.29-46. In: Schiller, JM., Chanphengxay, M.B., Linquist, B. and Appa Rao, S (ed). 457 p.
- Maclean JL, Dawe DC, B Hardy and GP Hettel. 2002. Rice Almanac. Wallingford, UK:CABI Publishing. 253 p.
- Marschner H. 1995. Mineral nutrition of higher plants. 2nd ed. Functions of mineral nutrients: Micronutrients: Iron. London: Academic Press. p 313-323.
- Mathias, B., Folkard Asch. (2005): Iron toxicity in rice conditions and management concepts. Institute of Plant Nutrition, Karlrobert-Kreiten-Str. 13, D-53115 Bonn, Germany. P 562.
- Mengel, K. (1972): Einführung in den Stoffwechsel der Pflanze.*G. Fischer Verlag, Stuttgart
- Miller G.W., I. Jen Hoang, G.W. Welkie and J.C. Pushnik. 1995. Function of iron in plants with special emphasis on chloroplasts and photosynthetic activity.
- Neue HU, Quijano C, D Senadhira and T Setter. 1998. Strategies for dealing with micronutrient disorders and salinity in lowland rice systems. *Field Crop Res.* 56, 139-155.
- Montás Ramirez, L. et al. (2002) Effect of phosphorus, potassium and zinc fertilizers on iron toxicity in wetland rice (*Oryza sativa* L.). *Plant and soil*, 239: 197-206.

Morel, D. A., Machado, M. O. (1981): Identification of iron toxicity in Brazil. *Int. Rice Res. Newsl.* 6, 9–9.

Olaleye¹, * F.O. Tabi¹, A.O. Ogunkunle, I.B.N. Singh,² and K.L. Sahrawat². 2001.
Effect of iron toxicity concentrations on the growth of Lowland Rice.

¹Agronomy Department, University of Ibadan, Nigeria

²West Africa Rice Development Association (WARDA), 01 BP 2551, Bouke,
Cote d'Ivoire

Ottow, JCG, Prade K, Bertenbreiter W and VA Jacq. 1993. Iron toxicity mechanisms of flooded rice (*Oryza sativa* L.) in Senegal and Indonesia. In: Raunet M (ed). *Bas-Fonds et Riziculture*. CIRAD-CA, Montpellier, France. p 231-241.

Ottow J.C.G., Benckiser G and I Watanabe. 1982. Iron toxicity of rice as a multiple nutritional soil stress. In: *Proc. Int. Symp. on Distribution, Characteristics and Utilization of Problem Soils*. Tropical Agriculture Research Center, Ibaraki. 1982. p 167-179.

Peterson, D. A. (1991): Enhanced electron transfer by unsaturated fatty acids and superoxide dismutase. *Free Radicals Res. Comm.* 12/13, 161–166.

Ponnamperuma, F. N. (1977): Physico-chemical properties of submerged soil in relation to fertility. *IRRI Research Paper Series J. Plant Nutr. Soil Sci.* 2005, 168, 558–573 Iron toxicity in rice 571 No. 5. The International Rice Research Institute, Manila, Philippines.

Ponnamperuma, F. N. (1972): The chemistry of submerged soils. *Adv. Agron.* 24, 29–96.

Ponnamperuma, F. N., Tianco, E. M., Loy, T. (1967): Redox equilibria in flooded soils: The iron hydroxide systems. *Soil Sci.* 103, 374–382.

Prade, K., Ottow, J. C. G., Jacq, V. A., Malouf, G., Loyer, J. Y. (1990):

Relationships between the properties of flooded rice soils and iron toxicity in Lower Casamance (Senegal). Studies, review and summary of previous work. Cahiers ORSTOM, Serie Pedologie, IRD, Montpellier, France, pp. 453–474.

Prade, K. (1987): Einfluß der Nährstoffversorgung auf die Eisentoxizität bei Naßreis (*Oryza sativa* L.) in der Basse Casemance/ Senegal. Ph.D. Thesis, University of Gießen, Germany.

Rajkumar, G. R., Patil, C. V., Prakash, S. S., Yeledhalli, N. A. (1997): Distribution of forms of iron in relation to the properties of rice soils. *J. Maharashtra Agricult. Univ.* 22, 267–270.

Ratering, S., Schnell, S. (2000): Localization of iron-reducing activity in paddy soil by profile studies. *Biochem.* 48, 341–365.

Revsbech, N. P., Jorgensen, B. B., Blackburn, T. H. (1980): Oxygen in the sea bottom measured with a microelectrode. *Science* 207, 1355–1356.

Romheld, V. and Marschner, H. 1991. Functions of micronutrients in plants. In 'Micronutrients in Agriculture' and edn (J.J. Mordvedt, F.R. Cox, L.M. Shuman and R.M. Werch, eds.), pp. 297-328. SSSA Book Series, No., 4, Madison, WI, USA.

Sadana, U. S., Chahal, D. S., Abadia, J. (1995): Iron availability, electrochemical changes and nutrient content of rice as influenced by green manuring in a submerged soil. *Iron nutrition in soils and plants. Develop. Plant Soil Sci.* 59, 105–109.

Sahrawat, K. L. (2000) Elemental composition of the rice plant as affected by iron

toxicity under field conditions. *Commun. Soil Sci. Plant Anal*, **31**(17&18): 2819-2827.

Sahrawat, K. L., Diatta, S. (1995): Nutrient management and season affect soil iron toxicity. Annual Report 1994. West Africa Rice Development Association, Bouaké, Côte d'Ivoire, pp. 34–35.

Sahrawat KL, Mulbah CK, Diatta S, DeLaune RD, Patrick Jr WH, Singh BN and MP Jones. 1996. The role of tolerant genotypes and plant nutrients in the management of iron toxicity in lowland rice. *J. Agric. Sci.* 126, 143-149.

Sahrawat, K. L. (1979): Iron toxicity to rice in an acid sulfate soil as influenced by water regimes. *Plant Soil* 51, 143–144.

Sahrawat, K.L.; Sika, M. Comparative tolerance of *Oryza sativa* and *O. glaberrima* rice cultivars for iron toxicity in West Africa. *Intern. Rice Res. Notes* 2002, 27 (2), 30–31.

Sajwan, K. S., Lindsay, W. L. (1986) Effects of redox on zinc deficiency in paddy rice. *Soil Science Society of America Journal*, 50: 1264-1269.

Schwertmann, U. (1985): The effect of pedogenic environments on iron oxide minerals. *Adv. Soil Sci.* 1, 171–200.

Schmidt W. 1999. Mechanisms and regulation of reduction-based iron uptake in plants. *New Phytol.* 141, 1-26.

Singh, B. P., Das, M., Prasad, R. N., Ram, M. (1992): Characteristics of Fe-toxic soils and affected plants and their correction in acid Haplaquents of Meghalaya. *Int. Rice Res. Newsl.* 17, 18–19.

Straub, K. L., Benz, M., Schink, B., Widdel, F. (1996): Anaerobic, nitrate-dependent microbial oxidation of ferrous iron. *Appl. Environ. Microbiol.* 62, 1458–1460.

Swarup, A. (1988): Effect of gypsum, farmyard manure and rice husk on the availability of iron and manganese to rice in submerged sodic soil. *Oryza* 38, 42–42.

Tadano, T. Devices of rice roots to tolerate high iron concentration in growth media. *Jpn. Agric. Res. Quart (JARQ)* 1975, 9 (1), 34–39.

Tadano, T., Yoshida, S. (1978): Chemical changes in submerged soils and their effect on rice growth, in *IRRI: Soils and Rice*. The International Rice Research Institute, Manila, The Philippines, pp. 399–420.

Tadano, T. (1976): Studies on the methods to prevent iron toxicity in the lowland rice. *Mementos of the Faculty of Agriculture Hokkaido University* 10, 22–68.

Tanaka, A., Navasero, S. A. (1966): Manganese content of the rice plant under water culture conditions. *Soil Sci. Plant Nutr.* 12, 67–72.

Tanaka A, Loe R and SA Navasero. 1966. Some mechanisms involved in the development of iron toxicity symptoms in the rice plant. *Soil Sci. Plant Nutr.* 12, 158-164.

Tinh, T. K. (1999): Reduction chemistry of acid sulphate soils: Reduction rates and influence of rice cropping. *Acta Universitatis Agriculturae Sueciae, Agraria* 206, Uppsala, Sweden.

Tinh, T. K., Nilsson, I., Thu Huong, H. T. (2000): Effect of the depth of water submergence on rice performance and soil solution chemistry. *J. Soil Use Manage.* 1, 26–31.

Tsuchiya, M., Miyake, M., Bonilla, P., Kumano, S. (1995): Physiological response to salinity in rice plant: IV. Ion exclusion of the excised root exposed to NaCl stress with hydraulic pressure. *Jap. J. Crop Sci.* 64, 93–101.

Thompson, J. E., Legge, R. L. (1987): The role of free radicals in senescence and wounding. *New Phytol.* 105, 317–344.

Uphoff, N. and Randriamiharisoa 2002. Reducing water use in irrigated rice production with the Madagascar System of Rice Intensification (SRI). In B.A.M. Bouman et al. eds., *Water-Wise Rice Production*. IRRI, Los Baños, Philippines. 71-87.

Virmani, S. S. (1977): Varietal tolerance of rice to iron toxicity in Liberia. *Int. Rice Res. Newsl.* 2, 4–5.

WARDA Annual Report (2001–02): *Painting the Rice Red. Iron Toxicity in the Lowlands*, p 29.

Yamada, N. and Ota, Y. 1961. Effect of water percolation on physiological activity of rice root. *Proc. Crop Sci. Soc. Jpn.* 29: 404-408.

Yamanouchi, M., Yoshida, S. (1981): Physiological mechanisms of rice's tolerance for iron toxicity. Paper presented at the IRRI Saturday Seminar, June 6, 1981. The International Rice Research Institute, Manila, Philippines.

Yamauchi, M. (1989): Rice bronzing in Nigeria caused by nutrient imbalances and its control by potassium sulphate application. *Plant Soil* 117, 21–28.

Yamauchi, M., Peng, X. X. (1993): Ethylene production in rice bronzing leaves induced by ferrous iron. *Plant Soil* 149, 227–234.

Yeo, A. R., Yeo, M. E., Flowers, T. J. (1987): The contribution of an apoplastic pathway to sodium uptake by rice roots in saline conditions. *J. Exp. Bot.* 38, 1141–1153.

Yoshida, S. (1981): *Fundamentals of rice crop science*. The International Rice Research Institute, Manila, Philippines.

Zhang, X., Zhang, F. & Mao, D. (1998) Effect of iron plaque outside roots on nutrient uptake by rice (*Oryza sativa* L.). Zinc uptake by Fe-deficient rice. *Plant and soil*, **202**: 33-39.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved