

REFERENCES

- Abdollahi, A. and R. L. Buchanan. 1981a. Regulation of aflatoxin biosynthesis: Induction of aflatoxin production by various carbohydrates. *J. Food Sci.* 46: 633-635.
- Abdollahi, A. and R. L. Buchanan. 1981b. Regulation of aflatoxin biosynthesis: Characterization of glucose as an apparent inducer of aflatoxin production. *J. Food Sci.* 46: 143-146.
- Adye, J. and R. I. Mateles. 1964. Incorporation of labeled compounds into aflatoxins. *Biochemica Biophysica Acta.* 86: 418-420.
- Allen, L. H. Jr., K. J. Boote and L. C. Hammond. 1976. Peanut stomatal diffusive resistance affected by soil water and solar radiation. *Proc. Soil Crop Sci. Soc. Fla.* 35: 42-46.
- Amaya, F. J., C. T. Young, A. C. Mixon and A. J. Norden. 1977. Soluble amino and carbohydrate compounds in the testae of six experimental peanut lines with various degrees of *Aspergillus flavus* resistance. *J. Agriculture and Food Chemistry* 25: 661-663.
- Amaya, F. J., C. T. Young, A. J. Norden and A. C. Mixon. 1989. Chemical screening for *Aspergillus flavus* resistance in peanut. *Oleagineux* 35: 25-257.
- Anderson, W. F., C. C. Holbrook, D. M. Wilson and M. E. Matheron. 1995. Evaluation of preharvest aflatoxin contamination in several potentially resistant peanut genotypes. *Peanut Sci.* 22: 29-32.

AOAC. 1990. Official Methods of Analysis. Arlington, VA. AOAC international. pp. 63-132.

Azaizeh, H. A. and R. E. Pettit. 1987. Influence of tannin-related compounds from peanut seed coats and cotyledons on *Aspergillus parasiticus* growth and aflatoxin production. *Phytopathology* 77: 1703-1706.

Azaizeh, H. A., R. E. Pettit, B. A. Sarr and T. D. Phillips. 1990. Effect of peanut tannin extracts on growth of *Aspergillus parasiticus* and aflatoxin production. *Mycopathol.* 110: 125-132.

Azaizeh, H. A., R. E. Pettit, O. D. Smith and R. A. Taber. 1989. Reaction of peanut genotypes under drought stress to *Aspergillus flavus* and *A. parasiticus*. *Peanut Sci.* 16: 109-113.

Aziz, N. H., S. A. El-Zeany and L. A. A. Moussa. 2002. Influence of gamma-irradiation and maize lipids on the production of aflatoxin B-1 by *Aspergillus flavus*. *Die Nahrung* 46: 327-331.

Babu, V. R. and D. V. M. R Rao. 1983. Water stress adaptations in the groundnut (*Arachis hypogaea* L.) – foliar characteristics and adaptations to moisture stress. *Plant Physiol. Biochem.* 10: 64-80.

Bagnall, D. J. and R. W. King. 1991. Responses of peanut (*Arachis hypogaea*) to temperature, photo period and irradiance. 1. Effect on flowering. *Field Crop Res.* 26: 261-300.

Bailey, E. and R. N. Biosvert. 1991. Yield response of groundnut to the amount and timing of water application. *J. Prod. Agric.* 4: 1-9.

- Baker, J. T. and Jr. L. H. Allen. 1992. Temperature effects on rice at elevated CO₂ concentration. *J. Exp. Bot.* 43: 959-964.
- Barnett, H. L. 1960. Illustrated Genera of Imperfect Fungi, 2nd Ed. Minnesota, U. S. A.: Bergess Publishing Co. 225 pp.
- Begg, J. E. and N. C. Turner. 1976. Crop water deficits. *Adv. Agron.* 28: 161-207.
- Bell, M. J., G. C. Wright and G. Harch. 1993. Environmental and agronomic effects on the growth of four peanut cultivars in a subtropical environment II. Dry matter partitioning. *Exp. Agric.* 29: 491-501.
- Berntson, G. M. and F. Woodward. 1992. The root system architecture and development of *Senecio vulgaris* L. in elevated CO₂ and drought. *Funct Eco.* 16: 324-333.
- Bhagsari, A. S. and R. H. Brown. 1976. Photosynthesis in peanut (*Arachis*) genotype. *Peanut Sci.* 3: 1-5.
- Bhagsari, A. S., R. H. Brown and J. S. Schepers. 1976. Effect of moisture stress on photosynthesis and some related physiological characteristics in peanuts. *Crop Sci.* 16: 712-715.
- Bhowmik, T. P. 1969. *Alternaria* seed infection of wheat. *Plant Dis. Rep.* 53: 77.
- Blankenship, P. D., R. J. Cole, T. H. Sanders and H. Hill. 1984. Effect of geocarposphere temperature on pre-harvest colonization of drought stressed

peanuts by *Aspergillus flavus* and subsequent aflatoxin contamination. *Mycopathol.* 85: 69-74.

Bledsoe, R. W., H. C. Harris and W. B. Tisdale. 1946. Leafspot of peanut associated with magnesium deficiency. *Plant Physiol.* 21: 237-240.

Boese, S. R. and N. P. A. Huner. 1990. Effects of growth temperature and temperature shifts on spinach leaf morphology and photosynthesis. *Plant Physiol.* 94: 1830-1836.

Boote, K. J. 1982. Growth stages of peanut (*Arachis hypogaea* L.). *Peanut Sci.* 9:35-40.

Boote, K. J. and D. L. Ketring. 1990. Peanut. In Stewart B. A. and D. R. Nielson (eds), *Irrigation of Agricultural Crops*. ASA-CSSA-SSSA, Madison.

Boonpradub, S. 2000. Drought response and nitrogen partitioning in maize genotypes under different soil moisture regimes. Ph. D. Dissertation, Chiang Mai University, Chiang Mai, Thailand. 160 pp.

Box, J. E. Jr. 1996. Modern methods for root investigations. In Waisel, Y. E. and A. U. Kafkafi (eds), *Plant Roots, the Hidden Half*. 2nd Ed. Marcel Dekker, Inc., New York.

Burow, G. B., H. W. Harold and N. P. Keller. 2000. A peanut seed lipoxygenase responsive to *Aspergillus* colonization. *Plant Molecular Biology* 42: 689-701.

- Burow, G. B., T. C. Nesbitt, J. Dunlap and N. P. Keller. 1997. Seed lipoxygenase products modulate *Aspergillus* mycotoxin biosynthesis. *Mol. Plant-Microbe Interact.* 10: 380-387.
- Cabrera, A. and A. Martin. 1989. Genetics of tannin content and its relationship with flower and testa colour in *Vicia faba*. *J. Agricultural Sci.* 113: 93-98.
- Calvo, A. M., L. L. Hinze, H. W. Gardner and N. P. Keller. 1999. Sporogenic effect of polyunsaturated fatty acids on development of *Aspergillus* spp. *Appl. Env. Microbiol.* 65: 3668-3673.
- Carter, J. B. H. 1970. Studies on the growth of *Aspergillus flavus* on groundnut kernels. Ph.D. Thesis. 1970. Univ. of Reading (London), Univ. Microfilms, Ann Arbor Mich. 170 pp.
- CAST. 1976. Aflatoxin and other mycotoxins; and agricultural perspective. *Counc. Agric. Sci. Technol. Rep.* 88 pp.
- Chang, P. K., J. Yu, D. Bhatnagar and T. E. Cleveland. 2000. Characterization of the *Aspergillus parasiticus* major nitrogen regulatory gene, *areA*. *Biochimica et Biophysica Acta.* 1491: 263-266.
- Chaudhuri, U. N., R. B. Burnett, M. B. Kirkham and E. T. Kanemasu .1986. Effect of carbon dioxide on sorghum yield, root growth and water use. *Agric. For. Meteorol.* 37: 109-122.
- Chaudhuri, U. N., M. B. Kirkham and E. T. Kanemasu. 1990. Root growth of winter wheat under elevated carbon dioxide and drought. *Crop Sci.* 30: 853-857.
- Chaves, M. M. and J. S. Pereira. 1992. Water-stress, CO₂ and climate. *J. Experimental Botany* 43: 1131-1139.

- Chen, J. J. and J. M. Sung. 1990. Gas exchange rate and yield responses of Virginia-type peanut to carbon dioxide enrichment. *Crop Sci.* 30: 1085-1088.
- Chen, Z. Y., R. L. Brown, A. R. Lax and B. Z. Guo. 1998. Resistance to *Aspergillus flavus* in corn kernels is associated with a 14-kDa protein. *Phytopathology* 88: 276-281.
- Chung, S. Y., J. R. Vercellotti and T. H. Sanders. 1997. Increase of glycolytic enzymes in peanuts during peanut maturation and curing: evidence of anaerobic metabolism. *J. Agric. Food Chem.* 45: 4516-4521.
- Clavel, D. 1998. Study of the relationships between certain indicators of preharvest aflatoxin resistance in groundnut varieties with different levels of drought resistance. *Int. Arachis Newsl.* 18 (supp): 37-38.
- Cole, R. J., R. A. Hill, P. D. Blankenship and T. H. Sanders. 1986. Color mutants of *Aspergillus flavus* and *Aspergillus parasiticus* in a study of preharvest invasion of peanuts. *Applied and Environmental Microbiology* 52: 1128-1131.
- Cole, R. J., T. H. Sanders, R. A. Hill and P. D. Blankenship. 1985. Mean geocarposphere temperatures that induce pre-harvest aflatoxin contamination of peanuts under drought stress. *Mycopathol.* 91: 41-46.
- Cole, R. J., V. S. Sobolev, J. W. Dorner and P.D. Blankenship. 1993. Southern Runner Preharvest Aflatoxin Resistance Correlated Drought Tolerance. Aflatoxin Elimination Workshop, Little Rock, AR. October 25-26. p. 54.
- Conkerton, E. J., L. F. Ross, D. J. Daigle, C. S. Kvien and C. McCombs. 1989. The effect of drought stress on peanut seed composition. II. Oil, protein and minerals. *Oleagineux* 44: 593-599.

- Conroy, J. P., R. M. Smillie, M. Koppers, D. I. Bevege and E. W. R. Barlow. 1986. Chlorophyll *a* fluorescence and photosynthetic and growth responses of *Pinus radiata* to phosphorous deficiency, drought stress and high CO₂. *Plant Physiol.* 81: 423-429.
- Costa, J. L., A. C. Da, S. Kushalappa and A.C. Alfenas. 1988. Effect of protein extracts of corn on aflatoxin B production. *Revista de Microbiologia* 19: 67-70.
- Cox, F. R. 1979. Effect of temperature treatment on peanut vegetative and fruit growth. *Peanut Sci.* 6: 14-17.
- Craufurd, P. Q., T. R. Wheeler, R. H. Ellis, R. J. Summerfield and J. H. Williams. 1999. Effect of temperature and water deficit on water-use efficiency, carbon isotope discrimination and specific leaf area in peanut. *Crop Sci.* 39: 136-142.
- Cuero, R. G. and G. O. Osuji. 1995. *Aspergillus flavus*-induced chitosanase in germinating corn and peanut seeds: *A. flavus* mechanism for dominance over associated fungi and concomitant aflatoxin production. *Food Additives and Contaminants* 12: 479-483.
- Daigle, D. J., A. C. Mixon, A. J. DeLucca and T. A. Coffelt. 1984. Flavonoids and *Aspergillus flavus* resistant peanut. *Peanut Res. Edu. Soc.* 16: 47.
- Deshpande, A. S. and S. K. Pancholy. 1979. Colonization and biochemical changes in peanut seeds infected with *Aspergillus flavus*. *Peanut Sci.* 6: 102-105.
- De Luca, C., S. Passi, A. A. Fabbri and C. Fanell. 1995. Ergosterol oxidation may be considered a signal for fungal growth and aflatoxin production in *Aspergillus parasiticus*. *Food Additive Contamination* 12: 445-450.

- Del Castillo, D., B. Acock, V. R. Reddy and M. C. Acock. 1989. Elongation and branching of roots on soybean plants in a carbon dioxide-enriched aerial environment. *Agron. J.* 81: 692-695.
- Devries, J. D., J. M. Bennett, S. L. Albrecht and K. J. Boote. 1989. Water relations, nitrogenage and root development of three grain legumes in response to soil water deficits. *Field Crops Res.* 21: 215-216.
- Doehlert, D. C., D. T. Wicklow and H. W. Garren. 1993. Evidence implicating the lipoxygenase pathway in providing resistance of soybeans against *Aspergillus flavus*. *Plant Pathol.* 83: 1473-1477.
- Dorner, J. W., R. J. Cole, T. H. Sanders and P. D. Blankenship. 1989. Interrelationship of kernel water activity, soil temperature, maturity and phytoalexin production in pre-harvest aflatoxin contamination of drought-stressed peanuts. *Mycopathol.* 105: 117-128.
- Dutton, M. E. 1988. Enzymes and aflatoxin biosynthesis. *Microbiology Review* 52: 274-295.
- Dwivedi, S. L., Nigam, R. C. Nageswara Rao, U. Singh and K.V.S. Rao. 1996. Effect of drought on oil, fatty acids and protein contents of groundnut (*Arachis hypogaea* L.) seeds. *Field Crops Research* 48: 125-133.
- Dwivedi, S. L., S. N. Nigam, R. Jambunathan, K. L. Sahrawat, G. V. S. Nagabhushanam and K. Raghunath. 1993. Effects of genotypes and environments on oil content and oil quality parameters and their correlations in peanut (*Arachis hypogaea* L.). *Peanut Sci.* 20: 84-89.

- Fabbri, A. A., C. Fanelli, G. Panfili, S. Passi and P. Fasella. 1983. Lipoperoxidation and aflatoxin biosynthesis by *Aspergillus parasiticus* and *A. flavus*. *J. Gen. Microbiol.* 129: 3447-3452.
- Failla, L. J., D. Lynn and W. G. nichaus. 1986. Correlation of Zn²⁺ content with aflatoxin content of corn. *Appl. Environ. Microbiol.* 52: 73-74.
- Fanelli, C. and A. A. Fabbri. 1989. Relationship between lipids and aflatoxin biosynthesis. *Mycopathol.* 107: 115-120.
- Fanelli, C., A. A. Fabbri, E. Finotti and S. Passi. 1983. Stimulation of aflatoxin biosynthesis by lipophilic epoxides. *J. Gen. Microbiol.* 129: 1721-1723.
- Fanelli, C., A. A. Fabbri, S. Grasini, C. De Luca and S. Passi. 1995. Effect of different inhibitors of sterol biosynthesis on both fungal growth and aflatoxin production. *Natural Toxins* 3: 109-113.
- Ferguson, E. L., R. S. Gibson, C. Opare-Obisaw, F. Osei-Opare, A. M. Stephen, J. Lehrfeld and L. U. Thompson. 1993. The zinc, calcium, copper, manganese, nonstarch, polysaccharide and phytate content of seventy-eight locally grown and prepared african foods. *J. Food Composit. and Analys.* 6: 87-99.
- Ferguson, J. C. and A. J. M. Smucker. 1989. Modification of minirhizotron video camer system for measuring spatial and temporal root dynamics. *Soil Science Society of America Journal* 53: 1601-1605.
- Fernandez, E. M., C. A. Rosolem, A. C. Maringoni and D. M. T. Olivereira. 1997. Fungus incidence on peanut grains as affected by drying method and Ca nutrition. *Field Crops Research* 52: 9-15.
- Florh, M. L., J. H. Williams and F. Lenz. 1990. The effect of photo period-sensitive groundnut (*Arachis hypogaea* L.) cv. NC AC 100090. *Expt. Agri.* 26: 397-406.

- Golombex, S. D. and C. Johansen. 1997. Effect of soil temperature on vegetative and reproductive growth and development in three Spanish genotypes of peanut (*Arachis hypogaea* L.). *Peanut Sci.* 24: 67-72.
- Gowda, A. and B. R. Hegde. 1986. Moisture stress and hormonal influence on the flowering behavior and yield of groundnut (*Arachis hypogaea* L.). *Madras Agric. J.* 73: 82-86.
- Gregory, P. J. and M. S. Reddy. 1982. Root growth in an intercrop of pearl millet/groundnut. *Field Crop Res.* 5: 241-252.
- Griffin, G. J. 1972. Conidial germination and population of *Aspergillus flavus* in geocarposphere of peanut. *Phytopathology* 63: 1387-1391.
- Griffin, G. J. and K. H. Garren. 1973. Population levels of *Aspergillus flavus* and the *A. niger* group in Virginia peanut field soils. *Phytopathology* 64: 322-325.
- Griffin, G. J. and K. H. Garren. 1976. Colonization of aerial peanut pegs by *Aspergillus flavus* and *A. niger* group fungi under field conditions. *Phytopathology* 66: 1161-1162.
- Gross, Y. and J. Kigel. 1994. Differential sensitivity to high temperature of stages in the reproduction development of common beans (*Phaseolus vulgaris* L.). *Field Crops Research* 36: 201-212.
- Gunderson, C. A. and S. D. Wullschleger. 1994. Photosynthetic acclimation in trees to rising atmospheric CO₂: a broader perspective. *Photosynthesis Research* 39: 369-388.

- Guo, B. Z., Z. Y. Chen, R. L. Brown, A. R. Lax, T. E. Cleveland, J. S. Russin, N. W. Widstrom. 1998. Protein profiles and antifungal activities of kernel extracts from corn genotypes resistant and susceptible to *Aspergillus flavus*. *J. Food Prot.* 61: 98-102.
- Haumann, F. 1995. Eradicating mycotoxins in food and feeds. *Inform.* 6: 248-256.
- Hawker, L. E. 1950. *Physiology of Fungi*. London: University of London Press Ltd. 360 p.
- Hale, M. G. and G. J. Griffin. 1976. The effect of mechanical injury on exudation from immature and mature peanut fruits under axenic conditions. *Soil Biol. Biochem.* 8: 225-227.
- Hoagland, D. R. and D. I. Arnon. 1950. The water-culture method for growing plants without soil. *California Agr. Expt. Sta. Circ.* 347: 1-32.
- Holbrook, C. C., D. M. Wilson, K. S. Ruckers and J. E. Hook. 1994a. Possible role of drought tolerance in reducing aflatoxin contamination of peanut. *Agron. Abstr.* p. 223.
- Holbrook, C. C., M. E. Matheron, D. M. Wilson, W. F. Anderson, M. E. Will and A. J. Norden. 1994b. Development of a large-scale field system for screening peanut for resistance to pre-harvest aflatoxin contamination. *Peanut Sci.* 21: 20-22.
- Holbrook, C. C., W. F. Anderson and R. N. Pittman. 1993. Selection of core collection from the U.S germplasm collection of peanut. *Crop Sci.* 33: 859-861.

- Hood, M. E. and H. D. Shew. 1996. Application of KOH-Aniline blue fluorescence in the study of plant-fungal interactions. *Phytopathology* 86: 704-708.
- Huang, Z., D. G. White and G. A. Payne. 1997. Corn seed proteins inhibitory to *Aspergillus flavus* and aflatoxin biosynthesis. *Phytopathology* 87: 622-627.
- Houghton, J. T., Y. Ding and D. J. Griggs. 2001. Climate Change 2001: The Scientific Basis (Contribution of Working Group to the Third Assessment Report to the Intergovernmental Panel on Climate Change (IPCC)). Cambridge University Press, UK.
- Huynh, Q. K., J. R. Borgmeyer and J. F. Zobel. 1992. Isolation and characterization of a 22 kDa protein with antifungal properties from maize seeds. *Biochem. Biophys. Res. Commun.* 182: 1-5.
- Ingram, K. T. and G. A. Leers. 2001. Software for measuring root characters from digital images. *Agron. J.* 93: 918-922.
- Ingram, K. T., G. F. Pateña and C. C. Holbrook. 1999. Drought and temperature effects on aflatoxin resistance of peanut. Presented to 1999 Multicrop Aflatoxin Elimination Workshop, 20-22 October 1999, Atlanta. GA.
- Jackson, C. R. 1965. Peanut kernel infection and growth in vitro by four fungi at various temperatures. *Phytopathology* 55: 46-48.
- Jain, L. L., R. K. Panda and C. P. Sharma. 1997. Water stress response function for groundnut (*Arachis hypogaea* L.). *Agric. Water Mangt.* 32: 197-209.
- Janamatti, V. S., V. R. Sashidhar, I. G. Prasad and K. S. K. Sastry. 1986. Effect of cycles of moisture stress on flowering pattern, flower production, gynophore

length and their relationship to pod yield in bunch types of groundnut.

Narendra Deva J. Agric. Res. 1: 136-142.

Johnson, I. R. and J. H. M. Thornley. 1985. Temperature dependence of plant and crop processes. *Annals. Bot.* 55: 1024.

Katrina, J., D. N. Jordan, S. D. Smith and D. S. Neuman. 1999. Effect of atmospheric CO₂ enrichment on root growth and carbohydrate allocation of *Phaseolus* spp. *Int. J. Plant Sci.* 160: 1075-1081.

Ketring, D. L. and J. L. Reid. 1993. Growth of peanut roots under field conditions. *Agron. J.* 85: 80-85.

Klepper and Kaspar. 1994. Rhizotrons: Their development and use in agricultural research. *Agron. J.* 86: 745-753.

Kouki, M. and Y. Manetas. 2002. Resource availability affects differentially the levels of gallotannins and condensed tannins in *Ceratonia siliqua*. *Biochemical Systematics and Ecology* 30: 631-639.

Kozera, W. 1968. The course of early stage of infection of barley by *Ustilago nuda*. *Hodowla Rosl. Aklim. Nasienn.* 12: 269.

Krezener, E. G. and D. N. Moss. 1975. Carbon dioxide enrichment effects upon yield and yield components in wheat. *Crop Sci.* 15: 71-74.

Krishnamarchari, K. A. V. R., R. V. Bhat, V. Nagarakan and T. B. G. Tilak. 1975. Hepatitis due to aflatoxicosis: an outlook in Western India. *Lancet i*: 1061-1063.

- Kuchenbuch, O. R. and K. T. Ingram. 2002. Image analysis for non-destructive and non-invasive quantification of root growth and soil water content in rhizotrons. *J. Plant Nutr. Soil Sci.* 165: 573-581.
- Kvien, C. S., W. D. Branch, M. E. Summer and A. S. Csinos. 1988. Pod characteristics influencing calcium concentrations in the seed and hull of peanut. *Crop Sci.* 28: 666-671.
- Lalithakumari, D., C. V. Covindaswamy and P. Vidhyasekaran. 1971. Effect of seedborne fungi on the physicochemical properties of groundnut oil. *Indian Phytopathology* 24: 283.
- Landen, J. A. 1982. Aflatoxin inhibition and fungistasis by peanut tannins. *Peanut Sci.* 9: 17-20.
- Lapang A. N., T. Charoenwatana and D. Tiyawalee. 1980. Groundnut production, utilization, research needs in Thailand. In proceeding of International Workshop on Groundnuts, 13-17 October 1980, Patancheru, Andhra Pradesh, India.
- Luchese, R. H. and W. F. Harrigan. 1993. Biosynthesis of aflatoxin-The role of nutritional factors. *J. Appl. Bacteriol.* 74:5-14.
- Makkar, H. P. S., A. V. Goodchild and A. M. A. El-Moneim. 1996. Cell-constituents. Tannin levels by chemical and biological assays and nutritional value of some legume foliage and straws. *J. Sci. Food Agric.* 71: 129-136.
- Manzo, S. K. and S. M. Misari. 1989. Status and management of aflatoxin in groundnut in Nigeria. pp. 77-90. In aflatoxin contamination of groundnut: Proceeding of the International Workshop, ICRISAT, Patancheru, A. P., India.

- Martin, C. K. and F. R. Cox. 1977. Effect of water stress at the different stages of growth on peanut yields. *Proc. Amer. Peanut Res. Educ. Assoc.* 9: 91 (abstr.)
- Maureen, S. W., D. M. Greene-McDowelle, H. J. Zeringue Jr, D. Bhatnagar and T. E. Cleveland. 2000. Effects of volatile aldehydes from *Aspergillus*-resistant varieties of corn on *Aspergillus parasiticus* growth and aflatoxin biosynthesis. *Toxicon*. 38: 1215-1223.
- McManus, P. S., V. M. Best and R. P. Voland. 1999. Infection of cranberry flowers by *Monilinia oxycocci* and evaluation of cultivars for resistance to cottonball. *Phytopathology* 89: 1127-1130.
- Mehan, V. K. and C. D. Mayee. 1991. Preharvest seed infection by *Aspergillus flavus* group fungi and subsequent aflatoxin contamination in groundnuts in relation to soil types. *Plant and Soil* 136: 239-248.
- Meisner, C. A. 1991. Peanut roots, shoot and yield and water stress. *Disser. Anstr. Int. B. Sci. Eng.* 52: 38-48.
- Meisner, C. A. and K. J. Karnok. 1991. Root hair occurrence and variation with environment. *Agron. J.* 83: 814-818.
- Meisner, C. A. and K. J. Karnok. 1992. Peanut root response to drought stress. *Agron. J.* 84: 159-165.
- Mellon, J. E. and P. J. Petti. 1997. Potential role for storage proteins and sugars in cottonseed susceptibility to aflatoxin contamination. Proceedings Beltwide Cotton Conferences, New Orleans, LA, USA, January 6-10, 1997.
- Mohanty, B. S., S. M. Basha, D. W. Gorbet, R. J. Cole and J. W. Dorner. 1991. Variation in phytoalexin production by peanut seed from several genotypes. *Peanut Sci.* 18: 19-22.

- Molina, M. and L. Giannuzzia. 2002. Modeling of aflatoxin production by *Aspergillus parasiticus* in a solid medium at different temperatures, pH and propionic acid concentrations. *Food Res. International* 35: 585-594.
- Moreshat, S., D. C. Bridges, D. S. NeSmith and B. Huang. 1996. Effects of water stress on competitive interaction of peanut and sicklepod. *Agron. J.* 88: 636-644.
- Moss, J. P. and V. Ramanatha Rao. 1995. The peanut-reproductive development to plant maturity. pp. 1-13. In H. E. Pattee and H. T. Stalker (eds). *Advance in Peanut Science*. Am. Peanut Res. and Educ. Soc., Inc., Stillwater. OK.
- Mousseau, M. and H. Z. Enoch. 1989. Carbon dioxide enrichment reduced shoot growth in sweet chestnut (*Castanea sativa* Mill). *Vegetatio*. 104: 413-419.
- Mulholland, B. J., J. Craigon, C. R. Black, J. J. Colls, J. Artherton and G. Landon. 1998. Growth, light interception and yield responses of wheat (*Triticum aestivum* L.) grown under elevated CO₂ and O₃ in open-top chambers. *Global Change Biology* 4: 121-130.
- Mupangwa, J. F., T. Acamovic, J. H. Topps, N. T. Ngongoni and H. Hamudikuwanda. 2000. Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes. *Anim. Feed Sci. Technol.* 83: 139-144.
- Musingo, R. W., S. M. Basha, T. H. Sanders, R. J. Cole and P. D. Blankenship. 1989. Effect of drought and temperature stress on peanut (*Arachis hypogaea* L.) seed composition. *J. Plant Physiol.* 134: 710-715.
- Nageswara Rao, R. C., J. H. Williams and M. Singn. 1989. Genotypic sensitivity of drought and yield potential of peanut. *Agron. J.* 81: 887-893.

- Nageswara Rao, R. C., S. Singh, M. V. K. Sivakumar, K. L. Sricastava and J. H. Williams. 1985. Effect of water deficit at different growth phases of peanut. I. Yield responses. *Agron. J.* 77: 782-786.
- Narasimham, R. L., I. V. S. Rao and M. Singa Rao. 1977. Effect of moisture stress on response of groundnut to phosphate fertilization. *Indian J. Agric. Sci.* 47: 573-576.
- Neucere, J. N. and M. A. Godshall. 1991. Effects of base-soluble proteins and methanol-soluble polysaccharides from corn on mycelial growth of *Aspergillus flavus*. *Mycopathol.* 113: 103-108.
- Ngugi, H. K., H. Scherm and S. Lehman. 2002. Relationships between blueberry flower age, pollination, and conidial infection by *Monilinia vaccinii-corymbosi*. *Phytopathology* 92: 1104-1109.
- Norby, R. J., E. G. O'Neill, W. G. Hood and R. J. Luxmoore. 1987. Carbon allocation, root exudation and mycorrhizal colonization of *Pinus echinata* seedlings grown under CO₂ enrichment. *Tree Physiol.* 3: 203-210.
- Norby, R. J., S. D. Wullschlegel, C. A. Gunderson, D. W. Johnson and R. Celemans. 1999. Tree response to rising CO₂ in field experiments: implication for the future forest. *Plant, Cell and Environ.* 22: 683-714.
- Norton, D. C., S. K. Menon and A. L. Flangas. 1956. Fungi associated with unblemished peanuts in Texas. *Plant Disease Reporter* 40: 374-376.
- Onderdonk, J.J. and J.W. Ketcheson. 1973. Effect of temperature on direction of corn root growth. *Plant and Soil* 39:177-186.
- Ong, C. K. 1984. The influence of temperature and water deficit on the partitioning of dry matter in groundnut (*Arachis hypogaea* L.). *J. Exp. Bot.* 35: 746-755.

- O' Toole, J. C. and W. L. Bland. 1987. Genotypic variation in crop plant root systems. *Adv. Agron.* 41: 91-145.
- Padalia, M. R. and C. L. Patel. 1980. Note on length width method for estimating leaf area of groundnut. *Indian J. Agric. Sci.* 50: 880-882.
- Pallas, Jr., J. R. Stansell and T. J. Koske. 1979. Effect of drought on Florunner peanuts. *Agron. J.* 71: 853-858.
- Pandey, R. K., W. A. T. Herrera, A. N. Villegas and J. W. Pendelton. 1984. Drought response of grain legumes under irrigation gradient. III. Plant growth. *Agron. J.* 76: 557-560.
- Park, D. L., L. S. Lee, R. L. Price and A. E. Pohiand. 1988. Review of the decontamination of Aflatoxin by ammoniation: Current status and regulation. *J. Assoc. Anal. Chem.* 71: 685-703.
- Pass, T. and G. J. Griffin. 1972. Exogenous carbon and nitrogen requirements for conidial germination by *Aspergillus flavus*. *Can. J. Microbiol.* 18: 1453-1461.
- Patanothai, A. 1995. National Peanut Program Development in Thailand. Impacts and scientific advances through collaborative research on peanut, Arlington, Virginia, 1995, pp. 171-177.
- Pateña, G. F. 2000. Water deficit effects on peanut genotypes with large root systems. Ph. D. Dissertation. The University of Georgia, Athens, GA.
- Pateña, G. F. and K. T. Ingram. 2000. Digital acquisition and measurement of peanut root images as observed with a minirhizotron system. *Agron. J.* 92: 541-544.
- Payne, G. A. and M. P. Brown. 1998. Genetics and physiology of aflatoxin biosynthesis. *Annual review of Phytopathology* 36: 329-362.

- Pfahler, P. L. and H. F. Linskens. 1971. Biochemical composition of maize (*Zea mays* L.) pollen. II. Effects of the endosperm mutants, waxy (wx), shrunken (sh) and sugary (su) on the carbohydrate and lipid percentage. *Theor. Appl. Genet.* 41: 2-4.
- Pfahler, P. L. and H. F. Linskens. 1974. Ash percentage and mineral content of maize (*Zea mays* L.) pollen and style. I. Genotypic effects. *Theor. Appl. Genet.* 45: 32-36.
- Pitt, J. I. 1989. Field studies on *Aspergillus flavus* and aflatoxin in Australian groundnuts. pp. 223-235. In Aflatoxin contamination of groundnut: Proceeding of the International Workshop, ICRISAT, Pantancheru, A. P., India.
- Pitt, J. I., S. K. Dyer and S. McCammon. 1991. Systemic invasion of developing peanut plants by *Aspergillus flavus*. *Lett. Appl. Microbiol.* 13: 16-20.
- Polles, G. S., B. W. Hanny and A. J. Harvey. 1981. Condensed tannins in kernels of thirty one pecan [*Carya illinoensis* (Wangenh) K. Koch] cultivars. *J. Agric. Food Chem.* 29: 196-197.
- Pravawo, A., B. Prastawo and G. C. Wright. 1990. Growth, yield and soil water extraction of irrigated and dryland peanut in South Sulawesi. *Indonesia. Irrig. Sci.* 11: 63-68.
- Prasad, P. V. V., K. J. Boote, L. H. Allen and J. M. G. Thomas. 2002. Effects of elevated temperature and carbon dioxide on seed-set and yield of kidney bean (*Phaseolus vulgaris* L.). *Global Change Biology* 8: 710-721.

- Prasad, P. V. V., K. J. Boote, L. H. Allen and J. M. G. Thomas. 2003. Super-optimal temperatures are detrimental to peanut (*Arachis hypogaea* L.) reproductive processes and yield at both ambient and elevated carbon dioxide. *Global Change Biology* 9: 1775-1787.
- Prasad, P. V. V., P. Q. Craufurd and R. J. Summerfield. 1999a. Sensitivity of peanut to timing of heat stress during reproductive development. *Crop Sci.* 39: 1352-1357.
- Prasad, P. V. V., P. Q. Craufurd and R. J. Summerfield. 1999b. Fruit number in relation to pollen production and viability in groundnut exposed to short episodes of heat stress. *Ann. Bot.* 84: 381-386.
- Prasad, P. V. V., P. Q. Craufurd and R. J. Summerfield. 2000a. Effects of short episodes of heat stress on flower production and fruit-set of groundnut (*Arachis hypogaea* L.). *J. Experimental Botany* 51: 777-784.
- Prasad, P. V. V., P. Q. Craufurd and R. J. Summerfield. 2000b. Effect of high air and soil temperature on dry matter production, pod yield and yield components of groundnut. *Plant and Soil* 222: 231-239.
- Pritchard, S., C. Peterson, G. B. Runion, S. Prior and H. Rogers. 1997. Atmospheric CO₂ concentration, N availability and water status affect patterns of ergastic substance deposition in longleaf pine (*Pinus pilustris* Mill.) foliage. *Trees* 11: 494-503.
- Prior, S. A., G. B. Runion, B. A. Kimball, J. R. Mauney, K. F. Lewin, J. Nagy and G. R. Hendrey. 1995. Free-air CO₂ enrichment of cotton: Root morphological characteristics. *J. Environ. Qual.* 24: 678-683.

- Puntase, J., C. Senthong, K. T. Ingram and A. K. Weissinger. 2006. Identification of infection pathways and development of inoculation methods for peanut using green-fluorescence-protein *Aspergillus flavus*. *Agricultural J.* 1: 141-148.
- Radoglou, K. M. and P. G. Jarvis. 1990. Effects of CO₂ enrichment on four poplar clones. I. Growth and leaf anatomy. *Annals Bot.* 65: 617-626.
- Raper, K. B. and D. I. Fennell. 1965. The Genus *Aspergillus*. Williams and Wikins Company, Baltimore, MD. 686 pp.
- Rawson, H. M. 1995. Yield responses of two wheat genotypes to carbon dioxide and temperature in field studies using temperature gradient tunnels. *Aust. J. Plant Physiol.* 22: 23-32.
- Reddi, G. H. S. and T. Y. Reddy. 1995. Efficient use of irrigation water. Kalyani Publishers, New Delhi.
- Reddy, A. J. and I. M. Rao. 1968. Influence of induced water stress on chlorophyll components of proximal and distal leaflets of groundnut plants. *Curr. Sci.* 5: 118-121.
- Reddy, M. J., H. S. Shetty, C. Fanelli and J. Lacey. 1993. Role of seed lipids in *Aspergillus parasiticus* growth and aflatoxin production. *J. Sci. Food Agric.* 59: 177-181.
- Rogers, H. H., G. B. Runion and S. V. Krupa. 1994. Plant responses to atmospheric CO₂ enrichment with emphasis on roots and rhizosphere. *Environ. Poll.* 83: 155-189.

- Rogers, H. H., C. M. Peterson, J. N. McCrimmon and J. D. Cure. 1992a. Response of plant roots to elevated atmospheric carbon dioxide. *Plant, Cell and Environment* 15: 749-752.
- Rogers, H. H., S. A. Prior and E. G. O' Neill. 1992b. Cotton root and rhizosphere responses to free-air CO₂ enrichment. *Crit. Rev. Plant Sci.* 11: 251-263.
- Rosenzweig, C. and D. Hillel. 1998. Climate Change and the Global Harvest: Potential Impacts of the Greenhouse Effect of Agriculture. Oxford University Press Inc, New York. pp. 324.
- Rucker, K. S., C. K. Kvien, C. C. Holbrook and J. E. Hook. 1995. Identification of peanut genotypes with improved drought avoidance traits. *Peanut Sci.* 22: 14-18.
- Sable, R. N. and V. S. Khuse. 1989. Root development and monetary returns of summer groundnut as influenced by irrigation, phosphate and antitranspirants. *J. Maharashtra Agric. Univ.* 14: 7-10.
- Sauer, D. B. 1986. Conditions that affect growth of *A. flavus* and production of aflatoxin in stored maize. pp. 41-50. In Zuber M. S., E. B. Lillehoj and B. L. Renfro (eds.). Aflatoxin in maize. A proceeding of the workshop. CIMMYT, Mexico, 1987.
- Sanders, T. H. and A. C. Mixon. 1978. Effect of peanut tannins on percent seed colonization and in vitro growth by *Aspergillus parasiticus*. *Mycopathologia* 66: 169-173.

- Sanders, T. H., R. A. Hill, R. J. Cole and P. D. Blankenship. 1981. Effect of drought on occurrence of *Aspergillus flavus* in maturing peanuts. *J. The American Oil Chemists Society* 58: 966A-970A.
- Sanders, T. H., R. J. Cole, P. D. Blankenship and J. W. Dorner. 1993. Aflatoxin contamination of peanuts from plants drought stressed in pod and root zones. *Peanut Sci.* 20: 5-8.
- Sanders, T. H., R. J. Cole, P. D. Blankenship and R. A. Hill. 1985. Relation of environmental stress duration to *Aspergillus flavus* invasion and aflatoxin production in pre-harvest peanuts. *Peanut Sci.* 12: 90-93.
- Saxe, H., D. S. Ellworth and J. Heath. 1998. Tree and forest functioning in an enriched CO₂ atmosphere. *New Phytologist.* 139: 395-436.
- Sautour, M., C. S. Mansur, C. Davies, M. Bensoussan and P. Dantigny. 2002. Comparison of the effects of temperature and water activity on growth rate of food spoilage moulds. *J. Ind. Microbiol. Biotechnol.* 28: 311-315.
- Schroeder, H. W. and L. J. Ashworth Jr. 1955. Aflatoxin in Spanish peanuts in relation to pod and kernel condition. *J. Phytopathology* 55: 464-465.
- Senthong, C. and R. K. Pandey. 1998. Drought response of cowpea genotypes to an irrigation gradient during the reproductive phase. *Thai J. Agric. Sci.* 31(3): 328-341.
- Sexton, P. J., J. M. Benett and K. J. Boote. 1997. The effect of dry pegging zone soil on pod formation of runner peanut. *Peanut Sci.* 24: 19-24.

Simmonds, L. P. and C. K. Ong. 1987. Response to saturation deficit in a stand of groundnut (*Arachis hypogaea* L.). I. Water Use. *Ann. Bot.* 59: 113-119.

Singh, A. K. and C. E. Simpson. 1994. Biosystematics and genetic resources. pp. 96-137. In J. Smartt (ed). *The Groundnut Crop: A Scientific Basis for Improvement*. Chapman and Hall. London.

Skelton, B. J. and G. M. Shear. 1971. Calcium translocation in the peanut (*Arachis hypogaea* L.). *Agron. J.* 63: 409-412.

Smucker, A. M., J. C. Ferguson, W. P. DeBruyn, R. L. Belford and J. T. Ritchie. 1987. Image analysis of video recorded plant root systems. pp. 67-80. In H. M. Taylor, ed. *Minirhizotron Observation Tubes: Methods and applications for measuring rhizosphere dynamics*. *Amer. Soc. Agron.* Special Publication No. 50.

Stalker, H. T. 1997. Peanut (*Arachis hypogaea* L.). *Field Crop Research* 53: 205-217.

Stancel, K, D. G. Mortley, D. R. Hileman, P. A. Loretan, C. K. Bonsi and W. A. Hill.

2000. Growth, pod and seed yield and gas exchange of hydroponically grown peanut in response to CO₂ enrichment. *HortSci.* 35: 49-52.

Stansell, J. R., J. L. Shepard, Jr. Pallas, R. R. Bruce, N. A. Minton, D. K. Bell and L.

W. Morgan. 1976. Peanut responses to soil water variables in Southeast.

Peanut Sci. 3: 44-48.

Stirling, C. M. and C. R. Black. 1991. Stages of reproductive development in groundnut (*Arachis hypogaea* L.) most susceptible to environmental stress.

Trop. Agri. (Trinidad) 68: 296-300.

- Subbarao, G. V., C. Johansen, A. E. Slinkard, r. C. Nageswara Rao, N. P. Saxena and Y. S. Chauhan. 1995. Strategies for improving drought resistance in grain legumes. *Critical Reviews in Plant Sciences* 14: 469-523.
- Subramaniam, V. B. and M. Maheswari. 1990. Physiological responses of groundnut to water stress. *Indian J. Plant Physiol.* 33: 130-135.
- Sukharomana , S. and B. Dobkuntod. 2003. Peanut in the Thai Food System: A Macro Perspective. Athens, Georgia: Department of Anthropology, University of Georgia.
- Suriyong, S. 1997. Differences in seed structure on breakdown of genotypic resistance to *Aspergillus flavus* in groundnut. M. S. thesis. Chiang Mai University, Chiang Mai, Thailand. 32 pp.
- Suther, D. M. and M. S. Patel. 1992. Yield and nutrient absorption by groundnut and iron availability in soil as influenced by lime and soil water. *J. Indian Soc. Soil Sci.* 40: 594-596.
- Talwar, H. S., H. Takeda, S. Yashima and T. Senboku. 1999. Growth and photosynthetic responses of groundnut genotypes to high temperature. *Crop Sci.* 39: 460-466.
- Thom, C. and K. B. Raper. 1945. A manual of the Aspergilli. Baltimore: The Williams & Wilkins Company. 373 pp.
- Turner, N. C. 1986. Crop water deficits: A decade of progress. *Adv. Agron.* 39: 1-5.
- Upchurch, D. R. 1987. Converting root intersections to root length density. pp. 51-65. In Taylor, H. M., R. R. Allmaras and J. T. Richie (eds.). Minirhizotron tubes:

methods and applications for measuring rhizosphere dynamics. ASA Special Publication No. 50.

Walther, G.R., E. Post and P. Convey. 2002. Ecological responses to recent climate change. *Nature* 416: 389-395.

Wilson, D., Z. Huang, J. Flaherty, K. Wells and G. A. Payne. 1999. Green fluorescent protein as a reporter to monitor gene expression and food colonization by *Aspergillus flavus*. *Applied. Environ. Microbiol.* 65: 834-836.

Weiss, E. A. 2000. Chapter 3 Groundnut. pp 53-92. *In* Oilseed crops 2nd Ed.

Wheeler, T. R., J. I. I. Morison, R. G. Ellis and P. Hadley. 1994. The effects of CO₂, temperature and their interaction on the growth and yield of carrot (*Daucus carota* L.). *Plant Cell Environ.* 17: 1275-1284.

Will, M. E., C. C. Holbrook and D. M. Wilson. 1994. Evaluation of field inoculation techniques for screening peanut genotypes for reaction to preharvest *A. flavus* group infection and aflatoxin contamination. *Peanut Sci.* 21: 122-125.

Williams, J. H. and K. J. Boote. 1996. Physiology and modeling-predicting the unpredictable legume. p. 301-353. *In* H.E. Pattee and H. T. Stalker (ed.) *Advances in Peanut Science*. APRES, Still-water, OK.

Wilson, D. M. and J. R. Stansell. 1983. Effect of irrigation regimes on aflatoxin contamination of peanut pods. *Peanut Sci.* 10: 54-56.

- Wolfe, D. W. 1991. Low temperature effects on early vegetative growth, leaf gas exchange and water potential of chilling-sensitive and chilling-tolerance crop species. *Ann. Botany* 67: 205-212.
- Wolfe, D. W. and M. O. Kelly. 1992. Photosynthesis of *Phaseolus vulgaris* L. in relation to leaf nitrogen and chlorophyll accumulation at low growth temperature. *Photosynthetica* 26: 475-478.
- Wolfe, D. W., R. M. Grifford, D. Hilbert and Y. Luo. 1998. Integration of photosynthetic acclimation to elevated CO₂ at the whole-plant level. *Global Change Biol.* 4: 879-893.
- Wood, I. M. W. 1968. The effect of temperature at early flowering in the growth and development of peanuts (*Arachis hypogaea*). *Austra. J. Agric. Research.* 19: 241-251.
- Wotton, H. R. and R. N. Strange. 1985. Circumstantial evidence for phytoalexin involvement in the resistance of peanuts to *Aspergillus flavus*. *J. Gen. Microbiol.* 131: 487-494.
- Wotton, H. R. and R. N. Strange. 1987. Increased susceptibility and reduced phytoalexin accumulation in drought-stressed peanut kernels challenged with *Aspergillus flavus*. *Appl. Environ. Microbiol.* 53: 270-273.
- Wright, D. C., R. C. Nageswara Rao and G. D. Farquhar. 1994. Water use efficiency and carbon isotope discrimination in peanut under water deficit condition. *Crop Sci.* 34: 92-97.

- Yingthongchai, P. 1994. Evaluation to cultivar resistance and critical growth stage susceptible to *Aspergillus flavus* in groundnut. M. S. thesis. Chiang Mai University, Chiang Mai, Thailand. 63 pp.
- Yong, R. K. and M. A. Cousin. 2001. Detection of moulds producing aflatoxins in maize and peanuts by immunoassay. *Int. J. Food Microbiol.* 65: 27-38.
- Yu, J., P. K. Chang, D. Bhatnagar and T. E. Cleveland. 2000. Cloning of sugar utilization gene cluster in *Aspergillus parasiticus*. *Biochemica et Biophysica Acta.* 1493: 211-214.
- Zambettakis, C. 1983. Results of research on selected groundnut hybrids to limit *Aspergillus flavus* infection. *C. R. Seances Acad. Agric. Fr.* 69: 44-50.