

References

- AOAC. 1990. Official methods of analysis. Association of Official Analytical Chemists International, Gaithersberg, 684 p.
- Arora, A., M.G. Nair and G.M. Strasburg. 1998. Structure-activity relationships for antioxidant activities of a series of flavonoids in a liposomal system. *Free Radical Biology and Medicine* 24: 1355-1363.
- Aruoma, I.O. 1996. Eat, Drink and be healthy. *Chemistry in Britain* 32 (4): 29-31.
- Aruoma, I.O. 1998. Free radicals, oxidative stress and antioxidants in human health and disease. *Journal of the American Oil Chemists Society* 75: 199-212.
- Ashenafi, A. 2002. The microbiology of Ethiopian foods and beverages: A review. *SINET: Ethiop. J. Sci.* 25: 97-140.
- Bahiru, B., T. Mehari and M. Ashenafi. 2001. Chemical and nutritional properties of 'tej', an indigenous Ethiopian honey wine: variations within and between production units. *Journal of Food Technology of Africa* 6: 104-108.
- Bahiru, B., T. Mehari and M. Ashenafi. 2006. Yeast and lactic acid flora of 'tej', an indigenous Ethiopian honey wine: variations within and between production units. *Food Microbiology* 23: 277-288.
- Bailey, L. H.. 1988. *The Evolution of Our Native Friuts*. MacMillan Co., New York.
- Balik, J. 2003. Effect of Bentonite Clarification on Concentration of Anthocyanins and Colour Intensity of Red and Rose Wines. *Zahradnictvi.* 30 (4):135-141.
- Bates, R. P., R. Tejada and J. Mortensen. 1987. Effect of bunch and muscadine grape maturity on finished wine. *Proceedings of the Florida State Horticultural Society* 99: 194-200.
- Boulet, D., J. P. Laporte, P. Aigrin and L. Lalanne. 1995. The development of behaviour of wine consumption in France. *Onivins Infos* 26: 72-112
- Burda, S. and W. Oleszek. 2001. Antioxidant and antiradical activities of flavonoids. *Journal of Agricultural and food Chemistry* 49: 2774-2779.
- Buttery, R.G., D.G. Guadagni, L.C. Ling, R.M. Seifert and W. Lipton. 1976. Additional volatile compone & of cabbage, broccoli and cauliflower. *Journal of Agricultural and food Chemistry.* 24: 829.
- Buttery, R.G., R.M. Seifert, D.G. Guadagni and L.C. Ling. 1971. Characterization of additional components of tomato. *Journal of Agricultural and food Chemistry* 19: 524.
- Calo, A., C. Intrieri, C. S. Liuni and V. Catalano. 1992. Training systems and planting density. *Agricoltura Ricerca* 14 (138-139): 141-148.
- Calo, A.; A. Costacurta. 1994. Tocai Friulano and Sauvignonasse: a single grape variety. *Rivista di Viticoltura e di Enologia* 45 (3): 31-40.
- Campodonico, P., E. Barbieri, M. Pizarro, C.P. Sotomayor and E.A. Lissi. 1998. A comparison between total phenol content of wines and their TRAP values measured by the bleaching of ABTS radical cations. *Boletin de la Sociedad Chilena de Quinica* 43 (3): 281-285.
- Canbas, A. and U. Unal. 1994. Study on the evaluation of some orange varieties grown in adana of wine production. *Turkish Journal of Agriculture and Forestry* 18(1): 1-7.

- Chanwitheesuk, A., A. Teerawutgulrag and N. Rakariyatham. 2005. Screening of antioxidant activity and antioxidant compound of edible plants of Thailand. *Food Chemistry* 92: 491-497.
- Charnritthisaen, T. 2002. Study to make wine by yourself. Barcodes International, Bangkok. 85 p.
- Chivapat, S., N. Chansuvanich, P. Chavalittumrong, A. Attawish, S. Phadungpat, S. Punyamong and K.K. Pama. 2004. Acute and chronic toxicity of *Kaempferia parviflora* Wall ex. Bak powder. *Journal of Department of Thai Traditional and Alternative Medicines* 2 (2): 3-16.
- Cheynier, V., I.H. Arellano, J.M. Souquet and M. Moutounet. 1997. Estimation of the oxidative changes in phenolic compounds of Carignane during winemaking. *American Journal of Enology and Viticulture* 48(2): 225-228.
- Daglia, M., A. Papetti, C. Gregotti, F. Berte and G. Gazzani. 2000. *In vitro* antioxidant and ex vivo protective activities of green and roasted coffee. *Journal of Agricultural and food Chemistry* 48: 1449-1454.
- Darret, G., F. Couzy, J. M. Antoine, C. Magliola and J. P. Mareschi. 1986. Estimation of minerals and trace elements provided by beverages for the adult in France. *Annals of Nutrition and Metabolism* 30 (5): 335-344.
- Dimitrios, B. 2006. Sources of natural phenolic antioxidants. *Trends in Food Science and Technology* 17: 505-512.
- Ehlenfeldt, M.K. and R.L. Prior. 2001. Oxygen radical absorbance capacity (ORAC) and phenolic and anthocyanin concentrations in fruit and leaf tissues of high-bush blueberry. *Journal of Agricultural and food Chemistry* 49: 2222-2227.
- Estruch, R. 2000. Wine and cardiovascular disease. *Food Research International* 33 (3-4): 219-226.
- Ewart, A. J. W., R. Gawel, S. P. Thistlewood and M. G. McCarthy. 1993. Evaluation of must composition and wine quality of six clones of *Vitis vinifera* cv. Sauvignon Blanc. *Australian Journal of Experimental Agriculture* 33(7): 945-951.
- Exarchou, V., N. Nenadis, M. Tsimidou, I. P. Gerothanassis, A. Troganis and D. Boskou. 2002. Antioxidant activities and phenolic composition of extracts from Greek oregano, Greek sage and summer savory. *Journal of Agricultural and Food Chemistry* 50: 5294-5299.
- Faustino, R.S., S. Sobrattee, A.L. Edel and G.N. Pierce. 2003. Comparative analysis of the phenolic content of selected Chilean, Canadian and American Merlot red wines. *Molecular and Cellular Biochemistry* 249: 11-19.
- Fernández-Pachón, M.S., D. Villaño, M.C. García-Parrilla and A.M. Troncoso. 2004. Antioxidant activity of wines and relation with their polyphenolic composition. *Analytica Chimica Acta* 513: 113-118.
- Fite, A., A. Tadesse, K. Urga and E. Seyourn. 1991. Methanol, fusel oil and ethanol contents of some Ethiopian traditional alcoholic beverages. *SINET: Ethiop. J. Sci.* 14: 19-27.
- Fogliano, V., V. Verde, G. Randazzo and A. Ritieni. 1999. Method for measuring antioxidant activity and its application to monitoring the antioxidant capacity of wines. *Journal of Agriculture and Food Chemistry* 47 (3): 1035-1040.
- Frankel, E.N., J. Kanner, J.B. German, E. Parks and J.E Kinsella. 1993. Inhibition of oxidation of human low-density lipoprotein by phenolic substances in red wine. *The Lancet* 341: 454-457.

- Fukumoto, L.R. and G. Mazza. 2000. Assessing Antioxidant and Prooxidant Activities of Phenolic Compounds. *Journal of Agricultural and food Chemistry* 48: 3597-3604.
- Hammerschmidt, A.P. and E.P. Dan. 1978. Phenolic antioxidant of dried soybeans. *Journal of Food Science*. 43(2) : 556-559.
- Harborne, J.B. 1980. Plant phenolics. *In: Bell E.A., B.V. Charlwood (eds). Encyclopedia of Plant Physiology, volume 8 Secondary Plant Products, Springer-Verlag, Berlin Heidelberg New York. pp. 329-395.*
- Henn, T. and P. Stehle. 1998. Total phenolics and antioxidant activity of commercial wines, teas and fruit juices. *Ernahrungs-Umschau* 45 (9): 308-313.
- Hertog, M.G.L., E.J.M. Feskens, P.C.H. Hollman, M.B. Katan and D. Kromhout. 1993. Dietary antioxidant flavonoids and risk of coronary heart disease. The Zutphen Elderly study. *Lancet* 342: 1007-1011.
- Herunsalee A., O. Pancharone and P. Tuntiwachwuttikul. 1987. Further studies of flavonoids of the black rhizome *Boesenbergia pandurata*. *Journal of Science of Society of Thailand* 13:119-122.
- Institute of Food Technologists. 1981. Sensory evaluation guide for testing food and beverage products. *Food Technology* 35 (11): 50-59.
- Jaipetch T., V. Reutrakul, P. Tuntiwachwuttikul and T. Santisuk. 1983. Flavonoids in the Black Rhizomes of *Boesenbergia pandurata*. *Phytochemistry* 22(2): 625-626.
- Jialal, I., E. P. Norkus, L. Cristol and S. M. Grundy. 1991. Beta -carotene inhibits the oxidative modification of low-density lipoprotein. *Biochimica et Biophysica Acta, Lipids and Lipid Metabolism* 1086: 134-138..
- Kalt, W., D.A.J. Ryan, J.C. Duy, R.L. Prior, M.K. Ehlenfeldt and S.P.V. Kloet. 2001. Interspecific variation in Anthocyanins, Phenolics, and Antioxidant Capacity among Genotypes of Highbush and Lowbush Blueberries (*Vaccinium* Section *cyanococcus* spp.). *Journal of Agricultural and food Chemistry*. 49: 4761-4767.
- Katalinić, V., M. Milos, D. Modun, I. Musić and M. Boban. 2004. Antioxidant effectiveness of selected wines in comparison with (+)-catechin. *Food Chemistry* 86: 593-600.
- Kinsella, J. E., E. Frankel, B. German and J. Kanner. 1993. Possible mechanisms for the protective role of antioxidants in wine and plant foods. *Food Technology*. 47: 85-89.
- Knekt, P., R. Jarvinen, A. Reunanen and J. Maatela. 1996. Flavonoid intake and coronary mortality in Finland: a cohort study. *British Medical Journal (Clinical Research edition)* 312 (7029): 478-481.
- Lapodot, T., S. Harel, B. Akiri, R. Granit and J. Kanner. 1999. pH-Dependent Forms of Red Wine Anthocyanins as Antioxidants. *Journal of Agricultural and Food Chemistry* 47: 67-70.
- Larrauri, J.A., P. Ruperez, and F. Saura-Calixto. 1997. Effect of drying temperature on the stability of polyphenols and antioxidant activity of red grape pomace peels. *Journal of Agricultural and food Chemistry* 45: 1390-1393.
- Lodovici, M., F. Guglielmi, C. Casalini, M. Meoni, V. Cheynier and P. Dolara. 2001. Antioxidant and radical scavenging properties in vitro of polyphenols extracts from red wine. *European Journal of Nutrition* 40: 74-77.

- Maas, J.L. and G.J. Galletta 1991. Ellagic acid, an anticarcinogen in fruits, especially in strawberries: a Review. *HortScience*. 26: 10-14.
- Macheix, J., A. Fleuriot and J. Billot. 1990. *Fruit Phenolics*. CRC Press. Boca Raton, FL, USA.
- Makris, D.P., E. Psarra, S. Kallithraka and P. Kefalas. 2003. The effect of polyphenolic composition as related to antioxidant capacity in white wines. *Food Research International* 36: 805-814.
- Marco, G. J. 1968. A rapid method for evaluation of antioxidants. *Journal of the American Oil Chemists Society* 45: 594-598.
- Margalit, Y., 1996. *Winery Technology & Operations A Handbook for Small Wineries*. The Wine Appreciation Guide Ltd, San Francisco. 230 p.
- Margarita A., L. Ricardo, F.C. Juan and F. Vicente. 2001. Identification and quantification of impact odorants of aged red wines from Rioja. GC-olfactometry, quantitative GC-MS, and odor evaluation of HPLC fractions. *Journal of Agricultural and food Chemistry* 49: 2924-2929.
- Martinez-Ortega M.V., M.C. Carcia-Parrilla and A.M. Troncoso. 2000. Resveratrol content in wines and musts from the south of Spain. *Nahrung* 44: 253-256.
- Martinez-Rodriguez, A.J. and M.C. Polo. 2003. Effect of the Addition of Bentonite to the Tirage Solution on the Nitrogen Composition and Sensory Quality of Sparkling Wines. *Food Chemistry*. 81(3):383-388.
- Matthews, M. A. and M. M. Anderson, M. M.; 1989. Reproductive development in grape (*Vitis vinifera* L.): Responses to seasonal water deficits. *American Journal of Enology and Viticulture* 40 (1): 52-60.
- Matthews, M. A., R. Ishii, M. M. Anderson and M. O'Mahony. 1990. Dependence of wine sensory attributes on vine water status. *Journal of the Science of Food and Agriculture* 51 (3): 321-335.
- Maxwell, S.R.J. 1997. Wine antioxidants and their impact on antioxidant activity *in vivo*. p 150-165. *In: Watkins, T.R. (ed.) Wine: Nutritional and The rapeutic Benefits*.
- Meyer, A.S., M. Heinonen, and E.N. Frankel. 1998. Antioxidant interactions of catechin, cyaniding, caffeic acid, quercetin, and ellagic acid on human LDL oxidation. *Food Chemistry* 61: 71-75.
- Miguel-Tabares, J.A., B. Martin-Luis, M. Carrillo-Lopez, E. Diaz-Diaz and J. Darias-Martin. 2002. Effect of altitude on the wine-making potential of Listan Negro and Ruby Cabernet cultivars in the south of Tenerife Island. *Journal International des Sciences de la Vinge et du Vin*. 36(4): 185-194.
- Minussi, R.C., M. Rossi, L. Bologna, L. Cordi, D. Rotilio, G. M. Pastore and N. Durán. 2003. Phenolic compounds and total antioxidant potential of commercial wines. *Food Chemistry* 82: 409-416.
- Morse, R.A. 1980. *Making Mead*. Wic Was Press. New York. 79 p.
- Mortimer, R.K. 1995. Genetic Investigation: Yeasts isolated from spontaneous fermentation of grape musts in California and Italy. *Pract. Winery and Vineyard* May/June: 7-10.
- Mosel, H.D. and K. Herrmann. 1974. Phenolics of fruits IV. The phenolics of blackberries and raspberries and their changes during development and ripeness of the fruits. *Z Lebensm-Unters Forsch*. 154: 324-327.

- Patanasethanont, D., J. Nagai, R. Yumoto, T. Murakami, K. Sutthanut, B. Sripanidkulchai, C. Yenjai and M. Takano. 2006. Effects of *Kaempferia parviflora* extracts on their flavone constituents on P-glycoprotein function. *Journal of Pharmaceutical Sciences* 96 (1): 223-233.
- Patrick, G. F., G. F. Ortmann, W. G. Musser, W. G. and D. H. Doster. 1993. Information sources of large-scale farmers. *Choices. The Magazine of Food, Farm, and Resources Issues* 3: 40-41.
- Pérez-Prieto, L.J., J.M. López-Roca and E. Gómez-Plaza. 2003. Differences in major volatile compounds of red wines according to storage length and storage conditions. *Journal of Food Composition and Analysis* 16: 697-705.
- Peterlunger, E., P. Sivilotti, C. Bonetto and M. Paladin. 2002. Water stress induces changes in polyphenol concentration in Merlot grapes and wines. *Rivista di Viticoltura e di Enologia* 55(1): 51-66.
- Pietta, P. G.; 2000. Flavonoids as antioxidants. *Journal of Natural Products* 63 (7): 1035-1042.
- Pojanagaroon, S. and C. Kaewrak. 2003a. Attitudes, consumers' behavior and factors influence on consumers' purchasing of 'Krachai-Dam' products: case study Phurua, Loei. Annual Agricultural Seminar for Year 2003, 27-28 January, KKU. p. 653-669.
- Pojanagaroon, S. and C. Kaewrak. 2003b. Farmers' production and marketing of *Kaempferia parviflora* in Loei, Phitsanulok and Phetchabun province. *Agricultural Science Journal* 34 (4-6): 153-167.
- Pojanagaroon, S. and C. Kaewrak. 2004a. Collection, studies and selection of Krachai-Dam (*Kaempferia parviflora* Wall.) cultivars: chemical compositions of essential oil from collected Krachi-Dam rhizomes. *Journal of Agriculture* 20 (1): 44-55.
- Pojanagaroon, S. and C. Kaewrak. 2004b. Collection and selection of Krachai-Dam (*Kaempferia parviflora*) cultivars: leaf-mineral contents and development of Krachai-Dam plants. Annual Agricultural Seminar for Year 200, 26-27 January, KKU. p. 68-82.
- Pojanagaroon, S. and C. Kaewrak. 2005. Selection of collected Krachai-Dam (*Kaempferia parviflora* Wall. ex Baker) rhizomes by using the preference of Krachai-Dam products distributors and sellers. *Thai Agricultural Research Journal* 23 (3): 271-291.
- Pojanagaroon, S. and C. Rujjanawate. 2004. Effect of different internal skin color of 'Krachai-Dam' (*Kaempferia parviflora*) Rhizomes on antioxidative activity. *KKU Science Journal* 32 (4): 270-277.
- Pojanagaroon, S. and C. Rujjanawate. 2005. Effect of internal color of *Kaempferia parviflora* (Krachai-Dam) rhizomes as raw materials for wine processing on antioxidative activity. *The Proceedings of 43rd Kasetsart University Annual Conference 2004*, 1-4 February, Kasetsart University. p. 95-105.
- Pojanagaroon, S. and C. Rujjanawate. 2006. Effect of different internal skin color of 'Krachai-Dam' (*Kaempferia parviflora*) rhizomes on adaptogenic activity. *Khon Kaen Agricultural Journal* 34 (4): 286-296.

- Pojanagaroon, S., R. Praphet and C. Kaewrak. 2006a. Study on identification of RAPD specific markers as criteria for two of Krachai-Dam (*Kaempferia parviflora* Wall ex. Baker). KKU Annual Agricultural Seminar for Year 2006, 23-24 January, KKU. p. 69-70.
- Pojanagaroon, S., R. Praphet, C. Kaewrak and A. Yotdi. 2006b. Characterization of Krachai-Dam (*Kaempferia parviflora*) Cultivars Using AFLP Markers. Khon Kaen Agricultural Journal 34 (4): 274-285.
- Ribereau-Gayon, P., D. Dubourdieu, B. Doneche and A. Lonvaud. 2000. Handbook of enology: Volume 1. The microbiology of wine and vinifications. Handbook of enology: Volume 1. The microbiology of wine and vinifications. 454 p.
- Rigazio, L. 2000. Grape harvest and wine quality. Informatore Agricolo 16(8/9): 19-20.
- Rimm, E. B., A. Ascherio, E. Giovannucci, D. Spiegelman, M. J. Stampfer and W.C. Willett. 1996. Vegetable, fruit, and cereal fiber intake and risk of coronary heart disease among men. JAMA, Journal of the American Medical Association 275 (6): 447-451.
- Robinson, J. 2003. Jancis Robinson's wine course: a guide to the world of wine. BBC worldwide Ltd. 39 p.
- Rujjanawate, C., D. Kanjanapothi, D. Amornlerdpison and S. Pojanagaroon. 2005. Anti-gastric ulcer effect of *Kaempferia parviflora*. J. Ethnopharmacology 102: 120-122.
- Salon, J. L., J.V. Mendez, C. Chirivella and J. R. Castel. 2004. Irrigation and wine quality of *Vitis vinifera* cv. Bobal in Requena, Spain. Proceedings of the International Symposium on Irrigation and Water Relations in Acta Horticulturae 646: 167-174.
- Sanchez-Moreno, C., J. A. Larrauri and F. Saura-Calixto. 1999. Free radical scavenging capacity and inhibition of lipid oxidation of wines, grape juices and related polyphenolic constituents. Food Research International 32 (6): 407-412.
- Santos-Buelga, C. and A. Scalbert. 2000. Proanthocyanidins and tannin-like compounds nature, occurrence, dietary intake and effects on nutritional and health. Journal of the Science of Food and Agriculture 80 (7): 1094-1117.
- Sato, M., N. Ramarathnam, Y. Suzuki, T. Ohkubo, M. Takeuchi and H. Ochi. 1996. Varietal differences in the phenolic content and superoxide radical scavenging potential of wines from different sources. Journal of Agricultural and Food Chemistry 44 (1): 37-41.
- Saura-Calixto, F. D. 2003. Antioxidant dietary fibre. Electronic Journal of Environmental, Agricultural and Food Chemistry 2 (1): 7.
- Schuster, B. and K. Hemann. 1985. Hydroxybenzoic and hydroxycinnamic acid derivatives in soft fruits. Phytochemistry. 24: 2761.
- Sellappan, S., C.C. Akoh, and G. Krewer. 2002. Phenolic compounds and antioxidant capacity of Georgia-grown blueberries and blackberries. Journal of Agricultural and Food Chemistry 50: 2432-2438.
- Sennil, J. and M. Trichalee. 2002. Krachai-Dam: amazing herbs book 1. KMP. Media Siam, Bangkok. 142 p. (In Thai).
- Shahidi, F. and M. Naczki. 1995. Food Phenolics. Technomic Publishing Company, Inc., Lancaster, Pennsylvania. p. 235-277.

- Simonetti, P., P. Pietta and G. Testolin. 1997. Polyphenol content and total antioxidant potential of selected Italian wines. *Journal of Agricultural and Food Chemistry* 45 (4):1152-1155.
- Soleas, G.J. and D.M. Goldberg. 1999. Analysis of antioxidant wine polyphenols by gas chromatography-mass spectrometry. *Methods in Enzymology*. 299: 137-151.
- Soleas, G.J., E.P. Diamandis and D.M. Goldberg. 1997. Wine as a biological fluid: history, production, and role in disease prevention. *Journal of Clinical Laboratory Analysis* 11: 287-313.
- Stanner, S.A., J. Hughes, C.N. Kelly and J. Buttriss. 2004. A review of the epidemiological evidence for the antioxidant hypothesis. *Public Health Nutrition* 7: 407-422.
- Steinkraus, K.H. 1983. *Handbook of indigenous fermented foods*. Marcel Dekker, Inc., New York.
- Stupans, I., A. Kirlich, K.L. Tuch. and P.J. Hayball. 2002. Comparison of radical scavenging effect, inhibition of microsomal oxygen free radical generation, and serum lipoprotein oxidation of several natural antioxidants. *Journal of Agricultural and Food Chemistry* 50(8): 2464-2469.
- Sudwan. P and K. Saenphet. 2007. Effect of *Kaempferia parviflora* Wall. Ex Baker on reproductive organs, seminiferous tubules and testosterone level in male rats. *International Workshops on Medicinal and Aromatic Plants*, January 15-18, 2007 Lotus Pang Suan Kaew Hotel. Chiang Mai. p 29.
- Sun, A.Y., A. Simonyi and G.Y. Sun. 2002. The "French paradox" and beyond: Neuroprotective effects of polyphenols. *Free Radical Biology and Medicine* 32(4): 314-318.
- Sutthanut, K., B. Sripanidkulchai, C. Yenjai and M. Jay. 2007. Simultaneous identification and quantitation of 11 flavonoid constituents in *Kaempferia parviflora* by gas chromatography. *Journal of Chromatography A* 1113 (1): 227-233.
- Tatum, J.H., S. Nagy, and R.E. Berry. 1975. Degradation products formed in canned single-strength orange juice during storage. *Journal of Food Science* 40: 707.
- Teissedre, P.L. and N. Landrault. 2000. Wine phenolics: contribution to dietary intake and bioavailability. *Food Research International* 33: 461-467.
- Thammaaree, S., K. Saipun, W. Rigagorn and G. Angninantha. 2006a. Effect of *Kaempferia parviflora* extract on In vitro penis smooth muscles of male rats. Technology extension report of "Preclinical study on efficacy and safety of Red Kwow Krua, Krachye and Black Krachye for development of vasodilators used in the treatment of male erectile dysfunction", Chulalongkorn University, Bangkok. p. 23.
- Thammaaree, S., S. Thepmongkol and W. Thepsumethanontha. 2006b. Effect of Red Kwow Krua, Krachye and Black Krachye extracts on blood circulation in penis of male dogs. Technology extension report of "Preclinical study on efficacy and safety of Red Kwow Krua, Krachye and Black Krachye for development of vasodilators used in the treatment of male erectile dysfunction", Chulalongkorn University, Bangkok. p. 26.

- Trakoontivakorn G., K. Nakahara, H. Shinmoto, M. Takenaka, M. Onishi-Kameyama, H. Ono, M. Yoshida, T. Nagata and T. Tsushida. 2001. Structural analysis of a novel antimutagenic compound, 4-hydroxypandutatin A, and the antimutagenic activity of flavonoids in a Thai spice, fingerroot (*Boesenbergia pandurata* Schult). *Against Mutagenic Heterocyclic Amines. Journal of Agricultural and Food Chemistry* 49: 3046-3050.
- Tuchinda P., V. Reutrakul, P. Claeson, U. Pongprayoon, T. Sematong, T. Santisuk and C.W. Taylor. 2002. Anti-inflammatory cyclohexenyl chalcone derivatives in *Boesenbergia pandurata*. *Phytochemistry*. 59: 169-173.
- Ubigli, M., A. Bosso and G. Cargnello. 1997. Correlation between some wine sensory descriptors and grape harvest time. *Acta Horticulturae* 427: 405-410.
- Vilioglu, Y.S., G. Mazza, L. Gao and B.D. Oomah. 1998. Antioxidant activity and total phenolics in selected fruits vegetables and grain products. *Journal of Agricultural and Food Chemistry* 46: 4113-4117.
- Villaño, D., M.S. Fernández-Pachón, A.M. Troncoso and M.C. García-Parrilla. 2006. Influence of enological practices on the antioxidant activity of wines. *Food Chemistry*. 95: 394-404.
- Visioli, F., L. Borsani and C. Galli. 2000. Diet and prevention of coronary heart disease: the potential role of phytochemicals. *Cardiovascular Research* 47(3): 419-425.
- Vogel, A. and A. Gobezie. 1983. Ethiopian "tej". In: Steinkraus, K.H. (ed.). *Handbook of indigenous fermented foods*. Marcel Dekker, Inc., New York.
- Wongsinkongman, P., N. Mongkolchaipak, N. Chansuvanich, Y. Techadumrongsin and T. Boonruad. 2003. Quality evaluation of Crude Drugs and volatile oil of Krachai-dam rhizomes. *Bulletin of the Department of Medical Sciences* 45 (1): 1-16.
- Woraratphoka, J., K.O. Intarapichet and K. Indrapichate. 2007. Phenolic compounds and antioxidative properties of selected wines from the northeast of Thailand. *Food Chemistry (Article in press)*.
- Yan X. H., D. X. Liu, X. M. Jiang, G. Li and X. Q. Shi. 2002. Effect of low level soybean isoflavones on the oxidative modification of lipoproteins in human serum. *Acta Nutrimenta Sinica* 24 (4): 368-371.
- Yenjai C., K. Prasanphan, S. Daodee, V. Wongpanich and P. Kittikoop. 2004. Bioactive flavonoids from *Kaempferia parviflora*. *Fitoterapia* 57 (1): 89-92.
- Yenjai C., Y. Sumanont, S. Daodee, N. Siriratpiboon and K. Prasanphan. 2002. 3rd Symposium on the Family Zingiberaceae, KhonKaen (7-12 July 2002). p.44.
- Zoecklein, B.W., K.C. Fugelsang, B.H. Gump and F.S. Nury. 1995. *Wine Analysis and Production*. Chapman and Hall, New York. 621 p.