

TABLE OF CONTENTS

	Page
Acknowledgement	iii
Abstract in Thai	iv
Abstract in English	vi
Table of contents	viii
List of tables	xi
List of figures	xiv
Chapter 1 Introduction	1
Chapter 2 Review of Literature	3
2.1 Phenolic compounds	3
2.2 Lipid oxidation and antioxidant activity	6
2.3 Oxidative stress and Atherosclerosis	7
2.4 Methods for assessing total antioxidant activity and total free radical scavenging activity.	10
2.5 Impact of red wine on antioxidant status	10
2.6 The overview of Krachai-Dam	12
2.7 Summary of the results of the extraction and isolation and biological activity testing in “Krachai-Dam” rhizomes	14
2.7.1 Extraction and isolation of “Krachai-Dam” rhizomes	14
2.7.2 Biological activity testing	18
2.7.3 Anti-oxidative activity of Krachai-Dam	19
2.7.4 Anti-oxidative activity of Krachai-Dam herbal wine	19
2.8 Standardization of Krachai-Dam	20
2.9 Winemaking	20
2.10 Overview of Sensory evaluation	22
2.11 Methods of sensory evaluation	23
2.12 Factors influence on Herbal wine qualities	23
2.13 Factors influence on raw materials used for wine production	25
Chapter 3 Material and methods	30
3.1 Materials	30
3.2 Methodology	31
Part I The optimal method of Krachai-Dam honey wine processing	31
Part II Study on the effects of factors on qualities of Krachai-Dam rhizomes used as raw materials for Krachai-Dam honey wine production	36
Part III Factors that influenced Krachai-Dam rhizomes used as raw materials for Krachai-Dam	38
Part IV Summarise and draft the Good Agricultural Practices (GAP) of Krachai-Dam for Krachai-Dam honey wines purposes	40
3.3 Time for study	40

Chapter 4 Results	41
Part I The optimal method of Krachai-Dam honey wine processing	41
4.1. Effects of Krachai-Dam cultivars and yeast strain on Krachai-Dam honey wine qualities	41
4.2. Effects of Krachai-Dam cultivars, types of honey and proportion of rhizomes in must on wine qualities	42
4.3 Grouping of the treatment combination	46
4.4. Sensory evaluation	48
4.4.1 Sensory evaluation in round 1	48
4.4.2 Sensory evaluation in round 2	49
4.4.3 Sensory evaluation in round 3	50
4.5. Selection of the most optimal Krachai-Dam honey wine processing	51
Part II Study on the effects of certain factors on the qualities of Krachai-Dam rhizomes used as raw materials for Krachai-Dam honey wine production	51
4.6 Effects of plantation areas and harvesting month of raw materials on wine qualities	51
4.7 Effects of plantation areas and planting months of raw materials on wine qualities	53
4.8 Effects of plantation areas and number of year crops of raw materials on wine qualities	54
4.9 Effects of (a) plantation area, (b) storage period and (c) storage method of raw materials on wine qualities	55
4.10 Grouping of the treatment combinations of part II	59
4.11 Sensory evaluation	61
4.11.1 Sensory evaluation in round 1	61
4.11.2 Sensory evaluation in round 2	62
4.11.3 Sensory evaluation in round 3	63
4.11.4 Sensory evaluation in final round	64
4.12 Selection of the most optimal Krachai-Dam honey wine processing using raw materials affected by factors studied	64
Part III Factors that influenced Krachai-Dam rhizomes used as raw materials for Krachai-Dam	64
4.13 Quantitative yields	64
4.14 Qualitative yields	65
4.14.1 Effects of plantation area and harvesting months on qualitative yields of Krachai-Dam	65
4.14.2 Effects of plantation area and planting month on qualitative yields of Krachai-Dam	67
4.14.3 Effects of plantation area and number of year crops on qualitative yields of Krachai-Dam	68
4.14.4 Effects of (a) plantation areas, (b) storage periods and (c) storage method on qualitative yields of Krachai-Dam	69
Chapter 5 Discussion	74
5.1 Study for the selection of the most optimal method of Krachai-Dam honey wine processing.	74

5.2 Study on the effects of certain factors on the qualities of Krachai-Dam honey wine production.	78
5.3 Factors that influenced Krachai-Dam rhizomes used as raw materials for Krachai-Dam.	80
5.4 To summarise and to draft the Good Agricultural Practices (GAP) of Krachai-Dam for Krachai-Dam honey wines purposes.	85
5.5 Further studies	86
Chapter 6 Conclusions	87
Reference	89
Appendix	97
Curriculum vitae	103

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

Table		Page
2.1	The most important classes of phenolic compounds in plants	4
2.2	Top sources of antioxidant plant phenols	9
2.3	The isolated compounds of 'Krachai-Dam' rhizomes	15
2.4	Yield and flavonoid content of 3 Krachai-Dam cultivars used as raw material for honey wine production in this study	18
2.5	The summary of biological activity testing in "Krachai-Dam" isolated compounds	18
3.1	Treatment combinations in experiment 1.1	32
3.2	Treatment combinations in experiment 1.2	33
3.3	Treatment combinations of Krachai-Dam honey wines processing in crop season of 2005-2006 (part II)	38
4.1	Effects of Krachai-Dam cultivars and yeast strain on Krachai-Dam honey wine qualities	41
4.2	Effects of factor combinations in experiment 1.2 on Krachai-Dam honey wine qualities	42
4.3	Effects of Krachai-Dam cultivars, types of honey and proportion of rhizomes in musy on wine qualities	43
4.4	Effects of each pair of 2-factor combinations in experiment 1.1 comparing the 3 factors	45
4.5	Effects of 3-factor combinations in experiment 1.1 on Krachai-Dam honey wine qualities	46
4.6	Wine appreciation chart of Krachai-Dam honey wines by sensory evaluation of 15-23 panelists (round 1)	48
4.7	Wine appreciation chart of Krachai-Dam honey wines by sensory evaluation of 15-23 panelists (round 2)	50
4.8	Wine appreciation chart of Krachai-Dam honey wines by sensory evaluation of 15-23 panelists (round 3)	51
4.9	Effects of plantation areas and harvesting months on wine qualities	52
4.10	Effects of factors combinations in experiment 2.1 on Krachai-Dam wine qualities	52
4.11	Effects of plantation areas and planting months of raw materials on wine qualities	53
4.12	Effects of factor combinations in experiment 2.2 on Krachai-Dam wine qualities	53
4.13	Effects of plantation areas and number of year crops of raw material on wine qualities	54
4.14	Effects of factors combinations in experiment 2.3 on Krachai-Dam honey wine qualities	55
4.15	Effects of plantation areas, storage periods, and storage methods of raw material on wine qualities	55
4.16	Effects of each pair of factor combinations in experiment 2.4 on factors (plantation area, storage methods and storage period) of raw materials on wine qualities	57

4.17	Effects of factors combinations in experiment 2.4 on Krachai-Dam honey wine qualities	58
4.18	Wine appreciation chart of Krachai-Dam honey wines by sensory evaluation of 15-23 panelists in crop year 2005-2006 (round 1)	61
4.19	Wine appreciation chart of Krachai-Dam honey wines by sensory evaluation of 15-23 panelists in crop year 2005-2006 (round 2)	63
4.20	Wine appreciation chart of Krachai-Dam honey wines by sensory evaluation of 15-23 panelists in crop year 2005-2006 (round 3 and 4)	63
4.21	Quantitative yield of Krachai-Dam in year crops of 2004-2006 and 2005-2006 by each factor	65
4.22	Factor combinations between plantation areas and year crops on quantitative yields of Krachai-Dam in crop season of 2004-2006 and 2005-2006	65
4.23	Effects of plantation areas and harvesting months on qualitative yields of Krachai-Dam	66
4.24	Effects of factor combinations in experiment 3.1 on qualitative yields of Krachai-Dam	66
4.25	Effects of plantation areas and planting months by each factor	67
4.26	Factor combination between plantation areas and planting months on qualitative yields of Krachai-Dam	68
4.27	Effects of plantation areas and number of year crops on qualitative yields of Krachai-Dam.	68
4.28	Effects of factor combinations in experiment 3.3 on qualitative yields of Krachai-Dam.	69
4.29	Effects of plantation areas, storage periods and methods on qualitative yields of Krachai-Dam.	70
4.30	Effects of each pair of factor combinations in experiment 3.4 on factors (plantation area, storage periods and storage methods) on qualitative yields of Krachai-Dam.	71
4.31	Effects of factor combinations in experiment 3.4 on qualitative yields of Krachai-Dam.	72
5.1	Correlation coefficients among nine qualitative parameters of Krachai-Dam honey wine in first wine generation (crop year of 2003-2004).	74
5.2	Daily intake of total phenolic compounds from varieties of wines consumption for the French population	77
5.3	Correlation coefficients among nine qualitative parameters of Krachai-Dam honey wines in second wine generation (2004-2006 and 2005-2006).	79
5.4	Correlation coefficients among the color values L*, a* and b*, TP and AOI values of Krachai-Dam rhizomes which were used as raw materials in crop year of 2004-2006 and 2005-2006.	81
5.5	Correlation coefficients between the color value L*, a* and b*, TP and AOI values of wines and their raw materials.	82

App. 1	Climatological data for 4 plantation area for crop season of 2004-2006.	98
App. 2	Plantation soil components of each area in crop season of 2005-2006.	100
App. 3	Leaf mineral contents of Krachai-Dam by each factors studied in crop season of 2005-2006.	100
App. 4	Factor combination between cultivars and collecting times on Leaf mineral contents of Krachai-Dam in crop season of 2005-2006.	100
App. 5	Vegetative growth of Krachai-Dam plants which were grown in crop season of 2003-2004 at Phurua area.	101
App. 6	Vegetative growth of Krachai-Dam plants which were grown in crop season of 2004-2006 (2 crop cycle) and 2005-2006 (1 crop cycle) by each factor studied.	101
App. 7	Factor combination between plantation area and crop cycle on vegetative growth of Krachai-Dam plants.	101
App. 8	Wine appreciation chart	102

LIST OF FIGURES

Figure		Page
2.1	(a) Benzoic derivatives (b) Cinnamic derivatives	5
2.2	(a) Basic flavonoid skeleton (b) Basic flavan-3-ol skeleton (c) Basic flavonol skeleton (d) Basic flavanone skeleton (e) Basic flavone skeleton (f) Basic anthocyanidin skeleton (g) Basic anthocyanin skeleton	6
2.3	Three phases of lipid oxidation	7
2.4	Antioxidant activities of phenolic antioxidants	7
2.5	Formation of ferric thiocyanate complex	7
2.6	The oxidative-modification theory of atherosclerosis	8
2.7	Comparison of the antioxidant activity (mol/l) measured by enhanced chemiluminescence of a variety of popular beverages	11
2.8	Botanical characters of <i>Kaempferia parviflora</i> Wall. ex Baker (Krachai-Dam).	13
2.9	The chemical structure of 11 compounds in Krachai-Dam hexane extract	16
2.10	The chemical structure of 5 compounds in Krachai-Dam chloroform extracts	17
2.11	The chemical structure of 6 compounds obtained from hot system of boiling hexane, chloroform and methanol as solvents	17
3.1	The rhizomes of 3 of Krachai-Dam cultivars which were (A) Phurua-10 (Romklao) (B) Phurua-5 (Nam Juang) and (C) Phurua-12 (Khegnoi-2)	30
3.2	Flow diagram of Krachai-Dam honey wine production	32
3.3	Flow diagram of Krachai-Dam honey wine production	32
3.4	The panelists were trained to recognize and evaluate red wines and Krachai-Dam honey wines (A), and wine testing techniques which comprised look, smell, taste and aftertaste (B and C)	36
3.5	The Krachai-Dam plants which were grown in the field at Phrae area (200 m al) in crop season of 2005-2006.	39
4.1	Dendrogram obtained from 9 physical and chemical characters of Krachai-Dam honey wine using UPGMA.	47
4.2	Dendrogram obtained from 9 physical and chemical characters of Krachai-Dam honey wine (part II from experiment 2.1 to 2.4) by UPGMA.	60
5.1	The relationships between AOI and TP content (A), AOI and L* (B), TP content and L* (C), TP content and b* (D), a* and L* (E) and b* and L* (F).	75
5.2	Maximum, minimum and mean temperatures during crop season 2004-2006 in four plantaion areas.	83
5.3	monthly total rainfalls during May to December 2005.	84
5.4	Numbers of rainy day during May to December 2005.	84