

เอกสารอ้างอิง

การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย.2539.รายงานการวิจัยการศึกษาศักยภาพการนำถ้าลอยลิกไนต์มาใช้ประโยชน์.

การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย. 2544. เถ้าลอยลิกไนต์ในงานคونกรีตกับการอนุรักษ์พลังงานและสิ่งแวดล้อม.

กรมวิชาการเกษตร.2529.”ข้อมูลพันธุ์พืช”[ระบบออนไลน์].แหล่งที่มา

<http://www.doa.go.th/data-agri/RICE/3var/PT60.html> (10 มกราคม 2549)

กลุ่มพืชธุรกิจครบวงจร-เครื่อเจริญ โภคภัณฑ์. 2532. “ข้าวโพดเลี้ยงสัตว์” [ระบบออนไลน์].แหล่งที่มา

http://www.cpcrop.com/virtual_office/company/thai_ver/research.html (10 มกราคม 2549)

คณะกรรมการจัดทำปทานุกรมปฐพีวิทยา.2541.ปทานุกรมปฐพีวิทยา.สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์.กรุงเทพมหานคร.

คณาจารย์ภาควิชาปฐพีวิทยา. 2544. ปฐพีวิทยาเบื้องต้น. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพมหานคร.

ปรีดา พากเพียร, ประพิศ แสงทอง, และพิชิต พงษ์สกุล. 2547. การปนเปื้อนของโลหะหนักในดินและพืชอาหารในประเทศไทย. วารสารคินและปี่ 26:31-36 (2547).

ไฟบุลย์ วิวัฒน์วงศ์วนา.2546.เคมีดิน.สำนักพิมพ์ห้างหุ้นส่วนจำกัดเชียงใหม่พิมพ์สาย.273 หน้า

เรืองรุชดี ชีระโภจน์.2542. การพัฒนาถ้าถ่านหินที่ทึ่งแล้วและถ้ากันเตาเพื่อเป็นวัสดุป้องกันไฟลาม. วิทยานิพนธ์ปริญญาวิศวกรรมมหาบัณฑิต ภาควิชาวิศวกรรมโยธา คณะวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี.129 หน้า

Ajmal, M., and M.A. Khan.2005. Effects of coal-fired thermal power plant discharges on agricultural soil and crop plants. Environmental Research 39(2) : 405-417

Black,B.L.,and R.H.Zimmerman.2002.Mixture of coal ash and compost as substrates for highbush blueberry .J.Amer.Soc.Hort.Sci.127(5) : 869-877

Chen,Y., A.Gottesman. T.Aviad. and Y.Inbar.1991. The use of bottom-ash coal-cinder amemded amended with compost as a container medium in horticulture.Acta-horticulture.International society for horticultural science,Wageningen(294):173-181

Chiang Mai University.1980. An interdisciplinary perspective of cropping system in the Chiang Mai Valley. Key question for research.Multiple Cropping Project ,Faculty of Agriculture,Chiang Mai University.238p.

Demir,I., R.E.Hughes. and P. J. Demaris.2001.Formation and use of coal combustion residues from three types of power plants burning Illinois coals.Fuel 80:1659-1673

Dick,W.A., L.Chen and Y.Hao. Beneficial uses of clean coal combustion by-products: soil amendment and coal refuse treatment examples and case studies.School of Natural Resources, The Ohio State University Wooster,Ohio.

Doll, E.C., and R. Lucas. 1973. Testing soils for potassium, calcium, and magnesium. p. 133-151. In: L. Walsh and J. Beaton (eds.), Soil testing and plant analysis. Soil Sci. Soc. Amer. Inc., USA.

Dzeletovic,Z.S., and R.Filipovic.1995.Grain characteristics of crops grown on power plant ash and bottom slag deposit.Resources,Conservation and Recycling13:105-113

Gabler,R.C., Jr.,and R.L.Stoll.2003. Extraction of leachable metals and recovery of alumina from utility coal ash. Resources and conservation 9 :131-142

Goodarzi,F.2005.Assessment of elemental content of milled coal, combustion residues, and stack emitted materials:Possible environmental effects for a Canadian pulverized coal-fired power plant.International Journal of Coal Geology 65 : 17-25

Gupta,V.K., A.Mittal. L. Krishnan. and J.Mittal.2006.Adsorption treatment and recovery of the hazardous dye, Brilliant Blue FCF, over bottom ash and de-oiled soya. Journal of Colloid and Interface Science 293(1) :16-26

Havlin, J.L., J.D. Beaton. S.L. Tisdale. and W.L. Nelson .1999. Soil fertility and fertilizers. Prentice-Hall Inc., USA. 499 p.

Hower, J.C., J.D.Robertson. U.M. Graham. G.A.Thomas. A.S.Wong. and W.H.Schram.1993.Characterization of Kentucky coal-combustion by-products:compositional variations based on sulfur content of feed coal.Journal of coal quality(12):150-155

Hower, J.C., D.S.Clifford. J.D. Eady. G.A.Thomas. and G.A. Wild.1994.Petrography and chemistry of fly ash from the Shawnee power station, Kentucky. 11th Pittsburgh coal conference:1123-1128

Hower, J.C., D. Robertson. G.A.Thomas. A.S. Wong. W.H. Schram. U.M.Gram. R.F. Ratherbone. and T.L. Robl.1996. Characterization of fly ash from Kentucky power plants.Fuel(75): 403-411

Huang-Mu Lo.2005. Assessing the effects of municipal solid waste incinerator bottom ash as landfill cover by lab-scale column anaerobic bioreactor.International Conference on Energy,Environment and Disasters,Charlotte,NC,USA.June 24-30

Im-Erb,R., N.Bamroongrugsu. K. Kawashima. T.Amano. and S. Kato.2004.Utilisation of coal ash to improve acid soil.Songklanakarin J.Sci.Technol.,26(5):697-708

Kim,A.G., and G. Kazonich.1999. Mass release of trace elements from coal combustion by-products. International ash utilization symposium,university of Kentucy.

Korcak,RF. Agricultural Uses of Coal. Combustion Byproducts. Overview of Combustion and Its Byproducts:103-119

Korcak,R.F.1993.Utilization of coal combustion by-products in agriculture and horticulture. Agr.Utilization of Urban and Ind. By-products,ASA Spec.Publ.58:107-130

Korcak,R.F.1995. Utilization of coal combustion by-products in agriculture and horticulture. In ASA special publication no.58. American Society of Agronomy,Madison,WI.

Ling, C., and B. Lu. 1990. Studies on effect of magnesium fertilizer and its reasonable application to reddish soils in Fujian, China. p. 342-347. In: Proceedings of the International Symposium on Balanced Fertilization. The Soil and Fertilizer Institute of the Chinese Academy of Agricultural Sciences. China.

Meij,R.,1995.The distribution of trace element during the combustion of coal.
In:Swaine,D.J., Goodarzi,F.(Eds.), Environmental Aspects of Trace Element in coal. Kluwer Academic Publication,Dordrecht, The Netherlands:111-127

Meij,R.2003.Trace element behavior in coal-fired power plants.KEMA environmental services,Netherlands.

Miller,W.P., K.C. Das. and S.Dudka. Blends of composted biosolids and bottom ash as potting media to grow ornamentals. University of Georgia, Athens,GA.

Mittal,A., J.Mittal. and L.Kurup.2006. Adsorption isotherms, kinetics and column operations for the removal of hazardous dye, Tartrazine from aqueous solutions using waste materials—Bottom Ash and De-Oiled Soya, as adsorbents. Journal of hazardous materials136(3) :567-578

Mukhta,S., A.L.Kenimer. S.S.Sadaka. and J.G.Mathis.2003. Evaluation of bottom ash and composted manure blends as a soil amendment material.Bioresource Technology.89 :217-228

Papastergios,G., J.L.Fernandez-Turiel. A.Georgakopoulos. and D. Gimeno.2005. Slag and ash chemistry after high-calcium lignite combustion in a pulverized coal-fired power plant.Processdings of the 9th international conference on environmental science and technology.Rhodes island,Greece,1-3 September.

Querol,X., J.C Umana. A.Alastuey. C.Bertrana. A.Lopez-Soler. and F.Piana.1999. Physico-chemical characterization of Spanish fly ashes. Energy sources(21) : 883-898

Rees,W.J., and G.H.sidrak.1956. Plant nutrition on fly-ash.Plant and soil(8):141-159

Stockely,M.E., and L.Newland.2003.Pozzolana-induced reductions in the environmental availability of cadmium from fly and bottom ash.Environmental science program texas Christian university.texas,U.S.A .

Swaine,D.J.2003.Trace elements in coal and their dispersal during combustion.CSIRO division of coal and energy.Australia.

- Swaine, D.L.1995. The contents and some related aspects of trace elements in coals.
In:Swaine, D.J., Goodarzi, F.(Eds.). Environmental Aspects of trace elements
in coal. Kluwer Academic Publication, Dordrecht, The Netherlands:5-23
- Wang,Y., D.Ren. and F.Zhao.1999.Comparative leaching experiments for trace
elements in raw coal,laboratory ash, fly ash and bottom ash. International
Journal of Coal Geology.40:103-108
- Wearing,C., J.D.Nairn. and C.Birch.2002.An assessment of Tarong bottom ash for
use on agricultural soils. School of Agriculture and Horticulture,University of
Queensland,Gatton,433.Australia.
- Wester,D.B., and M.J.Trlica.1977.Mixture of bottom ash and soil as a growth medium
for three range species.Journal of range management.30(5):391-394
- Wilkinson,S.R., D.L. Grunes. and M.E. Sumner. 2000. Nutrient interactions in soil
and plant nutrition. p. D89-D112. In: M.E. Sumner (ed.), Handbook of Soil
Science. CRC Press, Inc., London.
- Wivutvongvana,P., S.Jiraporncharoen. and C.Korsamphan. 1995.Soil K-status and
fertility constraints for soybean production in the Chiang Mai
Valley.p.157-173.In Potassium in Asia : Balanced fertilization to increase and
sustain agricultural production. Processdings of the 24th Colloquium of the
International Potash Institute held at Chiang Mai,Thailand.International
Potash Institute,Basel ,Switzerland