GENE FLOW BETWEEN CULTIVATED AND WILD RICE

SUNISA NIRUNTRAYAKUL

DOCTOR OF PHILOSOPHY
IN AGRONOMY

All right GRADUTE SCHOOLS erved CHIANG MAI UNIVERSITY

JANUARY 2008

GENE FLOW BETWEEN CULTIVATED AND WILD RICE

SUNISA NIRUNTRAYAKUL

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY
IN AGRONOMY

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

THE GRADUTE SCHOOL
CHIANG MAI UNIVERSITY
JANUARY 2008

GENE FLOW BETWEEN CULTIVATED AND WILD RICE

SUNISA NIRUNTRAYAKUL

THIS THESIS HAS BEEN APPROVED TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF DOCTOR OF PHILOSOPHY IN AGRONOMY

EXAMINING COMMITTEE

Songance Jayla G. CHAIRPERSON Assoc. Prof. Dr. Sansanee Jamjod

MEMBER
Prof. Dr. Benjavan Rerkasem

Lalea

MEMBER
Assoc. Prof. Dr. Dumnern Karladee

Snow Julyi'giral MEMBER
Assoc. Prof. Suthat Julyrigival

 $\alpha = \alpha$

MEMBER

Dr. Chanya Maneechote

31 January 2008

© Copyright by Chiang Mai University

ACKNOWLEDGEMENTS

I gratefully acknowledge the Thailand Research Fund for awarding me with a Royal Golden Jubilee Ph. D. Scholarship. I also thank the McKnight Foundation and USAID for the financial support in some parts of my research.

I am deeply grateful to my advisors, Associate Professor Dr. Sansanee Jamjod, and Professor Dr. Benjavan Rerkasem for their interest and guidance during the long process of this research and completion of the thesis.

I also thank to Associate Professor Dr. Dumnern Karladee and Associate Professor Suthat Julsrigival for kind suggestions and Dr. Chanya Maneechote, Plant Protection Research and Development Office, Department of Agriculture, for valuable advice and providing farmer's crop rice, weedy rice and wild rice seed samples for this study.

Special thanks to Professor Dr. Barbara A. Schaal, Department of Biology, Washington University for a molecular laboratory work and useful suggestions for doing research, Dr. Yu-Chung Chiang, Department of Life Sciences, Pingtung University of Science and Technology and Miss Tonapha Pusadee, Department of Agronomy, Faculty of Agriculture, Chiang Mai University, for molecular laboratory work and molecular data analysis, Mrs. Wilailuk Sommut, Office of Agriculture and development region six Chantaburi province, Department of Agriculture for Prachinburi wild rice seed, Mr. Sakul Moonkum, Chiang Mai Rice Research Center for KDML105 and RD6 breeder seed and Rice Research Institute for Suphan Buri 1 and Chainat 1 breeder seed.

Thanks for all staff of the CMUPN*lab*, Agronomy and multiple Cropping Center, Faculty of Agriculture, Chiang Mai University; students at the CMUPN*lab*, Department of Agronomy, Faculty of Agriculture, Chiang Mai University for their help and friendship.

Finally, I'm especially grateful to my parent. They have aided and encouraged me throughout this endeavor. Most importantly, none of this would have been possible without the love and patience of my family. I am especially indebted to my son (Peter) and my husband (Anucha), who have continually offered their love, support, and understanding during my PhD. study.

Sunisa Niruntrayakul

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved