

## เอกสารอ้างอิง

- เนตรนภา อินสฤต, Richard W. Bell และ เบญจวรรณ ฤกษ์เกษม. 2546. การตอบสนองของพันธุ์ข้าวไร่และข้าวนาสวนต่อสภาพดินน้ำขังและดินระบายน้ำดี. วารสารเกษตร ฉบับพิเศษ. 2, หน้า 281-290.
- ไพบุลย์ วิวัฒน์งษ์วาท. 2546. เคมีดิน. คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. หน้า 212-238.
- สถาบันวิจัยข้าว. 2541. วรรณกรรมพันธุ์ข้าวไทย. สถาบันวิจัยข้าว กรมวิชาการเกษตร. 160 หน้า.
- สุวรรณณี แลน้อย. 2550. ความแตกต่างระหว่างพันธุ์ข้าวไทยในการปรับตัวต่อสภาพดินไม่ขังน้ำ. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต (เกษตรศาสตร์) สาขาวิชาพืชไร่ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 135 หน้า.
- Armstrong, W. 1971. Radial oxygen losses from intact rice roots as affected by distance from the apex, respiration, and waterlogging. *Physiologia Plantarum* 25: 192-197.
- Armstrong, W. 1979. Aeration in higher plants. *Advance in botanical research* 7: 225-331.
- Armstrong, W. and M.C. Drew. 2002. Root growth and metabolism under oxygen deficiency. In: Waisel Y., A. Eshel, and A. Kafkafi (Eds.), *Plant roots. The hidden half. Third Edition. Resviesed and expanded*, New York: Marcel Dekker, pp. 729-761.
- Armstrong, W. and P.M. Beckett. 1987. Internal aeration and the development of stelar anoxia in submerged roots: A multishelled mathematical model combining axial diffusion of oxygen in the cortex with radial losses to the stele, the wall layers, and the rhizosphere. *New Phytol* 105: 221-245.
- Armstrong, W., J. Armstrong, and P.M. Beckett. 1990. Measurement and modeling of oxygen release from roots of *Phragmites australis*. In the *Use of Constructed Wetlands in Water Pollution Control*. Cooper, P. and B.C. Finklater (eds). pp.41-54.
- Armstrong, W., M. Strangs, S. Cringle, and P.M. Beckett. 1994. Microelectrode and modeling study of oxygen distribution in roots. *Annals of Botany* 74: 278-299.
- Armstrong, W., M.T. Healy and S. Lythe. 1983. Oxygen diffusion in pea II. Oxygen concentration in the primary root apex as affected by growth, the production of laterals and radial oxygen loss. *New Phytologist* 94: 549-559.
- Armstrong, W., M.T. Healy and T. Webb. 1982. Oxygen diffusion in pea I. Pore space resistance in the primary root. *New Phytologist* 91: 647-659.
- Bell, R.W. and V. Seng. 2004. Rainfed lowland rice-growing soils of Cambodia, Laos, and North-east Thailand. In *Water in agriculture. ACIAR Proceeding No. 116e*. 161-173.

- Bell, R.W., C. Ros, and V. Seng. (Editors) 2001. Improving the efficiency and sustainability of fertilizer use in drought-and submergence-prone rainfed lowlands in Southeast Asia. In S. Fukai, and J. Basnayake (eds.). *ACIAR Proceeding No. 101. Increased Lowland Rice Production in the Mekong Region*. pp. 155-169. Australian Centre for Internal Agricultural Research, Canberra: Australia.
- Blom, C.W.P.M. 1999. Adaptations to flooding stress: from plant community to molecule. *Plant Biology* 1: 261-273.
- Cho, D.Y. and F.N. Ponnampereuma. 1971. Influence of soil temperature on the chemical kinetics of flooded and the growth of rice. *Soil Sci.* 112: 184-194.
- Colmer, T.D. 2003(a). Aerenchyma and inducible barrier to radial oxygen loss facilitate root aeration in upland, paddy and deep-water rice (*Oryza sativa* L.). *Annals of Botany* 91: 301-309.
- Colmer, T.D. 2003(b). Long-distance transport of gases in plant: a perspective on internal aeration and radial oxygen loss from roots. *Plant Cell Environ* 26: 17-36.
- Colmer, T.D., M.C.H. Cox, and L.A.C.J. Voeselek. 2006. Root aeration in rice (*Oryza sativa*): evaluation of oxygen, carbon dioxide, and ethylene as possible regulators of root acclimatizations. *New Phytologist* 170: 767-778.
- Colmer, T.D., M.R. Gibberd, A. Wiengweera, and T.K. Tinh 1998. The barrier to radial oxygen loss from roots of rice (*Oryza sativa* L.) is induced by growth in stagnant solution. *Journal of Experimental Botany* 49: 1431-1436.
- Crawford, R.M.M. 1982. The anaerobic retreat as a survival strategy for aerobic plants and animals. *Trans. Bot. Soc. Edinb.* 44: 57-63.
- Crawford, R.M.M. and R. Brändle. 1996. Oxygen deprivation in a changing environment. *Journal of Experimental Botany* 47: 145-160.
- De Datta, S.K. 1981. *Principle and practices of Rice Production*. Los Banos, Philippines.
- Drew, M.C. 1983. Plant injury and adaptation to oxygen deficiency in the root environment: A review. *Plant and Soil* 75: 179-199.
- Drew, M.C. 1988. Effects of flooding and oxygen deficiency on plant mineral nutrition. In: Läuchli, A. and P.B. Tinker (eds) *Advances in plant nutrition*, vol. 3. Praeger, New York, pp 115-159.
- Drew, M.C. 1992. Soil aeration and plant root metabolism. *Soil Sci* 154. 259-268.
- Drew, M.C. 1997. Oxygen deficiency and root metabolism: Injury and acclimation under hypoxia and anoxia. *Annu. Rev. Plant Physiol. Plant Mol. Biol.*, 48: 229-250.
- Drew, M.C., C-J. He, and P.W. Morgan. 1989. Decreased ethylene biosynthesis, and induction of aerenchyma, by nitrogen-starvation or phosphate-starvation in adventitious roots of *Zea mays* L.. *Plant Physiology* 91 (1): 266-271.
- Drew, M.C., C-J. He, and P.W. Morgan. 2003. Programmed cell death and aerenchyma formation in roots. *Trends in plant science*, Review 5 (3): 123-127.
- Evans, D.E. 2003. Aerenchyma formation in Transley review. *New Phytologist* 161: 35-49.
- Fan, M., J. Zhu, C. Richards, K.M. Brown, and J.P. Lynch. 2003. Physiological roles for aerenchyma in phosphorus-stressed roots. *Func Plant Biol* 30: 493-506.

- Gahoonia, T.S., S. Rasa, and N.E. Nielsen. 1994. Phosphorus depletion in the rhizosphere as influenced by soil moisture. *Plant Soil* 159: 213-218.
- Gibbs, J. and H. Greenway. 2003. Mechanisms of anoxia tolerance in plants. I. Growth, survival and anaerobic catabolism. *Functional Plant Biology* 30: 1-47.
- Glinski, J. and W. Stepniewski. 1985. Soil aeration and its role for plants. CRC Press, Boca Raton.
- Gunawardena, A.H.L.A.N., D.M. Pearce, M.B. Jackson, C.R. Hawes, and D.E. Evans. 2001a. Characterisation of programmed cell death during aerenchyma formation induced by ethylene or hypoxia in roots of maize (*Zea mays* L.). *Planta* 212: 205-214.
- Gunawardena, A.H.L.A.N., D.M. Pearce, M.B. Jackson, C.R. Hawes, and D.E. Evans. 2001b. Rapid changes in cell wall pectin polysaccharides are closely associated with early stages of aerenchyma formation, a spatially localized form of programmed cell death in roots of maize (*Zea mays* L.) promoted by ethylene. *Plant, Cell and Environment* 24: 1369-1375.
- He, C.-J., M.C. Drew, and P.W. Morgan. 1994. Introduction of enzymes associated with lysigenous aerenchyma formation in roots of *Zea mays* during hypoxia or nitrogen starvation. *Plant Physiol* 105: 861-865.
- Huguenin-Elie, O., G.J.D. Kirk, and E. Frossard. 2003. Phosphorus uptake by rice from soil that is flooded, drained or flooded then drained. *European Journal of Soil Science* 54: 77-90.
- Insalud, N. 2006. Genotypic variation in responses to aerobic and anaerobic conditions in rice. Ph.D. Thesis. Chiang Mai University.
- Insalud N, Bell R W, Colmer T D and Rekasem B. 2006. Morphological and physiological responses of rice (*Oryza sativa* L.) to limited phosphorus supply in aerated and stagnant solution culture. *Annals Botany* 98: 995-1004
- IRRI. 2001. World rice statistics, Rice ecosystem, Distribution of rice crop area by environment. Available: <http://www.irri.org/science/ricestate/pdf/table%2030.pdf>. [1 June 2006].
- IRRI, 2004. 1961-2004. Rough rice yield, by country and geographical region: <http://www.irri.org/science/ricestate/pdfs/WRS2005-Table03.pdf>. [1 June 2006]
- IRRI. 2008. Aerobic rice: responding to water scarcity: <http://www.irri.org/irrc/streams/aerobic%20rice.asp>. [1 February 2008]
- Jackson, M.B. and M.C. Drew. 1984. Effect of flooding on growth and metabolism of herbaceous plant. In: Kozlowski, T.T. (ed) *Flooding and plant growth*. Academic Press, Orlando, pp 47-128.
- Jackson, M.B. and W. Armstrong. 1999. Formation of aerenchyma and the processes of plant ventilation in relation to soil flooding and submergence. *Plant Biology* 1: 274-287.
- John, C.D., V. Limpinuntana, and H. Greenway. 1974. Adaptation of rice to anaerobiosis. *Aust J Plant Physiol* 1: 513-520.
- Joly, C.A. 1994. Flooding tolerance: a reinterpretation of Crawford's metabolic theory. *Proc R Soc Edinburgh* 102: 343-354.
- Justin, S.H.F.W. and W. Armstrong. 1987. The anatomical characteristics of roots and plant response to soil flooding. *New Phytologist* 106 (3): 465-495.
- Kennedy, R.A., M.E. Rumpho, and T.C. Fox. 1992. Anaerobic metabolism in plants.

- Plant Physiology* 100: 1-6.
- Kirk, G.J.D. 2003. Rice root properties for internal aeration and efficient nutrient acquisition in submerged soil. *New Phytologist* 159 (1): 185-194.
- Kirk, G.J.D. and L.V. Du. 1997. Changes in rice root architecture, porosity, and oxygen and proton release under phosphorus deficiency. *New Phytol* 135: 191-200.
- Liao, C.T. and C.H. Lin. 2001. Physiological adaptation of crop plant to flooding stress. *Proc. Natl. Sci. Counc. ROC(B)* 25: 148-157.
- Loreti, J. and M. Oosterheld. 1996. Intraespecific variation in the resistance to flooding and drought in populations of *Paspalum dilatatum* from different topographic positions. *Oecologia* 108: 279-284.
- Malik, A.I., T.D. Colmer, H. Lambers, and M. Schortemeyer. 2003. Aerenchyma formation and radial O<sub>2</sub> loss along adventitious roots of wheat with only the apical root portion exposed to O<sub>2</sub> deficiency. *Plant Cell Environ* 26: 1713-1722.
- Marschner, H. 1995. *Mineral Nutrition of Higher Plants*. 2<sup>nd</sup> ed. Academic Press, New York, pp. 483-680.
- McDonal, M.P., N.W. Galwey, and T.D. Colmer. 2001. Waterlogging tolerance in the tribe Triticeae: the adventitious root of *Critesion marimum* have a relatively high porosity and barrier to radial oxygen loss. *Plant, Cell and Environment* 24: 585-596.
- Moog, P.R. and P. Janiesch. 1990. Root growth and morphology of *Carex* species as influenced by oxygen deficiency. *Functional Ecology* 4: 201-208.
- Mustroph, A. and G. Albrecht. 2003. Tolerance of crop plants to oxygen deficiency stress: fermentative activity and photosynthetic capacity of entire seedlings under hypoxia and anoxia. *Physiologia Plantarum* 117: 509-520.
- Naidoo, G. and S. Naidoo. 1992. Waterlogging responses of *Sporobolus virginicus* (L) Kunth. *Oecologia* 90: 445-450.
- Patrick, W.H. and I.C. Mahapatra. 1968. Transformation and availability to rice of nitrogen and phosphorus in waterlogged soils. *Adv Agron* 20: 323-360.
- Patrick W.H. and C.N. Reddy. 1978. Chemical changes in rice soils. In: N.C. Brady (ed.) *Soil and Rice*. International Rice Research Institute. pp.361-379.
- Perata, P. and L.A.C.J. Voesenek. 2006. Submergence tolerance in rice requires *Sub1A*, an ethylene-response-factor-like gene. [http://www.irri.org/Aerobic\\_Rice/ARBiblio.htm](http://www.irri.org/Aerobic_Rice/ARBiblio.htm) [1 February 2008].
- Pezeshki, S.R. 2001. Wetland plant responses to soil flooding. *Environmental and Experimental Botany* 46: 299-312.
- Ponnamperuma, F.N. 1972. The chemistry of submerged soils. *Adv. Agron* 24: 29-96.
- Ponnamperuma, F.N. 1975. Growth-limiting factors of aerobic soils. In *Major research in upland rice*. The International Rice Research Institute. Las Banos, Philippines. 40-85.
- Ponnamperuma, F.N. 1978. Electrochemical changes in submerged soils and the growth of rice. In: N.C. Brady (ed.) *Soil and Rice*. International Rice Research Institute. pp.421-441.
- Purnobasuki, H. and M. Suzuki. 2004. Aerenchyma formation and porosity in root of mangrove plant, *Sonneratia alba* (Lythraceae). *J. Plant Res.* 117: 465-472.

- Raven, J.A. 1996. Into the voids: The distribution, function, development and maintenance of gas spaces in plants. *Annals of Botany* 78: 137-142.
- Reddy, K.R. and W.H. Patrick. 1984. Nitrogen transformations and loss in flooded soils and sediments. *Crit Rev Environ Control* 13: 237-310.
- Rubio, G., G. Casasola, and R.S. Lavado. 1995a. Adaptation and biomass production of two grasses in response to waterlogging and soil nutrient enrichment. *Oecologia* 102: 102-105.
- Rubio, G., M. Oesterheld, C.R. Alvarez, and R.S. Lavado. 1997. Mechanisms for the increase in phosphorus uptake of waterlogged plants: soil phosphorus availability, root morphology and uptake kinetics. *Oecologia* 112: 150-155.
- Rubio, G., R.S. Lavado, A. Rendina, M. Bargiella, C. Porcelli, and A.F. Iorio. 1995. Waterlogging effects on organic phosphorus fractions in a toposequence of soils. *Wetlands* 15: 386-391.
- Sauter, M. 2000. Rice in deep water: "How to take heed against a sea of troubles?". *Naturwissenschaften* 87: 289-303.
- Schachtman, D.P., J.R. Robert, and S.M. Ayling. 1998. Phosphorus uptake by plants: from soil to cell. *Plant Physiol* 116: 447-453.
- Seago, J.L. Jr, C.A. Peterson, D.E. Enstone, and C. Scholey. 1999. Development of the endodermis and hypodermis of *Typha glauca* Godr. and *Typha angustifolia* L. roots. *Canadian Journal of Botany* 77: 122-134.
- Seago, J.L. Jr, C.A. Peterson, L.J. Kinsley, and J. Broderick. 2000. Development and structure of the root cortex in *Caltha palustris* L. and *Nymphaea odorata* Ait. *Annals of Botany* 86: 631-640.
- Setter, T.L., M. Ellis, E.V. Laureles, E.S. Ella, D. Senadhira, S.B. Mishra, S. Sarkarung, and S. Datta. 1997. Physiology and genetics of submergence tolerance in rice. *Annals of Botany* 79 (Supplement A): 67-77.
- Shahandeh, H., L.R. Hossner, and F.T. Turner. 1994. Phosphorus relationships in flooded rice soils with low extractable phosphorus. *Soil Sci Soc Am J* 58: 1184-1189.
- Silva-Cardinas, R.I., B. Ricard, P. Saglio, and R.D. Hill. 2003. Hemoglobin and hypoxic acclimation in maize root tips. *Russian Journal of Plant Physiology* 50 (6): 821-826.
- Sorrell, B.K. 1999. Effect of external oxygen demand on radial oxygen loss by *Juncus* roots in titanium citrate solutions. *Plant, Cell and Environment* 22: 1587-1593.
- Tadano, T. and S. Yoshida. 1978. Chemical changes in submerged soils and their effect on rice growth. In: N.C. Brady (ed.) *Soil and Rice*. International Rice Research Institute. pp.399-420.
- Teo, Y.H., C.A. Beyrouthy, B.J. Norman, R.J. Norman, and E.E. Gbur. 1994. Nutrient supplying capacity of a paddy rice soil. *J Plant Nutr* 17: 1983-2000.
- Thang, D.H. 2006. Comparing growth, yield and nutrient uptake of rice in alternate aerated and anaerated conditions. M.S. Thesis. Graduate School. Chiang Mai University, Chiang Mai, Thailand. 96 pp.
- Thang, D.H., S. Jamjod, and B. Rerkasem. 2006. Responses of rice to low P supply in alternate aerated and stagnant solution culture. *วารสารเกษตร* 22(1): 27-35.
- Thomson, C.J., W. Armstrong, I. Waters, and H. Greenway. 1990. Aerenchyma

- formation and associated oxygen movement in seminal and nodal roots of wheat. *Plant, Cell and Environment* 13: 395-403.
- Trought, M.C.T. and M.C. Drew. 1980. The development of waterlogging damage in wheat seedlings (*Triticum aestivum* L.). *Plant and soil* 54: 77-94.
- Vartapetian, B.B. and M.B. Jackson. 1997. Plant adaptations to anaerobic stress. . *Annals of Botany* 79 (Supplement A): 3-20.
- Videmsek, U., B. Turk, and D. Vodnik. 2006. Root aerenchyma-formation and function. *Acta agriculturae Slovenica, Review* 87: 445-453.
- Visser, E.J.W., T.D. Colmer, C.W.P.M. Blom, and L.A.C.J. Voesenek. 2000. Changes in growth, porosity, and radial oxygen loss from adventitious roots of selected mono- and dicotyledonous wetland species with contrasting types of aerenchyma. *Plant, Cell and Environment* 23: 1237-1245.
- Visser, E.J.W., L.A.C.J. Voesenek, B.B. Vartapetian, and M.B. Jackson. 2003. Flooding and plant growth. *Annals of Botany* 91: 107-109.
- Voesenek, L.A.C.J., C.W.P.M. Blom, and R.H.W. Pouwels. 1989. Root and shoot development of *Rumex* species under waterlogged conditions. *Can J Bot* 67: 1865-1869.
- Voesenek, L.A.C.J., J.J. Benschop, J. Bou, M.C.H. Cox, H.W. Groeneveld, F.F. Millenaar, R.A.M. Vreeburg, and A.J.M. Peeters. 2003. Interactions between plant hormones regulate submergence-induced shoot elongation in the flooding-tolerant dicot *Rumex palustris*. *Annals of Botany* 91: 205-211.
- Voesenek, L.A.C.J., T.D. Colmer, R. Pierik, F.F. Millenaar, and A.J.M. Peeters. 2006. How plants cope with complete submergence. *New Phytologist* 170: 213-226.
- Wade, L.J., S. Fukai, B.K. Samson, A. Ali, and M.A. Mazid. 1999. Rainfed lowland rice: physical environment and cultivar requirements. *Field Crops Research* 64: 3-12.
- Wiengweera A., H. Greenway, and C.J. Thomus. 1997. The use of agar nutrient solution to stimulate lack of convection in waterlogged soils. *Annals of Botany* 80: 115-123.
- Wiengweera, A. and H.Greenway. 2004. Performance of seminal and nodal roots of wheat in stagnant solution: K<sup>+</sup> and P uptake and effects of increasing O<sub>2</sub> partial pressures around the shoot on nodal root elongation. *Plant, Cell and Environment* 26: 1713-1722.
- Willet, I.R. 1989. Cause and prediction of changes in extractable phosphorus during flooding. *Aust J Soil Res* 27: 45-54.
- Wissuwa, M. and Ae, N. 2001. Genotypic variation for tolerance to phosphorus deficiency in rice and the potential for its exploitation in rice improvement. *Plant Breeding*. 120(1): 43-48.
- Yamane, I. 1978. Electrochemical changes in rice soils. In: N.C. Brady (ed.) *Soil and Rice*. International Rice Research Institute. pp.381-398
- Zeigler, R.S. and D.W. Puckridge. 1995. Improving sustainable productivity in rice-based rainfed lowland systems of South and Southeast Asia. *Geo J* 35: 307-324.