


**FACTORS INFLUENCING *IN VITRO* TUBER GROWTH AND
DEVELOPMENT, AND INTERNAL CHANGES IN
PECTEILIS SAGARIKII SEIDENF.**



THEERAPHON PHORNSAWATCHAI

**DOCTOR OF PHILOSOPHY
IN HORTICULTURE**

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

**THE GRADUATE SCHOOL
CHIANG MAI UNIVERSITY**

FEBRUARY 2008

**FACTORS INFLUENCING *IN VITRO* TUBER GROWTH AND
DEVELOPMENT, AND INTERNAL CHANGES IN
PECTEILIS SAGARIKII SEIDENF.**



THEERAPHON PHORNSAWATCHAI

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY
IN HORTICULTURE**

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

**THE GRADUATE SCHOOL
CHIANG MAI UNIVERSITY**

FEBRUARY 2008

FACTORS INFLUENCING *IN VITRO* TUBER GROWTH AND
DEVELOPMENT, AND INTERNAL CHANGES IN
PECTEILIS SAGARIKII SEIDENF.

THEERAPHON PHORNSAWATCHAI

THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF DOCTOR OF PHILOSOPHY
IN HORTICULTURE

EXAMINING COMMITTEE

P. Apavatjirut CHAIRPERSON
Associate Professor Dr. Pimchai Apavatjirut

Pisit Voraurai MEMBER
Dr. Pisit Voraurai

Thipmani Paratasilpin MEMBER
Associate Professor Dr. Thipmani Paratasilpin

Soraya Ruamrungsri MEMBER
Associate Professor Dr. Soraya Ruamrungsri

Nuttha Potapohn MEMBER
Associate Professor Dr. Nuttha Potapohn

22 February 2008

© Copyright by Chiang Mai University

ACKNOWLEDGEMENT

I greatly thank Associate Professor Dr. Pimchai Apavatjirut, Associate Professor Dr. Soraya Ruamrungsri, Associate Professor Dr. Norikuni Ohtake for their useful suggestions, discussions and encouragement in conducting this research. I am also grateful to Dr. Pisit Voraurai, Associate Professor Dr. Thipmani Paratasilpin and Associate Professor Dr. Nuttha Potapohn for their comments to improve this dissertation.

I am thankful to Professor Dr. Takuji Ohyama for his kind permission which enabled me to use many laboratory apparatus and chemicals in his Plant Nutrition and Fertilizer Laboratory at the Faculty of Agriculture, Niigata University, Japan; and for his kindness during my stay in Niigata.

All the supports from H.M.The King's Initiative Centre for Flower and Fruit Propagation are highly acknowledged.

I am thankful to Institute for Science and Technology Research and Development, Chiang Mai University for allowing me to conduct this study.

I thank the officers of Horticulture Department for their help.

Thanks are also extended to Mrs. Takonwan Sirisawad for her suggestions and encouragement, Miss Sayuri Itoh for her help in the plant hormone analysis, and Miss Daensuang Noikam, Miss Hathai Kidsadawanich and Mr. Akara Sutraromluck for their helps in several ways.

I am very grateful to my beloved father and mother, my elder sister and my elder brother for their understanding, encouragement and help during many years of my study.

Theeraphon Phornsawatchai

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved