

## REFERENCES

- Arnold, A.E., Maynard, Z., Gilbert, G.S., Coley, P.D. and Kursar, T.A. 2000. Are tropical fungal endophytes hyperdiverse? *Ecology Letters* 3: 267-274.
- Arnold, A.E., Mejía, L.C., Kyllo, D., Rojas, E.I., Maynard, Z.M., Robbins, N. and Herre, E.A. 2003. Fungal endophytes limit pathogen damage in a tropical tree. *Proceedings of the National Academy of Sciences* 100: 15649-15654.
- Arnold, A.E. 2005. *Current trends in mycological research*. Oxford & IBH Publishing Co. Pvt. Ltd., New Delhi, pp.49-68.
- Arnold, A.E. 2007. Understanding the diversity of foliar endophytic fungi: progress, challenges, and frontiers. *Fungal Biology Reviews* 21: 51 – 66.
- Bacon , C. W. and White, J.F. 1994. Stain, media and procedure for analyzing endophytes. In Bacon, C. W. (Ed.), *Biotechnology of Endophytic Fungi of Grass*, CRC Press, Boca Raton, pp.47-56.
- Badalyan, S.M., Innocenti, G. and Garibyan, N.G. 2002. Anthagonistic activity of xylotrophic mushrooms against pathogenic fungi of cereals in dual culture. *Phytopathologia Mediterranea* 41: 200-225.
- Badalyan, S.M., Innocenti, G. and Garibyan, N.G. 2004. Interaction between xylotrophic mushrooms and mycoparasitic fungi in dual culture experiments. *Phytopathologia Mediterranea* 43: 44-48.
- Bayman P, Angulo-Sandoval, P., Báez-Ortiz, Z. and Lodge, D.J.1998. Distribution and dispersal of *Xylaria* endophytes in two tree species in Puerto Rico. *Mycological Research* 102: 944–948.
- Bayman, P. 2006. Diversity, scale and variation of endophytic fungi in leaves of tropical plants. In: Bailey, M.J., Lilley A.K, Timms-Wilson T.M, Spencer-

- Phillips P.T.N. (Eds.), *Microbial Ecology of Aerial Plant Surfaces*. CABI, Wallingford, pp. 37–50
- Bayman, P. 2007. *Fungal Endophytes: Environmental and Microbial Relationships*. In Kubicek, C.P. and Druzhinina, I.S. (Eds.), *The Mycota IV*. 2nd Eds. Springer-Verlag Berlin Heidelberg, pp.213-227.
- Bill, G.F. and Polishook, J.D. 1992. Recovery of endophytic fungi from Chamaecyparis thyroids. *Sydowia* 44: 1-12.
- Bill, G.F. 1996. Isolation and analysis of endophytic fungal communities from woody plants. In: Redlin, S.C. and Carris, L.M. (Eds.), *Endophytic fungi in grass and woody plant: systematic, ecology and evolution*, APS Press, St. Paul, pp.31-65.
- Boonmakad, C., Supatrakul, A. and Vichitsoonthonkul, V. 2007. Bioactive compound produced by endophytic fungi of *Stemona* spp. for bacterial plant pathogen control. *The Journal of Agricultural Science* 38: 339-343
- Bussaban, B. 2005, Biodiversity of Endophytic and Saprobic Fungi in Wild and Cultivated Zingiberaceae. *PhD.Thesis*, Chiang Mai University.
- Cabral, D., Stone, J.K. and Carroll, G. 1993. The internal mycobiota of *Juncas* sp.: microscopic and culture observation of infection pattern. *Mycological Research* 97: 367-376.
- Campanile, G., Ruscelli, A. and Luisi, N. 2007. Antagonistic activity of endophytic fungi towards *Diplodia corticola* assessed by *in vitro* and *in planta* tests. *European Journal of Plant Pathology* 117: 237-246.
- Canon, P.F. and Simmons, C.M. 2002. Diversity and host preference of leaf endophytic fungi in the Iwokrama Forest Reserve, Guyana. *Mycologi* 94: 210–220.

- Carmichael, J.W., Kendrick, W.B., Conners, I.L. and Sigler, L. 1980. *Genera of Hyphomycetes*. The University of Alberta Press, Edmonton, Alberta, Canada.
- Caruso, M., Colombo, A.L., Fedeli, L., Pavesi, A., Quaroni, S., Saracchi, M. and Ventrella, G. 2000. Isolation of endophytic fungi and actinomycetes taxane Producers, *Annals of Microbiology* 50: 3-13.
- Chareprasert, S., Piapukiew, J., Thienhirun, S., Whalley, A. J. S. and Sihanonth. 2005. Endophytic fungi of teak leaves *Tectona grandis* L. and rain tree leaves *Samanea saman* Merr. *World of Microbiology & Biotechnology* 22: 481-486.
- Clay, K. and Holah, J. 1999. Fungal endophyte symbiosis and plant diversity in successional fields. *Science* 285: 1742-1744.
- Daisy, B., Strobel, G., Ezra, D., Castillo, U., Baird, G. and Hess, W.M. 2002a. *Muscodor vitigenus* anam. sp. nov., an endophyte from *Paullinia paullinioides*. *Mycotaxon* 84: 39–50.
- Daisy, B., Strobel, G., Ezra, D., Castillo, U., Ezra, D., Sears, J., Weaver, D. and Runyon, J.B. 2002b. Naphthalene, an insect repellent, is produced by *Muscodor vitigenus*, a novel endophytic fungus. *Microbiology* 148: 3737–3741.
- Demain, A. L. 2000. Microbial natural products: a past with a future. In Wrigley,S.K., Hayes,M.A., Thomas, R.,Chrystal, E.J.T.and Nicholson, N. (Eds.), *Biodiversity: new leads for pharmaceutical and agrochemical industries*. The Royal Society of Chemistry, Cambridge. pp. 3–16.
- Dhingra, O.D., Coelho-Netto, R.A., Rodrigues, F.A., Silva Jr., G.J. and Maia, C.B. 2006. Selection of endemic nonpathogenic endophytic *Fusarium oxysporum* from bean roots and rhizosphere competent fluorescent *Pseudomonas* species

- to suppress Fusarium-yellow of beans. *Biological Control* 39: 75–86.
- Dhingra, O.D. and Sinclair, J.B. 1994. *Basic Plant Pathology Methods*. CRC Press, New York. 434 p.
- Dreyfuss, M. and Chapela, I. H. 1994. Potential of fungi in the discovery of novel, low-molecular weight pharmaceuticals. In: Gul.V.P. (Ed.), *The discovery of natural products with therapeutic potential*. Butterworth-Heinemann, London, pp. 49-80.
- Findlay, J. A., Bethelezi, S., Li, G. and Sevek, M. 1997. Insect toxins from an endophyte fungus from wintergreen. *Journal of Natural Products* 60: 1214–1215.
- Finlay, R.D. 2007. Fungal endophytes in forests, woody plants and grassland ecosystems: diversity, functional ecology and evolution. *Fungal Biology Review* 21: 49 – 50.
- Fish, P.J., Sutton, B.C., Petrini, L.E. and Pritini, O. 1994. Fungal endophyte from *Opuntia stricta*; a first report. *Nova Hedwigia* 59: 195-200.
- Fröhlich, J. and Hyde, K.D. 2000. Biodiversity of palm fungi in the tropics: are global fungal diversity estimates realistic? *Biodiversity Conservation*. 8: 977–1004.
- Fröhlich, J., Hyde, K.D. and Petrini, O. 1999. Endophytic fungi associated with palms. *Mycological Research* 104: 1202-1212.
- Gamboa, M.A. and Bayman, P. 2001. Communities of endophytic fungi in leaves of a tropical timber tree (*Guarea guidonia*: Meliaceae). *Biotropica* 33: 352-360.
- Gardner, S., Sidisunthorn, P. and Anusarnsunthorn, V. 2002. *A Field Guide to Forest Trees of Northern Thailand*. Kobfai Publishing Project, Bangkok.447p
- Gera Hol, W.H., Peña, E. de la., Moens, M. and Cook, R. 2006. Interaction between a

fungal endophyte and root herbivores of *Ammophila arenaria*. *Basic and Applied Ecology* 8:500-509.

Ghimire S. R. and Hyde, K.D. 2007. Fungal endophytes. In Verma, A., Abbott, L., Werner, D. and Hampp, R. (Eds), *Plant Surface Microbiology*. Springer Berlin Heidelberg pp 281-292.

Gomez, K.A. and Gomez, A. A. 1984. *Statistical Procedures for Agricultural Research*. 2<sup>nd</sup> ed. An international rice research institute book, New York. 680p.

Govaerts, R. and Dransfield, J. 2005. *World Checklist of Palms*. Royal Botanic Gardens, Kew. 223pp

Guo, L.D., Hyde, K.D. and Liew, E.C.Y. 1998. A method to promote sporulation in palm endophytic fungi. *Fungal Diversity* 1:109-113.

Guo, B., Dai, J., Ng, S., Huang, Y., Leong, C., Ong, W. and Carte, B.K. 2000. Cytonic acids A and B: novel tridepside inhibitors of hCMV protease from the endophytic fungus *Cytonaema* species. *Journal of Natural Products* 63:602–604.

Hammerli, U.A., Brandle, U.E., Petrini, O. and McDermott, J.M. 1992. Different of isolates of *Discula umbrinella* (teleomorph: *Apiognomonia errabunda*) from beech, chestnut and oak using RAPD markers. *Molecular Plant-Microbe Interactions*. 5: 479-483.

Harper, J., Mulgrew, A.E., Li, J.Y., Barich, D.H., Strobel, G.A. and Grant, D.M. 2001. Characterization of stereochemistry and molecular confirmation using solid state NMR tensors. *Journal of the American Chemical Society*. 123:9837–9842.

- Hashiba, T. and Narisawa, K. 2005. The development and endophytic nature of the fungus *Heteroconium chaetospira*. *Microbiology Letters* 252: 191–196.
- Hata, K., Atari, R. and Sone, K. 2002. Isolation of endophytic fungi from leaves of *Pasania edulis* and their within-leaf distributions. *Mycoscience* 43: 369–373.
- Hawksworth D.L. 1991. The fungal dimension of biodiversity: 1.5 million species estimate revised. *Mycological Research* 95: 641-655.
- Hawksworth D.L. and Rossman, A.Y. 1997. Where are all the undescribed fungi? *Phytopathology* 87: 888–891.
- Henderson, A. 2007. A Revision of *Wallichia* (Palmae). *Taiwania* 52: 1-11.
- Hussain, H., Krohn, K., Ullah, Z., draeger, S. and Schulz, B. 2007. Bioactive chemical constituents of two endophytic fungi. *Biochemical Systematics and Ecology* 20: 1-3.
- Hyde, K.D., Fröhlich, J. and Taylor, J.E. 1997. Diversity of Ascomycetes on palms in the tropic. In Hyde, K.D. (Ed.), *Biodiversity of Tropical Microfungi*, pp. 141-156.
- Hyde, K.D., Wong, S.W., Lumyong, S. and Lumyong, P. 1997. *Apiosordaria striatispora*, an endophyte of *Mesua ferrea* and *Prunus arborea* from Thailand. *Mycoscience* 38: 437-439.
- Hyde, K. D. 2001. Where are the missing fungi? Does Hong Kong have any answers? *Mycological Research* 105: 1514–1518.
- Inácio, M.L., Silva, G.H., Teles, H.L., Trevisan, H.C., Cavalheiro, A.J., Bolzani, V.S., Young, M.C.M., Pfenning, L.H. and Araújo, Â.R. 2006. Antifungal metabolites from *Colletotrichum gloeosporioides*, an endophytic fungus in

*Cryptocarya mandiocana* Nees (Lauraceae). *Biochemical Systematics and Ecology* 34: 822-824.

Jailae, S. 2003. Controlling *Bipolaris sorokiniana* causal agent of barley spot blotch by endophytic fungi in grass. *M.S. Thesis*, Chiang Mai University.

Kamalakannan, A., Mohan, L., Harish, S., Radjacommare, R., Amutha, G., Chiara, K., Karuppiah, R., Mareeswari, P., Rajinimala, N. and Angayarkanni, T. 2004. Biocontrol agent induce disease resistance in *Phyllanthus niruni* Linn against damping-off disease caused by *Rhizoctonia solani*. *Phytophologia Mediterranea* 43: 187-194.

Khemmuk, W. 2004. Suppression of black spot (*Collectotrichum* sp.) of longan leaf by longan endophytic fungi. *M.S. Thesis*, Chiang Mai University.

Kim, H.Y., Choi, G.J., Lee, H.B., Lim, H.K., Son, S.W., Lee, S.O., Cho, K.Y., Sung, N.D. and Kim, J.C. 2006. Some fungal endophytes from vegetable crops and their anti-oomycete activities against tomato late blight. *Letters in Applied Microbiology* 44: 332-337.

Larran, S., Perello, A., Simon, M.R. and Moreno, V. 2002. Isolation and analysis of endophytic microorganisms in wheat (*Triticum aestivum* L.) leaves. *World Journal of Microbiology & Biotechnology* 18: 683-686.

Larran, S., Perello, A., Simon, M.R. and Moreno, V. 2007. The endophytic fungi from wheat (*Triticum aestivum* L.). *World Journal of Microbiology & Biotechnology* 23:565-572.

Lee, J. C., Yang, X., Schwartz, M., Strobel, G. and Clardy, J. 1995. The relationship between an endangered North American tree and an endophytic fungus. *Chemistry & Biology* 2: 721-727.

- Li, H., Qing, C., Zhang, Y. and Zhao, Z. 2005. Screening for endophytic fungi with antitumour and antifungal activities from Chinese medicinal plants. *World Journal of Microbiology & Biotechnology* 2: 1515–1519.
- Li, J.Y., Sidhu, R.S., Long, D.M., Hess, W.M. and Strobel, G.A. 1998. The induction of taxol production in the endophytic fungus-*Periconia* sp from *Torreya grandifolia*. *Journal of Industrial Microbiology & Biotechnology* 20: 259–264.
- Li, J. Y. and Strobel, G.A. 2001. Jesterone and hydroxy-jesterone antioomycet cyclohexeneonne epoxides from the endophytic fungus *Pestalotiopsis jesteri*. *Phytochemistry* 57: 261–265.
- Li, J. Y., Strobel, G.A., Harper, J.K., Lobkovsky, E. and Clardy, J. 2000. Cryptocin, a potent tetramic acid antimycotic from the endophytic fungus *Cryptosporiopsis cf. quercina*. *Organic Letters* 2: 767–770.
- Likhitrugulrung, S. 2002. Controlling *Alternaria solani* causal agent of early blight in tomato by endophytic fungi of Solanaceae group. *M.S. Thesis*, Chiang Mai University.
- Lin, X., Lu, C., Huang, Y., Zheng., Su, W. and Shen, Y. 2007. Endophytic fungi from a pharmaceutical plant, *Camptotheca acuminata*: isolation, identification and bioactivity. *Journal of Industrial Microbiology & Biotechnology* 23: 1037–1040.
- Lodge, D.J., Fisher, P.J. and Sutton, B.C. 1996. Endophytic fungi of *Manikara bidentata* leave in Puerto Rico. *Mycologia* 88: 733-738.
- Lodge, D.J .1997. Factors related to diversity of decomposer fungi in tropical forests. *Biodiversity and Conservation* 6: 681–688.
- Lu, H, Zou, W.X., Meng, J.C., Hu, J. and Tan, R.X. 1999. New bioactive metabolites

- produced by *Colletotrichum* sp., an endophytic fungus in *Artemisia annua*.  
*Plant Science* 151: 67–73.
- Lui, C.H., Zou, W.X., Ren, H.L. and Tan, R.X. 2001. Antifungal activity of *Artemisia annua* endophyte cultures against phytopathogenic fungi. *Journal of Biotechnology*. 88: 277-282.
- Matsushima, T. 1971. *Microfungi of Solomon Islands and Papua New Guinea*. Matsushima, Kobe, Japan, pp. 15-20.
- May R.M. (1988) How many species are there on earth? *Science* 241: 14419.
- Magurran, A. E. 1988. *Ecological Diversity and Its Measurement*. University Press, Cambrige. 192p.
- Maheshwari, R. 2006. What is an endophytic fungus? *Current Science* 90: 1309.
- Metz, A.M., Haddad, A., Worapong, J., Long, D.M., Ford, E.J., Hess, W.M. and Strobel,G.A. 2000. Induction of the sexual stage of *Pestalotiopsis microspora*, a taxol-producing fungus. *Microbiology* 146: 2079–2089
- Morita, S., Azuma, M., Aoba, T., Satou, H., Narisawa, H.K. and Hashiba, T. 2003. Induced systemic resistance of Chinese cabbage to bacterial leaf spot and Alternaria leaf spot by the root endophytic fungus, *Heteroconium chaetospora*. *Journal of Genetics Plant Pathology*. 69: 71–75.
- Naik, B.S., Shashikala, J. and Krishnamurthy, Y.L. 2006. Study on the diversity of endophytic communities from rice (*Oryza sativa L.*) and their antagonistic activities *in vitro*. *Microbiological Research* 10: 51-58.
- O'Donnell, J. and Dickinson, C.H. 1980. Pathogenic of Alternaria and Cladosporium isolated on Phaseolus. *Transactions of the British Mycological Society* 74: 335-342.

- Petrini, O. 1986. Taxonomy of endophytic fungi of aerial plant tissue. In: Fokkema N.J., Van den Heuvel, J. (Eds.), *Microbiology of phyllosphere*. Cambridge University Press, Cambridge, pp.175-187.
- Petrini, O. 1991. Fungal endophytes of tree leaves. In Andrew, J. and Hirano, S. (Eds.) *Microbial Ecology of Leaves*, New York, pp. 179-197.
- Petrini, O. 1996. Ecology and physiological aspect of host specificity in endophytic fungi. In: Redlin, S.C. and Carris, L.M. (Eds.) *Endophytic Fungi in Grasses and Woody Plants*. APS Press, St. Paul.
- Petrini, O. and Carroll, G.C. 1981. Endophytic fungi in foliage of some Cupressaceae in Oregon. *Canadian Journal of Botany-Revue Canadienne de Botanique* 59: 629-36.
- Petrini, O., Fisher, P.J. and Petrini, L.E. 1992a. Fungal endophytes of bracken (*Pteridium aquilinum*) with some reflection on their use in biological control. *Sydowia* 44: 282-293.
- Petrini, O., Sieber, T.N., Toti, N. and Viret, O. 1992b. Ecology, metabolite production and substance utilization in endophytic fungi. *Natural Toxins* 1: 185-196.
- Pimentel, I.C., Glienke-Blanco, C., Gabardo, J., Stuart, P.M. and Azevedo, J.L. 2006. Identification and colonization of endophytic fungi from soybean (*Glycine max* (L.) Merril) under different environmental conditions. *Brazilian Archives of Biology and Technology* 5: 705-711.
- Pothita, W., Lunyong, S., Lumyong, P. and Hyde, K.D. 2001. Endophytic fungi of wild banana (*Musa acuminata*) at Doi Suthep-Pui National Park, Thailand. *Mycological Research* 105: 1500-13.
- Pulici, M., Sugawara, F., Koshino, H., Uzawa, J., Yoshida, S., Lobkovsky, E. and

- Clardy, J. 1996. Pestalotiopsis-A and pestalotiopsis-B: new caryophyllenes from an endophytic fungus of *Taxus brevifolia*. *Journal of Organic Chemistry* 61: 2122–2124.
- Reaves, J.L., Crawford, R.H. 1994. *In vitro* colony interactions among species of Trichoderma with inference toward biological control. Unpublished data on file with *Forestry Sciences Laboratory*. United States Department of Agriculture, Washington D.C.
- Rodrigues, K.F. and Samuels, G.J. 1990. Preliminary study of endophytic fungi in tropical palm. *Mycological Research* 97: 827-830.
- Rodrigues, K.F. and Samuels, G.J. 1992. *Idriella* species endophyte in palms. *Mycotaxon* 43: 271-276.
- Rodrigues, K. F. 1994. The foliar fungal endophytes of the Amazonian palm *Euterpe oleracea*. *Mycologia* 86: 376-385.
- Rodrigues, K.F. and Petrini, O. 1997. Biodiversity of endophytic fungi in tropical regions. In Hyde, K.D.(Ed.), *Biodiversity of Tropical Microfungi*. Hong Kong University Press, Hong Kong, pp. 57–69.
- Rogers, J.D. 2000. Thoughts and musings on tropical Xylariaceae. *Mycological Research* 104: 1412–1420.
- Rubini, R.M., Silva-Rabeiro,R.T., Pomella, W.V.A., Mako,C.S., Araujo, L.W., Santos, D.R. and J.L. Azevedo. 2005. Diversity of endophytic fungal community of cacao (*Theobroma cacao* L.) and biological control of *Crinipellis perniciosa*, causal agent of witches' broom disease. *International Journal of Biological Sciences* 1: 24-33.
- Saikkonen, K., Ahlholm, J., Helander, M., Lehtimäki, S. and Niemeläinen, O. 2000.

- Endophytic fungi in wild and cultivated grasses in Finland. *Ecography* 23: 360–366.
- Saikkonen, K. 2007. Forest structure and fungal endophytes. *Fungal Biology Review* 21: 67 -74.
- Santos, R. M.G., Rodrigues-Fo, E., Rocha, W.C. and Teixeira, M.F.S. 2003. Endophytic fungi from *Melia azedarach*. *World Journal of Microbiology & Biotechnology* 19: 767–770.
- Schulz, B., Wanke, U., Draeger, S. and Aust, H.J. 1993. Endophytes from herbaceous plants and shrubs; effectiveness of surfaces sterilization methods. *Mycological Research* 97: 1447-1450.
- Schulz, B., Rommert, A.K., Dammann, U., Aust, H.J. and Strack, D. 1999. The endophyte-host interaction: a balanced antagonism? *Mycological Research* 103: 1275-1283.
- Sette, L.D., Passarini, M.R.Z., Delarmelina, C., Salati, F. and Duarte, M.C.T. 2006. Molecular characterization and antimicrobial activity of endophytic fungi from coffee plants. *World Journal of Microbiology & Biotechnology* 22: 1185–1195.
- Stierle, A., Strobel, G.A. and Stierle, D. 1993. Taxol and taxane production by *Taxomyces andreanae*. *Science* 260: 214–216.
- Stone, K.S., Polishook, J.D. and White, J.F. 2004. *Measuring and Monitoring Biodiversity of Fungi in Inventory and Monitoring Methods*. Elsevier Academic Press, Boston. 367p.
- Strobel, G.A. 2002a. Microbial gifts from rain forests. *Canadian Journal of Plant Pathology-Revue Canadienne de Phytopathologie* 24: 14–20.

- Strobel, G.A. 2002b. Rainforest Endophytes and Bioactive Products. *Critical Reviews in Biotechnology* 22: 315–333.
- Strobel, G.A. 2003. Endophytes as sources of bioactive products. *Microbes and Infection* 5: 535–544.
- Strobel, G.A. 2006. Harnessing endophytes for industrial microbiology. *Current Opinion in Microbiology* 9: 240–244.
- Strobel, G. and Daisy, B. 2003. Bioprospecting for microbial endophytes and their natural products. *Microbiology and Molecular Biology Reviews* 67: 491–502.
- Strobel, G.A., Hess, W.M., Ford, E., Sidhu, R.S. and Yang, X. 1996. Taxol from fungal endophytes and the issue of biodiversity. *Journal of Industrial Microbiology* 17: 417-423.
- Suryanarayanan, T.S., Venkatesan, G. and Murali, T.S. 2003. Endophytic fungal communities in leaves of tropical forest trees: Diversity and distribution patterns. *Current Science* 85: 489–493.
- Sutton, B. C. *The Coelomycetes: Fungi Imperfici with Pycnidia Acervuli and Stromata*. 1980. Commonwealth Mycological Institute, Kew, Surrey, 696 p.
- Tan, Z., Hurek, T., Gyaneshwar, P., Ladha, J.K. and Reinhold-Hurek, B. 2001. Novel endophytes of rice form a taxonomically distinct subgroup of *Serratia marcescens*. *Systematic and Applied Microbiology* 24, 245–251.
- Taylor, J.E. 1999. Biodiversity and distribution of microfungi on palms. *Ph.D. Thesis*, University of Hong Kong, Hong Kong.
- Taylor, J.E., Hyde, K.D. and Jones, E.B.G. 1999. Endophytic fungi associated with the temperate palm *Trachycarpus fortunei* both within and outside of its natural geographic range. *New Phytopathologist* 142: 335-346.

- Taylor, J.E., Hyde, K.D. and Jones, E.B. 2000. The biogeographical distribution of microfungi associated with three palm species from tropical and temperate habitats. *Journal of Biogeography* 27: 297–310.
- Techa, W. 2002. Isolation and collection of Endophytic and saprobic fungi from two species of palms in Doi-Suthep Pui National Park. *M.S. Thesis*, Chiang Mai University.
- Uhl, N. and Dransfield, J. 1987. *Genera Palmarum*. Allen Press, Lawrence, Kansas, 610 p.
- Viret, O. and Petrini, O. 1994. Colonization of beech leaves (*Fagus sylvatica*) by the endophyte *Discula umbrinella* (teleomorph, *Apiognomonia errabunda*). *Mycological Research* 98: 423-432.
- Waller, F., Achatz, B., Baltruschat, H., Fodor, J., Becker, K., Fischer, M., Heier, T., Huckelhoven, R., Neumann, C., Wettstein, D., Franken, P. and Kogel, K. 2005. The endophytic fungus *Piriformospora indica* reprograms barley to salt-stress tolerance, disease resistance, and higher yield. *Proceedings of the National Academy of Sciences* 102: 13386-13391.
- Walsh, T. A. 1992. Inhibitors of glucan synthesis. In: Sutcliffe, J.A. and Georgopapadakou, N.H. (Ed.), *Emerging Targets in Antibacterial and Antifungal Chemotherapy*. Chapman & Hall, London pp. 349–373.
- Wang, B., Priest, M.J., Davidson, A., Brubaker, C.L., Woods, M.J. and Burdon, J.J. 2007. Fungal endophytes of native *Gossypium* species in Australia. *Mycological Research* 111: 347-354.
- Whalley, A. J.S. 2008. School of Biomolecular science, Liverpool John Moores University, Liverpool, UK. Personal communication.

- White, J.F, Jr., Reddy, P.V. and Bacon, C.W. 2000. Biotrophic endophytes of grasses: a systematic appraisal. In: Bacon, C.W. and White, J.F.Jr. (Ed), *Microbial endophytes*. New York: Marcel Dekker, Inc. pp 49–62.
- Wicklow,D. T., Roth,S., Deyrup, S.T. and Gloer, J.B. 2005. A protective endophyte of maize: *Acremonium zeae* antibiotics inhibitory to *Aspergillus flavus* and *Fusarium verticillioides*. *Mycological Research* 109: 610–618.
- Wiyakrutta, S., Sriubolmas, N., Panphut, W., Thongon, N., Danwisetkanjana, K., Ruangrungsi, N. and Meevootisom, V. 2003. Endophytic fungi with anti-microbial, anti-cancer and anti-malarial activities isolated from Thai medicinal plants. *World Journal of Microbiology & Biotechnology* 20: 265–272.
- Worapong, J., Strobel, G.A., Ford, E.J., Li, J.Y., Baird, G. and Hess, W.M. 2001. *Muscodor albus* gen. et. sp. nov., an endophyte from *Cinnamomum zeylanicum*. *Mycotaxon* 79: 67–79.
- Worapong, J., Strobel, G.A., Daisy, B., Castillo, U., Baird, G. and Hess, W.M. 2002. *Muscodor roseus* anna. nov. an endophyte from *Grevillea pteridifolia*. *Mycotaxon* 81: 463–475.
- Zhang, B., Salituro, G., Szalkowski, D., Li, Z., Zhang, Y., Royo, I., Vilella, D., Dez, F. Pelaez, M., Ruby, C., Kendall, R.L., Mao, X., Griffin, P., Calaycay, J., Zierath, J.R., Heck, J. V., Smith, R.G. and Moller, D.E. 1999. Discovery of small molecule insulin mimetic with antidiabetic activity in mice. *Science* 284: 974–981.
- Zou, W. X., Meng, J.C., Lu, H., Chen, G.X., Shi, G.X., Zhang, T.Y. and Tan, R.X. 2000. Metabolites of *Colletotrichum gloeosporioides*, an endophytic fungus in *Artemisia mongolica*. *Journal of Natural Products* 63:1529–1530.