

References

- Aguilar, C., Peñalver, S., Pocurull, E., Borrull, F., Marceé, R.M. 1998. Solid-phase microextraction and gas chromatography with mass spectrometric detection for the determination of pesticides in aqueous samples. *Journal of Chromatography A.* 795, 105 - 115.
- Anonymous. 1998. Solid Phase Microextraction: Theory and Optimization of Conditions. Supelco, Sigma-Aldrich Co., Bulletin 923.
- Archbold, D.D, and R.L., Houtz. 1988. Photosynthetic characteristics of strawberry plant treated with paclobutrazol or flurprimidol. *HortScience.* 23(1), 200 - 202.
- Arthur, C.L., and J., Pawliszyn. 1990. Solid Phase Microextraction with Thermal Desorption Using Fused Silica Optical Fibers. *Analytical Chemistry.* 62(19), 2145 - 2148.
- Arrebola, F.J., J.L., Martínez Vidal, M.J., González-Rodríguez, A., Garrido-Frenich, and N., Sánchez-Morito. 2003. Reduction of analysis time in gas chromatography application of low-pressure gas chromatography-tandem mass spectrometry to the determination of pesticide residues in vegetables. *Journal of Chromatography A.* 1005, 131 - 141.
- Atkinson, D., and C.M. , Crisp. 1986. The effect of paclobutrazol on the growth and performance of strawberry plants: some initial result. *Acta Horticulturae.* 179, 593 - 598.
- Bamroongrugsa, N., and O., Yaacob. 1989. Production of economic fruits in southern Thailand and northern Malaysia. Reprot. pp. 50.
- Basiouny, F.M., and P., Sass. 1993. Shelf life and quality of rabbit eye blueberry fruit in response to preharvest application of CaEDTA, nutrical and paclobutrazol. *Acta Horticulturae.* 368, 893 - 900.
- Baez-Sanudo, R., E., Bringas-Taddei, C.J., Ojeda. 1997. Mexican fresh mango quality standard grades and application methodology. *Acta Horticulturae.* 455: 726 - 731.

- Beltran, J., F.J., López, O., Cepria, and F., Hernández. 1998. Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environment water samples. *Journal of Chromatography A.* 808, 257 - 263.
- Beltran, J., F.J., López, and F., Hernández. 2000. Solid-phase microextraction in pesticide residue analysis. *Journal of Chromatography A.* 885, 389 - 404.
- Bhattacherjee, A.K., and V.K., Singh. 2002. Paclobutrazol estimation by gas Chromatography - A new method for its residue analysis in soil. *Indian Journal of Plant Physiology.* 7(3), 282 - 284.
- Bicchi, C., C., Cordero, and P., Rubiolo. 2001. Simultaneous determination of six triazole pesticide residues in apple and pear pulps by liquid chromatography with ultraviolet diode array detection. *Journal of AOAC International.* 84(5), 1543 - 1550.
- Blaikie, S.J., V.J., Kulkarni, and M.J., Müller. 2004. Effects of morphactin and paclobutrazol flowering treatments on shoot and root phenology in mango cv. Kensington Pride. *Scientia Horticulturae.* Paper accepted 15 September 2003. (Article in press)
- Bolygo, E., and N.C., Atreya. 1991. Solid-phase microextraction for multi-residue analysis of some triazole and pyrimidine pesticides in water. *Fresneous' Journal of Analytical Chemistry.* 339, 423 - 430.
- Bromilow, R., A.A., Evans, and P.H., Nicholls. 1999. Factors affecting degradation rates of five triazole fungicides in two soil types: 2 field studies. *Pesticide Science.* 55, 1135 - 1142.
- Browning, G., Z., Singh, A., Kuden, and P., Blake. 1992. Effect of (2RS, 3RS) paclobutrazol on endogenous indole-3-acetic acid in shoot apices of pear cv. Doyenne du Comice. *Journal of Horticultural Science.* 67, 129 - 135.
- Burondkar, M.M. and R.T., Gunjate. 1991. Regulation of shoot growth and flowering in Alphonso mango with paclobutrazol. *Acta Horticultrae.* 291, 79 - 82.
- Burondkar, M.M. and R.T., Gunjate. 1993. Control of vegetative growth and induction of regular and early cropping in "Alphonso" mango with paclobutrazol. *Acta Horticultrae.* 341, 206 - 215.
- Campbell, R.J. 1992. Mango - *Mangifera indica*. [Online]. Available: www.uga.edu/fruit. (December 12, 2005)

- Castro, V.L., K.P., Goes and S.H., Chiorato. 2004. Developmental toxicity potential of paclobutrazol in the rat. International Journal of Environmental Health Research. 14(5), 371 - 380.
- Charnvichit, S., P., Tongumpai, C., L., Saguansupyakorn, Phavaphutan and S., Subhadrabandhu. 1991. Effect of paclobutrazol on Canopy size control and flowering of mango cv. Nam Dok Mai Twai no. 4, after hard pruning. Acta Horticulturae. 291, 61 - 66.
- Chaney, W. 2004. Paclobutrazol: More than just a growth retardant. Presented at 2004 Pro-Hort Conference, Peoria, Illinois, February4th. [Online]. Available: www.prohort.org/TreeGrowth.pdf (December 12, 2005)
- Chaney, W. 2005. A paclobutrazol treatment can leave a tree more stress tolerant. [Online]. Available: www.turfgrasstrends.com/turfgrasstrends/article/articleDetail.jsp?id=145240&pageID=1-4. (November 3, 2005)
- Chaney, W.R. and S., Bai. 2004. Evidence of growth stimulation by low concentration of Gibberellin synthesis inhibitors. [Online]. Available: www.griffin.uga.edu/pgrsa/Charleston_PGRSA_Proceedings_2004/papers/024.pdf. (March 30, 2005)
- Chen, W.S. 1987. Endogenous growth substances in relation to shoot growth and flower bud development of mango. Journal of the American Society for Horticultural Science.112, 360 - 363.
- Chuanfan, Q. and M., Jiuxue. 1998. Study on paclobutrazol residue in mango fruits. Nongyao. 37(9), 29 - 30. (In Chinese with English abstract)
- Cornell University. 1985. Pesticide Management Program, Chemical Fact Sheet No.62: Paclobutrazol, August14, 1989. [Online]. Available: www.pmek.cce.cornell.edu/profiles/index.html. (November 1, 2005)
- Crisosto, C.H. 1994. Stone fruit maturity indices: a descriptive review. Postharvest News and Information. 5(6), 65N – 68N.
- Crook, S.J. 1999. The application of SPME to pesticide residue analysis. In *Applied Solid Phase Microextraction*, J. Pawliszyn (Ed), Royal Society of Chemistry, Cambridge, UK, pp 188 - 200.

- Davenport, T.L. and R., Nunez-Elisea. 1997. Reproductive physiology. In: Litz, R.E. (Ed), The Mango: Botany, Production and Uses. CAB International, Oxon, pp. 69 - 146.
- Davenport, T., D.W., Pearec and S.B., Rood. 2000. Correlation of endogenous gibberellic acid with initiation of mango shoot growth. Journal of Plant Growth Regulation.19, 445 - 452.
- Department of Agricultural Extension (DOAE), 2004. The record of an average mango fruits production and costliness during 2000-2002. [Online]. Available: www.doa.go.th/pl_data/02_LOCAL/oard4/mango_indus/main.html. (January 5, 2006) (In Thai)
- Dinesh, M. 1997. Layout, Horticulture Practices and Maintenance of Mango Germplasm infield. [Online]. Available: www.ipgri.cgiar.org/regious/apo/publications/tf_asia/chapter10.pdf. (November 30, 2005)
- Dy, W. 2003. Sorption of a triazole derivative by soils: importance of surface acidity. Journal Environment Science (China). 15(3), 383 - 387.
- FAO. 2002. Paclobutrazol. [Online]. Available: www.fao.org.lag/agp/pesticide/jmpr/downloade/89/Paclobutrazol.PDF. (December 10, 2005).
- Fletcher, R.A., A., Gilley, N., Snkhla and T. D., Davis. 2000. Triazoles as plant growth regulators and stress protectants. Horticultural Reviews. 24, 55 - 138.
- Flohr, N., Z., Barkai and R., Ben-Arie. 1993. Manipulation of persimmon fruit ripening by the combined application of gibberellin (GA_3) and paclobutrazol (PBZ). Acta Horticulturae. 329, 143-146.
- Fussell, R.J., K., Jackson-Addie, S.L., Reynolds and M.F., Wilson. 2002. Assessment of the stability of pesticides during cryogenic sample processing. 1. apples. Journal of Agricultural and Food Chemistry. 50, 441 - 448.
- Gent, M. P. 1997. Persistence of triazole growth retardants on stem elongation of *Rhododendron* and *Kalmia*. Plant Growth Regulation. 16, 197-203.
- Gevao, B., K.T., Semple and K.C., Jones. 2000. Bound pesticide residues in soils: A review. Environmental Pollution. 108, 3 - 14.

- Goncalves, C. and M.F., Alpendurada. 2004. Solid-phase microextraction gas chromatography (tandem) mass spectrometry as a tool for pesticide residue analysis in water samples at high sensitivity and selectivity with confirmation capabilities. *Journal of Chromatography A.* 1026, 239 - 250.
- González, A. and S.J., Blaikie. 2003. Seasonal variation of carbon assimilation in mango (cv. Kensington Pride): effect of flowering treatments. *Australian Journal of Agricultural Research.* 54, 309 - 321.
- Graebe, J.E. 1987. Gibberellin biosynthesis and control. *Annual Reviews of Plant and Physiology.* 38, 419 - 465.
- Hamid, M.M. and R.R., Williams. 1997. Translocation of paclobutrazol and gibberellic acid insturt's desert pea (*Swainsona Formosa*). *Plant Growth Regultion.* 23, 167 - 171.
- Hirahara, Y., Kimura, M., Inoue, T., Uchikawa, S., Otani, S., Haganuma, A., Matsumoto, N., A., Hirat, S., Maruyama, T., Iizuka, M., Ukyo, M., Ota, H., Hirose, S., Suzuki and Y., Uchida. 2005. Validation of multi-residue screening methods for the determination of 186 pesticides in 11 agricultural production using gas chromatography (GC). *Journal of Health Science.* 51(5), 617 - 627.
- Hwang, B.H. and M.R., Lee. 2000. Solid-phase microextraction for organochlorine pesticide residues analysis in Chinese herbal formulations. *Journal of Chromatography A,* 898, 245 - 256.
- IFU. 1991. IFU-Analyses No.8, Determination of soluble solids (indirect method by refractometry). International Federation of Fruit Juice Producers. p 1 - 16.
- IFU. 1989. IFU-Analyses No.11, Determination of pH-value. International Federation of Fruit Juice Producers. p. 1.
- IFU. 1996. IFU-Analyses No.3, Titratable Acidity. International Federation of Fruit Juice. Jackson, M.J., M.A., Line and O., Hasan. 1996. Microbial degradation of a recalcitrant plant growth retardant-Paclobutrazol (PP333). *Soil Biology and Biochemistry.* 28(9), 1265 - 1267.
- Jacyna, T. and K.G., Dodds. 1995. Some effects of soil-applied paclobutrazol on performance of 'Sundrop' apricot (*Prunus armeniace L.*) trees and on residue in the soil. *New Zealand Journal of Crop and Horticultural Science.* 23, 323 - 329.

- Jacyna, T., S.M., Sparrow and K.G., Dodds. 1989. Paclobutrazol in managing mature cropping apricot trees. *Acta Horticulturae.* 240, 139 - 142.
- Joes, A.R.S. and T.N.H., Reboucas. 2000. Use of paclobutrazol in mango orchard in southwest region, Bahia state, Brazil. *Acta Horticulturae.* 509, 713 - 715.
- Junthasri, R., P., Nartvaranant, S., Subhadrabandhu and P., Tongumpai. 2000. Flower induction for producing off-season mango in Thailand. *Journal of Applied Horticulture.* 2(1), 65 - 70.
- Kataoka, H., H.L., Lord and J., Pawliszyn. 2000. Application of solid microextraction in food analysis. *Journal of Chromatography A.* 880, 35 - 62.
- Khalil, I.A. and H.U., Rahman. 1995. Effect of paclobutrazol on growth, chloroplast pigments and sterol biosynthesis of maize(*Zea mays L.*). *Plant Science.* 105, 15-21.
- Krutz, L.J., S.A., Senseman and A.S., Sciumbato. 2003. Solid-phase microextraction for herbicide determination in environmental samples. *Journal of Chromatography A.* 999, 103 - 121.
- Kurian, R.M., and C.P.A., Iyer. 1992. Tree size control in mango (*Mangifera indica L.*)- some considerations. *Acta Horticulturae.* 321, 425 - 436.
- Kurian, R.M., and C.P.A., Iyer. 1993. Chemical regulation of tree size in mango (*Mangifera indica L.*) cv. Alphonso. III. Effects of growth retardants on yield and quality of fruits. *Journal of Horticultural Science.* 68(3), 361 - 364.
- Lurie, S., R., Ronen and B., Aloni. 1995. Growth-regulators-induced alleviation of chilling injury in green and red bell pepper fruit during storage. *HortScience.* 30, 558 - 559.
- Lambropoulou, D.A. and T.A., Albanis. 2003. Headspace solid-phase microextraction in combination with gas chromatography-mass spectrometry for the rapid screening of organophosphorus insecticide residues in strawberries and cherries. *Journal of Chromatography A.* 993, 197 - 203.
- Mani, V. 1999. Properties of Commercial SPME Coating. In *Applied Solid Phase Microextraction*, J. Pawliszyn (Ed), Royal Society of Chemistry, Cambridge, UK, p 57 - 72.

- Mahayothee, B., S., Neidhart, M., Leitenberger, W., Mühlbauer and R., Carle. 2004. Non-destructive determination of maturity of Thai mangoes by near infrared spectroscopy. *Acta Horticulturae.* 645: 581 - 588.
- Mahayothee, B. 2004. The Influence of Raw Material on the Quality of Dried Mango Slices (*Mangifera indica L.*) with Special Reference to Postharvest Ripening. A Ph.D. Thesis, Institute of Food Technology, Plant Foodstuff Technology, University of Hohenheim, Stuttgart, Germany. pp.141.
- Malundo, T.M.M., R.L., Shewfelt, G.O., Ware and E.A., Baldwin. 2001. Sugars and acids influence flavour properties of mango (*Mangifera indica*). *Journal of the American Society for Horticultural Science.* 126 (1), 115 – 121.
- Mcarthur, D.A.J. and G.W., Eaton. 1989. Cranberry growth and yield response to fertilizer and paclobutrazol. *Scientia Horticulturae.* 38, 131 - 146.
- McGuire, R.G. 1992. Reporting of objective color measurements. *HortScience.* 27(12), 1254 - 1255.
- Meurer, E.C., D.M., Tomazela, R.C., Silva, F., Augusto and M.N., Eberlin. 2002. Fiber Introduction Mass Spectrometry: Fully Direct Coupling of Solid - Phase Microextraction with Mass Spectrometry. *Analytical Chemistry.* 74(21), 5688 - 5692.
- Nakajima, N., S., Hiradate and Y., Fujii. 2001. Plant growth inhibitory activity of L – canavanine and its mode of action. *Journal of Chemical Ecology.* 27(1), 19 - 31.
- Nartvaranant, P., S., Subhadrabandhu and P., Tongumpai. 2000. Practical aspect in producing off-season mango in Thailand. *Acta Horiticulturae.* 509, 661 - 668.
- Neidhart, S., A., Jaradrattanapaiboon, K., Reintjes, B., Jöns, M., Leitenberger, J., Ingwersen, G., Kahl, P., Sruamsiri, T., Streck and R.,Carle. 2006. Which risks do result from the application of paclobutrazol in off-season mango production regarding residues in fruit and soil? First results of a long-term field study in Northern Thailand. International Symposium. ‘Towards Sustainable Livelihoods and Ecosystems in Mountainous Regions’, 07 - 09.03.2006, Chiang Mai, Thailand.

- New Zealand Food and Safety Authority (NZFSA). 2005. New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards 2005 (No.2), Amendment No.1. p.4. [Online]. Available: www.nzfsa.govt.nz (December 25, 2005)
- New Zealand Food and Safety Authority (NZFSA). 2007. New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards 2007. Willington. [Online]. Available: www.nzfsa.govt.nz (July 13, 2007)
- Nielsen, J.B. and F., Nielsen. 2000. Dermal in vitro penetration of methiocarb, paclobutrazol and primicarb. *Occupational and Environmental Medicine.* 57(11), 734 - 737.
- Nielsen, J.B. and H.R., Andersen. 2001. Dermal in vitro penetration of methiocarb, paclobutrazol, and primicarb: effect of nonylphenolethoxylate and protective gloves. *Environmental Health Perspective.* 109(2), 129 - 132.
- Nunez-Elisea, R., T.L., Davenport and M.L., Caldeira. 1993. Bud initiation and morphogenesis in 'Tommy Atkins' mango as affected by temperature and triazole growth retardants. *Acta Horticulturae.* 341, 192 - 1998.
- Osuna-García, J.A., R., Baex-Sanudo, V.M., Medina-Urrutia and X., Chavez-Contreras. 2001. Paclobutrazol residues in 'Tommy Atkins' mango fruits (*Mangifera indica*). *Revista Chapingo Serie Horticultura.* VII(2), 273. [Online]. Available: www.chapingo.mx/revistas/chapingo/contenid.php?vol=VII&id=21. (December 3, 2005)
- Pawliszyn, J. 1999. Quantitative Aspects of SPME. In *Applied Solid Phase Microextraction*, J. Pawliszyn (Ed), Royal Society of Chemistry, Cambridge, UK, pp 3 - 21.
- Phavaphutanon, L., A., Pichakum and K.Jutamanee. 2000. Changes of total non-structural carbohydrates within shoot of 'Nam Dok Mai' mango after paclobutrazol application. *Acta Horticulturea.* 509, 559 - 565.
- Perez-Barraza, M.H. S., Salazar-Garcia and V., Vazquez-Valdivia. 2000. Delayed inflorescence initiation, a clue for the lack of response of the 'Tommy Atkins' mango to promoters of flowering. *Acta Horticultrae.* 509, 567 - 572.

- Prange, R. K. and J.M., DeLong, 1998. Determination of Maturity for Long-Term Storage of Apples. 14th Annual Postharvest Conference, Yakima, Washington March 10-100, 1998. . [Online]. Available: <http://postharvest.tfrec.wsu.edu/pgDisplay.php?article=PC98L> (February 22, 2006)
- Prosen, H. and L., Zupančič-Kralj. 1998. Use of solid-phase microextraction in analysis of pesticides in soil. *Acta Chimica Slovenia*. 45 (1), 1 - 17.
- Quinlan J.D. and P.J., Richardson, 1986. Uptake and translocation of paclobutrazol and implications for orchard use. *Acta Horticulture*. 179, 443 - 451.
- Rademacher, W. 2000. Growth retardants: effects on gibberellin biosynthesis and other metabolic pathway. *Annual Review of Plant Physiology and Plant Molecular Biology*. 51, 501 - 531.
- Reintjes, K. (2005): Entwicklung, Validierung und Applikation einer GC-MS-Methode zur Bestimmung von Paclobutrazol-Rückständen in Mango- und Bodenproben. Diploma Thesis, University of Hohenheim, Institute of Food Technology (cf. chapter 1).
- Rizzolo, A., C., Visai and M., Vanoli. 1993. Influence of paclobutrazol on the quality of apples during growth. *Acta Horticulturae*. 329, 140 - 143.
- Rossi, F.S. 1998. Innovative Approaches for plant growth regulator use in turf. Cornell University. [Online]. Available: <http://turf.rutgers.edu/Proceedings/sym-1998.pdf> (Jun 7, 2006)
- Salazar-Garcia, S. and V., Vazquez-Valdivia. 1996. Physiological persistence of paclobutrazol on the ‘Tommy Atkins’ mango (*Mangifera indica* L.) under rainfed conditions. *Journal of Horticultural Science*. 72(2), 339 - 345.
- Samabuddhi, K.2001. Small farmers seek better technology. Bangkok Post. 28. 10.
- Sancho, J.V. and Ó.J., Pozo, T., Zamora, S., Grimalt and F., Hernández. 2003. Direct determination of paclobutrazol residues in pear samples by liquid chromatography-electrospray tandem mass spectrometry. *Journal of Agricultural and Food Chemistry*. 51, 4202 - 4206.
- Sandra, P., F., David, T., Yamagami, N., Ochiai, K., Sasamoto and H., Kanda. 2005. Multi-residue method for the determination of five groups of pesticides in non-fatty food samples by dual stir bar sorptive extraction (Dual SBSE) and thermal desorption GC-MS. GERSTEL App.Note 3/2005. 1 - 16.

- Sandra, P., B., Tienpont and F., David. 2003. Stir bar sorptive extraction (TwisterTM) TL-CGC-MS a versatile method to monitor more than 400 pesticides in different matrices (water, beverages, fruits, vegetables and baby food). Research Institute for chromatography, Kennedypark 20, 8500 Kortrijk, Belgium. p. 1 – 15
- Sannino,A., L., Bolzoni and M., Bandini. 2004. Application of liquid chromatography with electrospray tandem mass spectrometry to the determination of a new generation of pesticides in processed fruits and vegetables. Journal of Chromatography A. 1036, 161 - 169.
- Saranwong, S., J., Sornsrivichai and S., Kawano. 2004. Prediction of ripe-stage eating quality of mango fruit from its harvest quality measured non-destructively by near infrared spectroscopy. Postharvest Biology and Technology. 31, 137 – 145.
- Sargent, E., D., Ferrari and F., Leal. 2000. Effects of potassium nitrate and paclobutrazol on flowering induction and yield of mango (*Mangifera indica* L.) cv. Haden. Acta Horticulturae. 455, 180 - 187.
- Schwedler, D.A., A.D., Thomas and L., Yeh. 2000. Determination of spinosad and its metabolites in food and environmental matrixes by Liquid chromatography-mass spectrometry. Journal of Agricultural and Food Chemistry. 48(11), 5138 - 5145.
- Shalini, L. and D., Sharma. 2006. Persistence and movement of paclobutrazol residues in a mango orchard soil. Bulletin of Environmental Contamination and Toxicology. 76, 930 - 934.
- Sharma, D. and M. D. Awasthi. 2005. Uptake of soil paclobutrazol in mango (*Mangifera indica* L.) and its persistence in fruit and soil. Chemosphere, 60: 164 - 169.
- Silva, C.M.M.S., R.F., Vieira and G., Nicolella. 2003. Paclobutrazol effects on soil microorganisms. Applied Soil Ecology. 22(1), 79 - 86.
- Singh, N. 2002. Sorption behavior of triazole fungicides in Indian soils and its correlation with soil properties. Journal of agricultural and food chemistry. 50, 6434 - 6439.


- Singh, D.K. and S., Ram. 2000. Level of paclobutrazol residues in shoot and fruit of mango. Indian Journal of Plant Physiology. 5(2), 186 - 188.
- Singh, V.K. and A.K., Bhattacherjee. 2005. Genotypic response of mango yield to persistence of paclobutrazol in soil. Scientia Horticulturae. 106, 53 - 59.
- Singh, Z. and B.S., Dhillon. 1992. Effect of paclobutrazol on floral malformation, yield and quality of mango (*Mangifera indica L.*). Acta Horticulturae. 296, 51 - 54.
- Simplício, A.L. and L.V., Boas. 1999. Validation of a solid-phase microextraction method for the determination of organophosphorus pesticide in fruits and fruit juice. Journal of Chromatography A. 833, 35 - 42.
- SPSS[®] program the Statistical Package for Social and Sciences software version 10.5 for Windows. (SPSS Inc., U.S.A)
- Stan, H.J. 2000. Pesticide residue analysis in foodstuffs applying capillary gas chromatography with mass spectrometric detection State-of-the-art use of modified DFG-multimethod S19 and automated data evaluation. Journal of Chromatography A. 892, 347 - 377.
- Stassen, P.J.C. and B.P.H., Janse Van Vuuren. 1997. Storage, redistribution and utilization of starch in young bearing "Sensation" mango trees. Acta Horticulturae. 455, 151 - 166.
- Steffens, G.L. and S.Y., Wang. 1986. Biochemical and physiological alterations in apple trees caused by a gibberellin biosynthesis inhibitor, paclobutrazol. Acta Horticulturae. 179, 433 - 442.
- Sterrett, J.P. 1985. Paclobutrazol: a promising growth inhibitor for injection into woody plant. Journal of American Society for Horticultural Science. 110, 4 - 8.
- Subhadrabandhu, S., K., Iamsub and I., Kataoka. 1999. Effect of paclobutrazol application on growth of mango trees and detection of residues in leaves and soil. Japanese Journal of Tropical Agriculture. 43, 249 - 253.
- Subhadrabandhu, S. and P., Tongumpai. 1989. Off-season production of some economic Fruit in Thailand. In: Proceeding of the international seminar 'Off-season production of horticultural crops' November 27 – December 3, 1989. Edited by Jan Bay-Petersen. Taiwan.

- Swain, S.M., D.P., Singh, D.A., Helliwell and A.T., Poole. 2005. Plant with increased expression of ent-kaurene oxidase are resistant to chemical inhibitors of this gibberellin biosynthesis enzyme. *Plant Cell Physiology*. 46(2), 248 - 291.
- Tafazoli, E. and C.A., Beyl. 1993. Change in endogenous abscisic acid and cold hardiness in Actinidia treated with triazole growth retardants. *Journal Plant Growth Regulation*. 12, 79 - 83.
- Tahir, F.M., M., Ibrahim and K., Hamid. 2002. Effect of growth retardants on vegetative and reproductive growth behaviour of mango (*Mangifera indica* L.). *Journal of Biological Science* 2(1), 727 - 728.
- Thailand institute of scientific and technological research (TISTR). 1999. Off-season production of mango cv. Mam Dok Mai. TISTR Research News. 1 p. [Online]. Available:http://www.ostc.thaembdc.org/thaitech/99news_04.html (May 1, 2005)
- Thier, H.P. and H., Frehse. 1986. Rückstandsanalytik von Pflanzenschutzmitteln. *Analytische Chemie für die Praxis*, Georg Thieme Verlag, Stuttgart, pp. 137-139.
- Tomer, E. 1984. Inhibition of flowering in mango by gibberellic acid. *Scientia Horticulturae*. 24, 299 - 303.
- Tongumpai, P.1999. Research of off-season mango in Thailand. Seminar reported: *Plant hormone for off-season fruit production*. June 9-11, 1999. P.K grand Hotel, Janthaburi, Thailand.(in Thai). p.121 - 141.
- Tongumpai, P., K ., Chantakulchan, S., Subhadrabandhu and R., Ogata. 1997. Foliar application of paclobutrazol on flowering of mango. *Acta Horticulturae*. 455, 175 - 179.
- Tongumpai, P., N., Hongsbanich and C.H., Voon. 1989. 'Cultar' for flowering regulation of mango in Thailand. *Acta Horticulturae*. 239, 375 - 378.
- Tongumpai, P., K., Jutamanee and S., Subhadrabandhu. 1991. Effect of paclobutrazol on flowering of mango cv. Khiew Sawoey. *Acta Horticulturae*. 291, 67 - 70.
- Ullah, J., N., Khan, T., Ahmad, M., Zafarullah and Y., Durrani. 2004. Effect of optimum harvesting dates (OHD) on the quality of red delicious apple. *Asian Journal of Plant Sciences*. 3(1), 65 – 68.

- U.S. Department of Energy Bonneville Power Administration (USEPA). 2000.
- Paclobutrazol. Herbicide Fact Sheet. [Online]. Available: www.efw.bpa.gov/environmental_services/Document_Library/Vegetation_Management/Sheets/Paclobutrazol.pdf. (November 1, 2005)
- Vásquez-Caicedo, A.L., S., Neidhart, P., Pathomrungsiyounggul, P., Wiriyacharee, A., Chattrakul, P., Sruamsiri, P., Manochai, F., Bangerth and C., Reinhold. 2002. Physical, chemical and sensory properties of 9 Thai mango cultivars and evaluation of their technological and nutritional potential. Paper. Int. Symp. 'Sustaining Food Security and Managing Natural Resources in Southeast Asia: Challenges for the 21st Century', 08 - 11.01.2002, Chiang Mai, Thailand
- Vásquez-Caicedo, A.L., S., Neidhart and C., Reinhold. 2004. Postharvest ripening behavior of nine Thai mango cultivars and their suitability for industrial applications. *Acta Horticulturae*, 645, 617 - 625.
- Vásquez-Caicedo, A.L., P., Sruamsiri, R., Carle and S., Neidhart. (2005):
- Accumulation of all-*trans*-β-carotene and its 9-*cis* and 13-*cis* stereoisomers during postharvest ripening of nine Thai mango cultivars. *J. Agric. Food Chem.* 53(12): 4827 - 4835.
- Voon, C.H., C., Pitakpaivan and S.J., Tan. 1991. Mango cropping manipulation with Cultar*. *Acta Horticulturae*. 291, 219 - 228.
- Voss, D.H. 1992. Relating colorimeter measurement of plant color to the *Royal Horticultural Society Colour Chart*. *Horticultural Science*. 27(12): 1256 - 1260.
- Wang, S.Y., T., Son and M., Faust. 1986. Translocation of paclobutrazol, a gibberellin biosynthesis inhibitor in apple seedling. *Plant Physiology*. 82, 11 - 14.
- Wang, S.Y. and G.L., Steffens. 1985. Effect of paclobutrazol on water stress-induced ethylene biosynthesis and polyamine accumulation in apple seedling leaves. *Phytochemistry*. 24(10), 2185 - 2190.
- Wang, S.Y., G. L., Steffens and M., Faust. 1986. Effect of paclobutrazol on cell wall polysaccharide composition of the apple tree. *Phytochemistry*. 25(11), 2493 - 2496.

- Wardencki, W., M., Michulec and J., Cruylo. 2004. A review of theoretical and practical aspects of solid-phase maicroextraction in food analysis. International Journal of Food Science and Technology. 39, 703 - 717.
- Whiley, A.W., T.S., Rasmussen, J.B., Saranah and B.N., Wolstenholme. 1989. Effect of temperature on growth, dry matter production and starch accumulation in ten mango (*Mangifera indica L.*) cultivars. Journal of Horticultral Science. 64, 753 - 765.
- Winston, E.C. 1992. Evaluation of paclobutrazol on growth, flowering and yield of mango cv. Kensington Pride. Australian Journal of Experimental Agriculture. 32, 97 - 104.
- Witchard, M. 1997a. A simplified technique for detection of paclobutrazol in plant sapextracts, using HPLC. Journal of Plant Growth Regulation. 16: 213-214.
- Withchard, M. 1997b. Paclobutrazol is phloem mobile in castor oil plant (*Ricinus communis L.*) Journal of Plant Growth Regulation. 16: 215 - 217.
- www.inchem.org. 2004. Paclobutrazol (Pesticide residues in food: 1988 evaluation part II toxicology). [Online]. Available: www.inchem.org/documents/jmpr/jmpmono/v88p r08.htm (February 18, 2004).
- Yang, G., G., Liu, M., Wang, S., Liu and Y., Chen. 2006. Chromatiographic Characterization and solid-phase extraction on diniconazole-imprinted polymers stationary phase. Reactive and Functional Polymers, 66, 579 - 583.
- Yeshitela, T. and P.J.C., Stassen. 2004. Paclobutrazol suppressed vegetative growth and improved yield as well as fruit quality of 'Tommy Atkins' mango (*Mangifera indica*) in Ethiopia. New Zealand Journal of Crop and Horticultural Science. 32, 281 - 293.
- Yashoda, H. M., T. N., Prabha and R. N., Tharanathan. 2005. Mango ripening- chemical and structural characterization of pectin and hemicellulosic polysaccharides. Carbohydrate Research. 340, 1335 - 1342.
- Yashoda, H. M., T. N., Prabha and R. N., Tharanathan. 2007. Mango ripening- Role of Carbohydrases in tissue softening. Food Chemistry. 102, 691 - 698.
- Zainon Mohd, H. L., A., Jeng-Seng Soh and Z., Talkah. 1993. The biochemical basis of differential ripening in mango. Acta Horticulture. 341. 500 - 509.

- Zhu, L., A., Van de Peppel and X., Li. 2004. Changes of leaf water potential and endogenous cytokinins in young apple trees treated with or without paclobutrazol under drought condition. *Scientia Horticulturae*. 99, 133 - 141.
- Zilkah, S. and I., David. 1993. Uptake and translocation of paclobutrazol through different canopy organs and roots of avocado (*Persea Americana* Mill.) *Acta Horticulturae*. 329, 98 - 100.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved