

REFERENCES

- Abercrombie, M., Hickman, C. J. and Johnson, M. L. (1957). *A Dictionary of Biology*, 3rd ed. Harmondsworth: Penguin Books.
- Adair, S., Kim, S. H. and Breuil, C. (2002). A molecular approach for early monitoring of decay basidiomycetes in wood chips. *FEMS Microbiology Letters* 211, 117-122.
- Adaskaveg, J. E., Blanchette, R. A. and Gilbertson, R. L. (1991). Decay of date palm wood by white-rot and brown-rot fungi. *Canadian Journal of Botany* 69, 615-629.
- Agrios, G. N. (2005). *Plant Pathology*. 5th edn. Oxford: Elsevier academic press.
- Ainsworth, G. C., Sparrow, F. K. and Sussman, A. S. (1973). *The Fungi. IVA. An advanced treatise*. New York: Academic Press.
- Anderson, F., Bianchinotti, M. V. and Braun, U. (2000). *Drechslera palmicola* comb. nov. and *Exosporium puccinioides* comb. nov. *Schlechtendalia* 5, 67-69.
- Andrews, J. H. (1991). Future research directions in phyllosphere ecology. In Andrews, J. H. and Hirano, S. S. (Eds.), *Microbial Ecology of Leaves* (pp. 467-479). New York: Springer.
- Andrews, J. H. and Hirano, S. S. (1991). *Microbial Ecology of Leaves*. New York: Springer.
- Andrews, J. H. and Harris, R. F. (2000). The ecology and biogeography of microorganisms on plant surfaces. *Annual Review of Phytopathology* 38, 145-180.

- Andrews, J. H., Kenerley, C. M. and Nordheim, E. V. (1980). Positional variation in phylloplane populations within an apple tree canopy. *Microbial Ecology* 6, 71-84.
- Anonymous. (2004). *XLSTAT[®]-Pro: User's manual*. Paris: Addinsoft SARL.
- Anonymous. (2007). *SPSS[®] 16.0: Command Syntax Reference*. Chicago, Illinois: SPSS Inc.
- Aptroot, A. (1998). A world revision of *Massarina* (Ascomycota). *Nova Hedwigia* 66, 89-162.
- Aptroot, A. (2006). *Mycosphaerella and its anamorphs: 2. Conspectus of Mycosphaerella*. Utrecht: Centraalbureau voor Schimmelcultures.
- Arambarri, M. and Cabello, M. N. (1989). A numerical taxonomic study of some phialidic genera of hyphomycetes: cluster analysis. *Mycotaxon* 34, 679-696.
- Arambarri, M. and Cabello, M. N. (1990). Considerations about *Dictyochaeta*, *Codinaeopsis* and a new genus: *Dictyochaetopsis*. *Mycotaxon* 38, 11-14.
- Arambarri, M., Cabello, M. N. and Mengascini, A. (1987). New hyphomycetes from Santiago River (Buenos Aires Province, Argentina). *Mycotaxon* 29, 29-35.
- Aramsiriujwet, Y. (1996). *Hyphomycetes on Bamboo and Palmae in Thailand*. M.Sc. Thesis, Kasetsart University, Thailand.
- Arx, J. A. von. (1975). A re-evaluation of the bitunicate ascomycetes with keys to families and genera. *Studies in Mycology* 9, 1-159.
- Arx, J. A. von. (1987). *Plant Pathogenic Fungi*. Berlin: J. Cramer.
- Arx, J. A. von, and Müller, E. (1954). Die gattungen der amersporen pyrenomycetes. *Beiträge zur Kryptogamenflora der Schweiz* 11, 1-434.

- Arnold, A. E., Mejia, L. C., Kylo, D., Rojas, E. I., Maynard, Z., Robins, N. and Herre, E. A. (2003). Fungal endophytes limit pathogen damage in a tropical tree. *Proceedings of the National Academy of Sciences of the United States of America* 100, 15649-15654.
- Asmussen, C. B. and Chase, M. W. (2001). Coding and noncoding plastid DNA in palm family systematics. *American Journal of Botany* 88, 1103–1117.
- Bahl J., Jeewon, R. and Hyde, K. D. (2005). Phylogeny of *Rosellinia capetribulensis* sp. nov. and its allies (Xylariaceae). *Mycologia* 97, 1102-1110.
- Baker, K. F. and Linderman, R. G. (1979). Unique features of the pathology of ornamental plants. *Annual Review of Phytopathology* 17, 253-277.
- Barr, M. E. (1976). *Buergenerula* and the Physalosporiaceae. *Mycologia* 68: 611–621.
- Barr, M. E. (1987). *Prodromus to Class Loculoascomycetes*. USA: Published by the author.
- Barr, M. E. (1989). The Venturiaceae in North America: revisions and additions. *Sydowia* 41, 25-40.
- Barr, M. E. (1990). Prodromus to nonlichenized, Pyrenomycetous members of Class Hymenoascomycetes. *Mycotaxon* 39, 43–104.
- Bateman, G. L., Kwasna, H. and Ward, E. (1996). Relationship among *Fusarium* spp. estimated by comparing restriction fragment length polymorphism in polymerase chain reaction amplified nuclear DNA. *Canadian Journal of Microbiology* 42, 1232-1240.

- Batista, A. C. and Cavalcanti, W. A. (1964). *Cercospora*: duas novas especies do Amazonas e da bahia. *Anais do XII Congresso da Sociedade Botânica do Brasil* (Janeiro-1962): 385-388.
- Begon, M. Harper, J. L. and Townsend, C. R. (1992). *Ecology: Individuals, Population and Communities* 3rd edn. Boston: Blackwell.
- Bever, J. D., Schultz, P. A., Pringle, A. and Morton, J. B. (2001). Arbuscular mycorrhizal fungi: more diverse than meets the eye and the ecological tale of why. *Bioscience* 51, 923-931.
- Bidartondo, M. L. and Gardes, M. (2005). In Dighton, J., White, J. F. and Oudemans, P. (Eds.), *The Fungal Community: Its Organization and Role in the Ecosystem*, 3rd edn. (pp. 215-240), Boca Raton, Florida: CRC Press.
- Bhat, D. J. and Kendrick, W. B. (1993). Twenty-five new conidial fungi from the Western Ghats and the Andaman Islands (India). *Mycotaxon* 49, 19-90.
- Bjorholm, S., Svenning, J.-C., Skov, F. and Balslev, H. (2005). Environmental and spatial controls of palm (Arecaceae) species richness across the Americas. *Global Ecology and Biogeography* 14, 423-429.
- Booth, C. (1957). Studies of Pyrenomycetes. I. Four species of *Chaetosphaeria*, two with *Catenularia* conidia. II. *Melanopsamma pomiformis* and its *Stachybotrys* conidia. *Mycological Papers* 68, 1-27.
- Booth, C. and Robertson, J. S. (1961). *Leptosphaeria elaeidis* sp. nov. isolated from anthracnosed tissue of oil palm seedlings. *Transactions of the British Mycological Society* 44, 24-26.
- Braun, K., Romero, J., Liddell, C. and Creamer, R. (2003). Production of swainsonine by fungal endophytes of locoweed. *Mycological Research* 107, 980-988.

- Cai, L., Ji, K. F. and Hyde, K. D. (2006). Variation between freshwater and terrestrial fungal communities on decaying bamboo culms. *Antonie van Leeuwenhoek* 89, 293-301.
- Cai, L., Hyde, K. D. and Tsui, C. K. M. (2006). Genera of freshwater fungi. *Fungal Diversity Research Series* 18, 1-261.
- Cai, L., Jeewon, R. and Hyde, K. D. (2005). Phylogenetic evaluation and taxonomic revision of *Schizothecium* based on ribosomal DNA and protein coding genes. *Fungal Diversity* 19, 1-17.
- Campbell, D. G. (1989). The importance of floristic inventory in the tropics. In Campbell, D. G. and Hammond, H. D. (Eds.), *Floristic Inventory of Tropical Countries* (pp. 5-30), New York: New York Botanical Garden Press.
- Canny, M. J. (1990). Fine veins of dicotyledon leaves as sites for enrichment of solutes of the xylem sap. *New Phytologist* 115, 511–516.
- Carmichael, J. W., Kendrick, W. B., Connors, L. L. and Sigler, L. (1980). *Genera of Hyphomycetes*. Edmonton: The University of Alberta Press.
- Carris, L. M. and Glawe, D. A. (1988). *Dictyochaeta heteroderae*, comb. novo. *Mycotaxon* 33, 23.
- Carroll, G., Müller, E. M. and Sutton, B. C. (1977). Preliminary studies on the incidence of needle endophytes in some European conifers. *Sydowia* 29, 87-103.
- Castañeda Ruiz, R. F. and Kendrick, W. B. (1990a). Conidial fungi from Cuba: I. *University of Waterloo Biology Series* 32, 1-53.
- Castañeda Ruiz, R. F. and Kendrick, W. B. (1990b). Conidial fungi from Cuba: II. *University of Waterloo Biology Series* 33, 1-61.

- Castañeda Ruiz, R. F., Kendrick, B., Guarro, I. and Mayayo, E. (1998). New species of *Dictyochaeta* and *Helicoma* from rain forests in Cuba. *Mycological Research* 102, 58-62.
- Chapela, I. H., Petrini, O. and Petrini, L. E. (1990). Unusual ascospore germination in *Hypoxyton fragiforme*: first steps in the establishment of an endophyte symbiosis. *Canadian Journal of Botany* 68, 2571-2575.
- Choi, Y. W., Hyde, K. D. and Ho, W. H. (1999). Single spore isolation of fungi. *Fungal Diversity* 3, 29-38.
- Chupp, C. (1954). *A Monograph of the Fungus Genus Cercospora*. Ithaca, New York: Published by the author.
- Clay, K. and Holah, J. (1999). Fungal endophyte symbiosis and plant diversity in successional fields. *Science* 285, 1742-1744.
- Cohen, S. D. (2005). A protocol for direct sequencing of multiple gene specific PCR products from *Discula umbrinella*, a fungal endophyte, utilizing bufferless precast electrophoresis. *Journal of Microbiological Methods* 61, 131-135.
- Colwell, R. K. and Coddington, J. A. (1994). Estimating terrestrial biodiversity through extrapolation. *Philosophical Transaction: Biological Sciences* 345, 101-118.
- Corlett, R. T. (1993). The angiosperm flora of Singapore.1 Introduction. *Gardens Bulletin of Singapore* 44, 3-18.
- Corner, E. J. H. (1966). *The Natural History of Palms*. London: Weidenfield and Nicolson.
- Crous, P. W. and Braun, U. (2003). *Mycosphaerella* and its anamorphs: 1. Names published in *Cercospora* and *Passalora*. *CBS Biodiversity Series* 1, 1-571.

- Daughtrey, M. L. and Benson, D. M. (2005). Principles of plant health management for ornamental plants. *Annual Review of Phytopathology* 43, 141-169.
- Deacon, J. (2005). *Fungal Biology*. Cambridge, Massachusetts: Blackwell Publishers.
- De Barry, A. (1886). *Morphologie und physiologie der Pilze, Flechten, und Myxomyceten*. Hofmeister's Handbook of Physiological Botany. Vol. 2. Leipzig.
- Deighton, F. C. (1985). Three leaf-spotting hyphomycetes on palms. *Transactions of the British Mycological Society* 85, 739-742.
- Dennis, R. W. G. (1981). *British Ascomycetes*. Berlin: J. Cramer.
- Desjardins, A. N. (2006). *Fusarium Mycotoxins: Chemistry, Genetic and Biology*. 1st edn. St. Paul: The America Phytopathology Society.
- Dix, N. J. and Webster, J. (1985). *Fungal Ecology*. London: Chapman & Hall.
- Dransfield, J. (1981a). The biology of Asiatic rattans in relation to the rattan trade and conservation. In Synge, H. (Ed.), *The Biological Aspects of Rare Plant Conservation* (pp. 179-186), London: John Wiley.
- Dransfield, J. (1981b). Palms and Wallace's Line. In Whitmore, T. C. (Ed.), *Wallace's Line and Plate Tectonics* (pp. 43-56), Oxford: Clarendon Press.
- Dransfield, J. (1987). Bicentric distribution in Malaysia as exemplified by palms. In Whitmore, T. C. (Ed.), *Biogeographical Evolution of the Malay Archipelago* (pp. 60-72), Oxford: Clarendon Press.
- Dransfield, J., Uhl, N. W., Asmussen, C. B., Baker, W. J., Harley, M. M. and Lewis, C. E. (2005). A new phylogenetic classification of the palm family, *Arecaceae*. *Kew Bulletin* 60, 559-569.

- Dufrêne, M. and Legendre, P. (1997). Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* 67, 345-365.
- Duong, L. M., Lumyong, S. Hyde, K. D. and Jeewon, R. (2004). *Emarcea castanopsicola* gen. et sp. nov. from Thailand, a new xylariaceous taxon based on morphology and DNA sequences. *Studies in Mycology* 50, 253-260.
- Elliott, M. L., Broschat, T. K., Uchida, J. Y. and Simone, G. W. (2004). *Compendium of Ornamental Palm Diseases and Disorders*. St. Paul: American Phytopathological Society.
- Ellis, M. B. (1971). *Dematiaceous Hyphomycetes*. Kew, Surrey: CAB International.
- Ellis, M. B. (1976). *More dematiaceous Hyphomycetes*. Kew, Surrey: CAB International.
- Eriksson, O. and Hawksworth, D. L. (1991). Outline to the ascomycete, 1990. *Systema Ascomycetum* 9, 39-271.
- Ernst, M., Mendgen, K. W. and Wirsal, S. G. R. (2003). Endophytic fungal mutualists: seed-borne *Stagonospora* spp. enhanced reed biomass production in axenic microcosms. *Molecular Plant-Microbe Interactions* 16, 580-587.
- Fernández, F. A., Lutzoni, F. M. and Huhndorf, S. M. (1998). Phylogenetic relationships in the genus *Chaetosphaeria*. *Inoculum* 49, 19.
- Fernández, F. A., Miller A. N., Huhndorf, S. M., Lutzoni, F. M. and Zoller, S. (2006). Systematics of the genus *Chaetosphaeria* and its allied genera: morphological and phylogenetic diversity in north temperate and neotropical taxa. *Mycologia* 98, 121-130.

- Fisher, P. J., Petrini, O. and Sutton, B. C. (1993). A comparative study of fungal endophytes in leaves, xylem, and bark of *Eucalyptus* in Australia and England. *Sydowia* 45, 338-345.
- Fisher, P. J., Petrini, O., Petrini, L. E. and Sutton, B. C. (1994). Fungal endophytes from the leaves and twigs of *Quercus ilex* L. from England, Majorca, and Switzerland. *New Phytologist* 127, 133-137.
- Fröhlich, J. (1992). *Fungi Associated with Foliar Diseases of Palms in North Queensland*. B.Sc. thesis, School of Botany, Melbourne University, Melbourne, Australia.
- Fröhlich, J. and Hyde, K. D. (1994). New *Oxydothis* species associated with palm leaf spots in north Queensland, Australia. *Mycological Research* 98, 213-218.
- Fröhlich, J. and Hyde, K. D. (1995a). *Astrosphaeriella frondicola* sp. nov. associated with leaf spots on *Oraniopsis* and other palms. *Mycological Research* 99, 453-459.
- Fröhlich, J. and Hyde, K. D. (1995b). *Maculatipalma frondicola* gen. et sp. nov. causing leaf spots on palm species in north Queensland with descriptions of related genera: *Apioplagiostoma* and *Plagiostoma*. *Mycological Research* 99, 727-734.
- Fröhlich, J. and Hyde, K. D. (1995c). *Maculatipalma frondicola* gen. et sp. nov. causing leaf spots on palm species in north Queensland with descriptions of related genera: *Apioplagiostoma* and *Plagiostoma*. *Mycological Research* 99, 727-734.
- Fröhlich, J. and Hyde, K. D. (1998). Fungi from palms. XXXVIII. The genera *Mycosphaerella* and *Sphaerella*. *Sydowia* 50, 171-181.

- Fröhlich, J. and Hyde, K. D. (2000). Palm microfungi. *Fungal Diversity Research Series* 3, 1-393.
- Fröhlich, J., Hyde, K. D. and Petrini, O. (2000). Endophytic fungi associated with palms. *Mycological Research* 104, 1202-1212.
- Gams, W. and Holubová-Jechová, V. (1976). *Chloridium* and some other dematiaceous hyphomycetes growing on decaying wood. *Studies in Mycology* 13, 1-99.
- Gams, W. and Holubová-Jechová, V. (1981). *Chloridium* and some other dematiaceous hyphomycetes growing on decaying wood. Corrections and additions. *Mycotaxon* 13, 257-258.
- Gamundi, I. J., Arambarri, A. M. and Gaiotti, A. L. (1977). Microflora de la Hojarasca de *Nothofagus dombeyi*. *Darwiniana* 21, 81-114.
- Ganley, R. J., Brunsfeld, S. J. and Newcombe, G. (2004). A community of unknown, endophytic fungi in western white pine. *Proceedings of the National Academy of Sciences of the United States of America* 101, 10107-10112.
- Gardner, S., Sidisunthorn, P. and Anusarnsunthorn, V. (2000). *A Field Guide to Forest Trees of Northern Thailand*. Bangkok: Kobfai Publishing Project.
- Gessner, M. O., Thomas, M., Jean-Louis, A. M. and Chauvet, E. (1993). Stable successional patterns of aquatic hyphomycetes on leaves decaying in a summer cool stream. *Mycological Research* 97, 163-172.
- Goh, T. K. and Hsieh, W. H. (1989). Studies on *Cercospora* and allied genera of Taiwan (VIII). New species and new combinations. *Transactions of the Mycological Society of the Republic of China* 4, 39-56.

- Goh, T. K. and Hyde, K. D. (1999). Fungi on submerged wood and bamboo in the Plover Cove Reservoir, Hong Kong. *Fungal Diversity* 3, 57-85.
- Gotelli, N. J. and Colwell, R. K. (2001). Quantifying biodiversity: procedures and pitfalls in the measurement and comparison of species richness. *Ecology Letters* 4, 379-391.
- Guba, E. F. (1961). *Monograph of Monochaetia and Pestalotia*. Cambridge: Harvard University Press.
- Guo, L. D. 1999. *Identification of endophytic fungi in Livistona chinensis (Palmae)*. Ph.D. Thesis. The University of Hong Kong, Hong Kong, PR China.
- Hall, T. A. (1999). BioEdit: a user-friendly biological sequence alignment editor and analyses program for Windows 95/98/NT. *Nucleic Acids Symposium Series* 41, 95-98.
- Hanlin, R. T. (1990). *Illustrated Genera of Ascomycetes*. Volume I. St. Paul: APS Press.
- Hanlin, R. T. (1998a). *Illustrated Genera of Ascomycetes*. Volume II. St. Paul: APS Press.
- Hanlin, R. T. (1998b). *Combined Keys to Illustrated Genera of Ascomycetes*. Volumes I and II. St. Paul: APS Press.
- Hawksworth, D. L. (1991). The fungal dimension of biodiversity: magnitude, significance, and conservation. *Mycological Research* 95, 641-655.
- Hawksworth, D. L. (1993). The tropical fungal biota: census, pertinence, prophylaxis, and prognosis. In Isaac, S., Frankland, J. C., Watling, R., and Whalley, A. J. S. (Eds.), *Aspects of Tropical Mycology* (pp. 265-293), Cambridge: Cambridge University Press.

- Hawksworth, D. L. (2004). Fungal diversity and its implications for genetic resource collections. *Studies in Mycology* 50, 9-18.
- Hawksworth, D. L., Kirk, P. M., Sutton, B. C. and Pegler, D. N. (1995). *Ainsworth and Bisby's Dictionary of the Fungi*. 8th edn. Wallingford: CAB International.
- Henderson, A. (1995). *The Palms of Amazon*. New York: Oxford University Press.
- Hernández-Gutiérrez, A. and Mena, I. (1996). *Dictyochaeta minutissima* sp. novo on *Coccothrinax miraguama* from Cuba. *Mycological Research* 100, 687-688.
- Heywood, V. H. (1985). *Flowering Plants of the World*. New Jersey: Prentice-Hall.
- Hidayat, I., Jeewoon, R., To-anun, C. and Hyde, K. D. (2006). The genus *Oxydothis*: new palmicolous taxa and phylogenetic relationship within *Xylariales*. *Fungal Diversity* 23, 159-179.
- Hidayat, I., Meeboon, J. and To-anun, C. (2007). *Anthostomella* and *Fasciatispora* species (Xylariaceae) from palms including *Fasciatispora ujungkulonensis* sp. nov. *Mycotaxon* 102, 347-354.
- Hino, I. (1961). *Icones Fungorum Bambusicolorum Japonicorum*. Gotenba: Fuji Bamboo garden.
- Hirata, T. and Takamatsu, S. (1996). Nucleotides sequence diversity of rDNA internal transcribed spacers extracted from conidia and cleistothecia of several powdery mildew fungi. *Mycoscience* 37, 283-288.
- Holm, L. and Holm, K. (1988). Studies in the Lophiostomataceae with emphasis on the Swedish species. *Symbolae Botanicae Upsalienses* 28, 1-50.
- Holubová-Jechová, V. (1984). Lignicolous hyphomycetes from Czechoslovakia 7. *Chalara, Exochalara, Fusichalara* and *Dictyochaeta*. *Folia Geobotanica et Phytotaxonomica* 19, 387-438.

- Holubová-Jechová, V. (1988). Studies on hyphomycetes from Cuba VIII. A new genus *Piricaudilium* and some species new for the territory of Cuba. *Ceska Mykologie* 42, 200-204.
- Huelsenbeck, J. P. and F. Ronquist (2001). MrBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics* 17,754–755.
- Hughes, S. J. (1952). Studies on Micro-Fungi. XIV. *Stigmella*, *Stigmina*, *Camptomeris*, *Polythrincium* and *Fusicladiella*. *Mycological Papers* 49, 1-25.
- Hutcheson, K. (1970). A test for comparing diversities based on the Shannon formula. *Journal of Theoretical Biology* 29, 151-154.
- Hyde, K. D. (1994a). Fungi from palms. VI. Reflection on *Oxydothis* and related genera. *Sydowia* 45, 204–225.
- Hyde, K. D. (1994b). Fungi from palms. XIII. The genus *Oxydothis*, a revision. *Sydowia* 46, 265–314.
- Hyde, K. D. (1995a). Fungi from palms. XX. The genus *Guignardia*. *Sydowia* 47, 180-198.
- Hyde K. D. (1995b). Fungi from palms XVII. The genus *Fasciatispora*, with notes on *Amphisphaerella*. *Nova Hedwigia* 61, 249-268.
- Hyde, K. D. (1996). Fungi from palms. XXXII. *Arecomyces* gen. nov., with seven new species. *Sydowia* 48, 224-240.
- Hyde, K. D. and Aptroot, A. (1997). Fungi from palms. XXXIII. The genus *Massarina*, with a new species. *Nova Hedwigia* 64, 491-504.
- Hyde, K.D. and Cannon, P. F. (1999). Fungi causing tar spots on palms. *Mycological Papers* 175, 1-114.

- Hyde, K. D. and Fröhlich, J. (1995a). *Mycosphaerella palmicola* associated with leaf spots of *Cocos nucifera* in Australia, Irian Jaya and Papua New Guinea. *Mycological Research* 99, 704-706.
- Hyde K. D. and Fröhlich, J. (1995b). Fungi from palms. XXIII. *Rachidicola* gen. et sp. nov. *Sydowia* 47, 217-222.
- Hyde K. D. and Fröhlich J. (1997). Fungi from palms. XXXVI. The genus *Astrosphaeriella*, including ten new species. *Sydowia* 50, 81-132.
- Hyde, K. D. and Hawksworth, D. L. (1997). Measuring and monitoring the biodiversity of microfungi. In Hyde, K. D. (Ed.), *Biodiversity of Tropical Microfungi* (pp. 11-28), Hong Kong: Hong Kong University Press.
- Hyde, K. D., Cai, L. and Jeewon, R. (2005). Tropical fungi. In Dighton, J., White, J. F. and Oudemans, P. (Eds.), *The Fungal Community: Its Organization and Role in the Ecosystem*, 3rd edn. (pp. 93-115), Boca Raton, Florida: CRC Press.
- Hyde, K. D., Fröhlich, J. and Taylor, J. E. (1997). Diversity of ascomycetes on palms in the tropics. In Hyde, K. D. (Ed.), *Biodiversity of Tropical Microfungi* (pp. 141-156) Hong Kong: Hong Kong University Press.
- Hyde, K. D., Fröhlich, J. and Taylor, J. E. (1998). Fungi from palms. XXXVI. Reflections on unitunicate ascomycetes with apiospores. *Sydowia* 50, 21-80.
- Hyde, K. D., Taylor, J. E. and Fröhlich, J. (1999). Two new species of *Pseudohalonectria* from palms. *Mycologia* 91, 520-524.
- Hyde, K. D., Taylor, J. E. and Fröhlich, J. (2000). Genera of ascomycetes from palm. *Fungal Diversity Research Series* 2, 1-247.

- Hyde, K. D., Yanna, Pinnoi, A. and Jones, E. B. G. (2002). *Goidanichiella fusiforma* sp. nov. from palm fronds in Brunei and Thailand. *Fungal Diversity* 11, 119-122.
- Hyde, K. D., Bussaban, B., Paulus, B., Crous, P. W., Lee, S., McKenzie, E. H. C., Photita, W. and Lumyong, S. (2007). Diversity of saprobic fungi. *Biodiversity and Conservation* 16, 7-35.
- Jeewon, R., Liew, E. C. Y. and Hyde, K. D. (2002). Phylogenetic relationships of *Pestalotiopsis* and allied genera inferred from ribosomal DNA sequences and morphological characters. *Molecular Phylogenetics and Evolution* 25, 378-392.
- Jeewon, R., Liew, E. C. Y. and Hyde, K. D. (2003). Molecular systematics of the *Amphisphaeriaceae* based on cladistic analyses of partial LSU rDNA gene sequences. *Mycological Research* 107, 1392–1402.
- Jeewon, R., Liew, E. C. Y. and Hyde, K. D. (2004). Phylogenetic evaluation of species nomenclature of *Pestalotiopsis* in relation to host association. *Fungal Diversity* 17, 39–55.
- Johnson, D. V. (1986). World endangerment of useful palms. In Balick, M. J. (Ed.), *The Palm - Tree of Life* (pp. 268-273), New York: New York Botanical Garden Press.
- Johnson, D. (1992). Palm utilization and management in Asia: examples for the neotropics. *Bulletin de l'Institut Français d'Études Andines* 21, 727-740.
- Johnston, P. R. (2001). Monograph of the monocotyledon-inhabiting species of *Lophodermium*. *Mycological Papers* 176, 1-239.

- Jones, D. (1984). *Palms in Australia*. Frenchs Forest, New South Wales: Reed Books Pty. Ltd.
- Jones, D. L. (1995). *Palms throughout the World*. Washington, D.C.: Smithsonian Institution Press.
- Kane, D. F., Tam, W. Y. and Jones, E. B. G. (2002). Fungi colonizing and sporulating on submerged wood in the River Severn, UK. In Hyde, K. D. and Jones, E. B. G. (Eds.), *Fungal Sucession* (pp. 45-55), Hong Kong: Hong Kong University Press.
- Kang, J. C., Kong, R. Y. C. and Hyde, K. D. (1998). Studies on the Amphisphaeriales: Amphisphaeriaceae (sensu stricto) and its phylogenetic relationships inferred from 5.8S rDNA and ITS2 sequences. *Fungal Diversity* 1, 147–157.
- Kang, J. C. Hyde, K. D. and Kong, R. Y. C. (1999a). Studies on Amphisphaeriales: the Amphisphaeriaceae (sensu stricto). *Mycological Research* 103, 53–64. .
- Kang, J. C. Hyde, K. D. and Kong, R. Y. C. (1999b). Studies on Amphisphaeriales 1: the Clypeosphaeriaceae. *Mycoscience* 40, 151–164.
- Kang, J. C. Hyde, K. D. and Kong, R. Y. C. (2002). Phylogeny of Amphisphaeriaceae (sensu stricto) and related taxa revisited based on nrDNA sequences. *Mycotaxon* 81, 321–330.
- Kent, M. and Coker, P. (1992). *Vegetation Description and Analysis. A Practical Approach*. Boca Raton, Florida: Wiley.
- Kirk, P. M. (1993). Distribution of Zygomycetes – The tropical connection. In Isaac, S., Frankland, J. C., Watling, R., and Whalley, A. J. S. (Eds.), *Aspects of Tropical Mycology* (pp. 93-102), Cambridge: Cambridge University Press.

- Kirk, P. M., Cannon, P. F., David, J. C. and Stalpers, J. A. (2001). *Ainsworth Bisby's Dictionary of the Fungi*, 9th ed. Wallingford: CAB International.
- Kirk, P. M., Cannon, P. F., Minter, D. W. and Stalpers, J. A. (2008). *Ainsworth and Bisby's Dictionary of the Fungi*. 10th ed. Wallingford: CABI Publishing.
- Kishino, H. and M. Hasegawa. (1989). Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in Hominidea. *Journal of Molecular Evolution* 29, 170-179.
- Kodsueb, R., Jeewon, R., Vijaykrishna, D., Hyde, K. D., McKenzie, E. H. C. and Lumyong, S. (2006). Systematic revision of Tubeufiaceae based on morphological and molecular data. *Fungal Diversity* 21, 104-129.
- Kuthubutheen, A. J. and Nawawi, A. (1991a). A key to *Dictyochaeta* and *Codinaea* species. *Mycological Research* 95, 1224-1229.
- Kuthubutheen, A. J. and Nawawi, A. (1991b). *Dictyochaeta macrospora* sp. nov.: a litter inhabiting hyphomycete from Malaysia. *Mycological Research* 95, 248-250.
- Kvaček, J. and Herman, A. B. (2004). Monocotyledons from the Early Campanian (Cretaceous) of Grünbach, Lower Austria. *Review of Palaeobotany and Palynology* 128, 323–353.
- Larkin, M. A., Blackshields, G., Brown, N. P., Chenna, R., McTgettigan, H., McWilliam, H., Valentin, F., Wallace, I. M., Wilm, A., Lopez, R., Thompson, J. D., Gibson, T. J. and Higgins, D. G. (2007). Clustal W and Clustal X version 2.0. *Bioinformatics* 23, 2947-2948.

- Leslie, J. F. and Summerell, B. A. (2006). *The Fusarium Laboratory Manual*. Iowa: Blackwell Publishing.
- Lodge, D. J., Fisher, P. J. and Sutton, B. C. (1996). Endophytic fungi of *Manilkara bidentata* leaves in Puerto Rico. *Mycologia* 88, 733-738.
- Lu, B., and Hyde, K.D. (2000). A world monograph of *Anthostomella*. *Fungal Diversity Research Series* 4, 1-376.
- Lu, B., Hyde, K. D., Ho, W. H., Tsui, K. M., Taylor, J. E., Wong, K. M., Yanna and Zhou, D. (2000). Checklist of Hong Kong Fungi. *Fungal Diversity Research Series* 5, 1-207.
- Magurran, A. E. (1988). *Ecological Diversity and Its Measurement*. London: Croom helm.
- Matsushima, T. (1971). *Microfungi of the Solomon Islands and Papua-New Guinea*. Kobe: Published by the Author.
- Matsushima, T. (1975). *Icones Microfungorum a Matsushima Lectorum*. Kobe: Published by the Author.
- Matsushima, T. (1980). Saprophytic microfungi from Taiwan. Part 1: Hyphomycetes. *Matsushima Mycological Memoirs* 1, 1-82.
- Matsushima, T. (1981). *Matsushima Mycological Memoirs* 2, 1-68.
- Matsushima, T. (1983). *Matsushima Mycological Memoirs* 3, 1-89.
- Matsushima, T. (1985). *Matsushima Mycological Memoirs* 4, 1-68.
- Matsushima, T. (1987). *Matsushima Mycological Memoirs* 5, 1-100.
- Matsushima, T. (1989). *Matsushima Mycological Memoirs* 6, 1-99.
- Matsushima, T. (1993). *Matsushima Mycological Memoirs* 7, 1-75.
- Matsushima, T. (1995). *Matsushima Mycological Memoirs* 8, 1-54.

- Matsushima, T. (1996). *Matsushima Mycological Memoirs* 9, 1-30.
- McKenzie, E. H. C., Buchanan, P. K. and Johnston, P. R. (2004). Checklist of fungi on nikau palm (*Rhopalostylis sapida* and *R. baueri* var. *chessemanii*) in New Zealand. *New Zealand Journal of Botany* 42, 335-355.
- McKenzie, E. H. C., Pinnoi, A., Wong, M. K. M., Hyde, K. D. and Jones, E. B. G. (2002). Two new hyaline *Chalara* and key to species described since 1975. *Fungal Diversity* 11, 129-139.
- Miller, J. D., MacKenzie, S., Foto, M., Adams, G. W. and Findlay, J. A. (2002). Needles of white spruce inoculated with rugulosin-producing endophytes contain rugulosin reducing spruce budworm growth rate. *Mycological Research* 106, 471-479.
- Moore, H. E. (1973). The major groups of palms and their distribution. *Gentes Herbariorum* 11, 27-141.
- Moore, H. E. J. and Uhl, N. W. (1973). The monocotyledons: their evolution and comparative biology. VI. Palms and their origin and evolution of monocotyledons. *Quaternary Review of Biology* 48, 414-436.
- Morley, R. J. (2000). *Origin and Evolution of Tropical Rainforest*. Chichester: John Wiley.
- Morris, S. J. and Robertson, G. P. (2005). Linking function between scales of resolution. In Dighton, J., White, J. F. and Oudemans, P. (Eds.), *The Fungal Community: Its Organization and Role in the Ecosystem*, 3rd edn. (pp. 13-26), Boca Raton, Florida: CRC Press.

- Müller, E. and Arx, von J. A. (1962). *Die gattungen der didymosporen pyrenomyceten*. Band 11, Heft 2. Wabern-Bern: Kommissionsverlag Buchdruckerei Böhler, Co.
- Müller, E. and Dennis, R. W. G. (1965). Fungi venezuelani: VIII. Plectascales, sphaeriales, loculoascomycetes. *Kew Bulletin* 19, 357–386.
- Müller, E. and von Arx, J. A. (1976). Pyrenomycetes: Meliolales, Coronophorales, Sphaeriales. In G. C. Ainsworth, F. K. Sparrow, and A. S. Sussman (Eds.), *The Fungi*. Vol. IVA (pp. 87–132), New York: Academic Press.
- Müller, E. and Samuels, G. J. (1982). Anamorphs of pyrenomycetous ascomycetes I. *Rhamphoria* Niessl and *Trichosphaerella* Bommer, Rousseau & Saccardo. *Sydowia* 35, 143–149.
- Nag Raj, T. R. (1977). Miscellaneous microfungi. II. *Canadian Journal of Botany* 55, 757–765.
- Nag Raj, T. R. (1993). *Coelomycetous Anamorphs with Appendage-Bearing Conidia*. Waterloo: Mycologue Publications.
- Nirenberg, H. I. and O'Donnell, K. (1998). New *Fusarium* species and combinations within the *Gibberella fujikuroi* species complex. *Mycologia* 90, 434–458.
- Nirenberg, H. I. and Samuels, G. (2000). *Nectria* and *Fusarium*. II. *Cosmospora zealandica* comb. nov. and its anamorph, *Fusarium zealandicum*, sp. nov. *Canadian Journal of Botany* 78, 1482–1487.
- Osono, T. (2007). Endophytic and epiphytic phyllosphere fungi of red-osier dogwood (*Cornus stolonifera*) in British Columbia. *Mycoscience* 48, 47–52.
- Osono, T., Bhatta, B. K. and Takeda, H. (2004). Phyllosphere fungi on living and decomposing leaves of giant dogwood. *Mycoscience* 45, 35–41.

- Page, R. D. M. (1996). TreeView, an application to display phylogenetic trees on personal computers. *Computer Applications in the Biosciences* 12, 357–358.
- Parbery, D. G. (1996). Trophism and the ecology of fungi associated with plants. *Biological Reviews* 71, 473–527.
- Penzig, O. and Saccardo, P. A. (1897). Diagnoses fungorum novorum in Insula Java collectorum. Series secunda. *Malpighia* 11, 491–530.
- Penzig, O. and Saccardo, P. A. (1904). *Icones Fungorum Javanicorum*. Leiden.
- Petrini, O. (1991). Fungal endophytes of tree leaves. In Andrews, J. H. and Hirano, S. S. (Eds.), *Microbial Ecology of Leaves* (pp. 179–197), New York: Springer.
- Petrini, L. E. (2003). *Rosellinia* and related genera in New Zealand. *New Zealand Journal of Botany* 41, 71–138.
- Petrini, O., Sieber, T. N., Toti, L. and Viret, O. (1992). Ecology, metabolite production, and substrate utilization in endophytic fungi. *Natural Toxins* 1, 185–196.
- Pinnoi, A., Pinruan, U., Hyde, K. D., Lumyong, S. and Jones, E. B. G. (2004). Palm fungi. In Jones, E. B. G., Tanticharoen, M. and Hyde, K. D. (Eds.), *Thai fungal diversity* (pp. 181–187), Bangkok: BIOTEC.
- Pinnoi, A., Lumyong, S., Hyde, K. D. and Jones, E. B. G. (2006). Biodiversity of fungi on the palm *Eleiodoxa conferta* in Sirindhorn peat swamp forest, Narathiwat, Thailand. *Fungal Diversity* 22, 205–218.
- Pinruan, U., Jones, E. B. G. and Hyde, K. D. (2002). Aquatic fungi from peat swamp palms: *Jahnula appendiculata* sp. nov. *Sydowia* 54, 242–247.

- Pinruan, U., Lumyong, S., McKenzie, E. H. C., Jones, E. B. G. and Hyde, K. D. (2004). Three new species of *Craspidodidymum* from palm in Thailand. *Mycoscience* 45, 177-180.
- Pinruan, U., Lumyong, S., Hyde, K. D. and Jones, E. B. G. (2007). Occurrence of fungi on tissues of the peat swamp palm *Licuala longicalycata*. *Fungal Diversity* 25, 157-173.
- Pinruan, U., Sakayaroj, J., Hyde, K. D. and Jones, E. B. G. (2008). *Thailandiomyces bisetulosus* gen. et sp. nov. (Diaporthales, Sordariomycetidae, Sordariomycetes) and its anamorph *Craspedodidymum*, is described based on nuclear SSU and LSU rDNA sequences. *Fungal Diversity* 29, 89-98.
- Pirozynski, K. A. (1988). Coevolution by horizontal gene transfer: a speculation on the role of fungi. In Pirozynski, K. A. and Hawksworth, D. L. (Eds.), *Coevolution of Fungi with Plants and Animals* (pp. 247-268), London: Academic Press.
- Polishook, J. D. Bills, G. F. and Lodge, D. J. (1996). Microfungi from decaying leaves of two rain forest trees in Puerto Rico. *Journal of Industrial Microbiology* 17, 284-294.
- Posada, D. and Crandall, K. A. (1998). Modeltest: testing the model of DNA substitution. *Bioinformatics* 14, 917-818.
- Punithalingam, E. (1974). Studies on Sphaeropsidales in culture. II. *Mycological Papers* 136, 1-63.
- Rambelli, A., Mulas, B. and Paqualetti, M. (2004). Comparative studies on microfungi in tropical ecosystem in Ivory Coast forest litter: Behavior in different substrata. *Mycological Research* 108, 325-326.

- Rannala, B. and Yang, Z. (1996). Probability distribution of molecular evolutionary trees; a new method of phylogenetic inference. *Journal of Molecular Evolution* 43, 304-311.
- Réblová, M. (1999). Studies in *Chaetosphaeria* sensu lato III. *Umbrinosphaeria* gen. nov. and *Miyoshiella* with *Sporidesmium* anamorphs. *Mycotaxon* 71, 13-43.
- Réblová, M. (2000). The genus *Chaetosphaeria* and its anamorphs. *Studies in Mycology* 45, 149-168.
- Réblová, M. and Winka, K. (2000). Phylogeny of *Chaetosphaeria* and its anamorphs based on morphological and molecular data. *Mycologia* 92, 939-954.
- Réblová, M., Barr, M. E. and Samuels, G. J. (1999). Chaetosphaeriaceae, a new family for *Chaetosphaeria* and its relatives. *Sydowia* 51, 49-70.
- Redman, R. S., Sheehan, K. B., Stout, R. G., Rodriguez, R. J. and Henson, J. M. (2002). Thermotolerance generated by plant/fungal symbiosis. *Science* 298, 1581.
- Rehm, H. (1913a). Ascomycetes Philippinenses. II. *Philippine Journal of Science. Section C, Botany* 8, 251-263.
- Rehm, H. (1913b). Ascomycetes Philippinenses. II. *Leaflets of Philippine Botany* 6, 2257-2281.
- Rehm, H. (1913c). Ascomycetes Philippinenses. II. *Leaflets of Philippine Botany* 8, 2935-2961.
- Reid, W. V. and Miller, K. R. (1989). *Keeping Options Alive: the Scientific Basis for Conserving Biodiversity*. Washington, D.C.: World Resources Institute.
- Richardson, M. J. (2001). Diversity and occurrence of coprophilous fungi. *Mycological Research* 105, 387-402.

- Robinson, C. H., Szaro, T. M., Izzo, A. D., Anderson, I. C., Parkin, P. I. and Bruns, T. D. (2009). Spatial distribution of fungal communities in a coastal grassland soil. *Soil Biology & Biochemistry* 41, 414-416.
- Rodrigues, K. F. (1990). Endophytic fungi of the tropical palm *Euterpe oleracea*. In Reisinger, A. and Bresinsky, A. (Eds.), *Fourth International Mycological Congress*, (p. 151), Regensburg: University of Regensburg.
- Rodrigues, K. F. (1994). The foliar fungal endophytes of the Amazonian palm *Euterpe oleracea*. *Mycologia* 86, 376-385.
- Rodrigues, K. F. and Samuels, G. J. (1990). Preliminary study of endophytic fungi in tropical palm. *Mycological Research* 94, 827-830.
- Rodrigues, K. F. and Petrini, O. (1997). Biodiversity of endophytic fungi in tropical regions. In Hyde, K. D. (Ed.), *Biodiversity of Tropical Microfungi* (pp. 57-69), Hong Kong: Hong Kong University Press.
- Rodrigues, K. F., Leachtmann, A. and Petrini, O. (1993). Endophytic species of *Xylaria*: cultural and isozymic studies. *Sydowia* 45, 116-138.
- Rogers, S. O. and Bendich, A. J. (1994). Extraction of total cellular DNA from plants, algae and fungi. In Gelvin, S. B. and Schilperoort, R. A. (Eds.), *Plant Molecular Biology Manual*, 2nd edn., (pp. 1-8), Dordrecht: Kluwer Academic Press.
- Rossmann, A. Y., Palm, M. E. and Spielman, L. J. (1987). *A Literature Guide for the Identification of Plant Pathogenic Fungi*. St. Paul: American Phytopathological Society.

- Rossmann A. Y., Samuels G. J., Rogerson, C. T. and Lowen, R. (1999). Genera of Bionectriaceae, Hypocreaceae and Nectriaceae (Hypocreales, Ascomycetes). *Studies in Mycology* 42, 1-248.
- Sarapat, T. (2003). *Diversity of Ascomycetes and Mitosporic Fungi on Palmae in Siridhorn Swamp Forest Ecosystem, Narathiwat Province, Thailand*. M.Sc. Thesis. Prince of Songkla University, Thailand.
- Saccardo, P. A. (1875). Fungi veneti novi vel critici. Ser. IV. *Atti Accademia Scientifica Veneto-Trentino-Istria* 4, 101-141.
- Saccardo, P. A. (1883). Sylloge fungorum omnium hucusque cognitarum. *Sylloge Fungorum* 2, 1-815.
- Samuels, G. J. and Barr, M. E. (1997). Notes on and additions to the Niessliaceae (Hypocreales). *Canadian Journal of Botany* 75, 2165–2176.
- Samuels, G. J. and Rossmann, A. Y. (1987). Studies in the Amphisphaeriaceae (sensu lato) 2. *Leiosphaerella cocoës* and two new species of *Oxydothis* on palms. *Mycotaxon* 28, 461–471.
- Samuels, G. J., Müller, E. and Petrini, O. (1987). Studies in the Amphisphaeriaceae (Sensu lato) 3. new species of *Monographella* and *Pestalosphaeria*, and two new genera. *Mycotaxon* 28, 473-499.
- Sarapat, T. (2003). *Diversity of Ascomycetes and Mitosporic Fungi on Palmae in Siridhorn Swamp Forest Ecosystem, Narathiwat Province, Thailand*. M.Sc. Thesis. Prince of Songkla University, Thailand.

- Schmit, J. P. and Lodge, D. J. (2005). Classical methods and modern analysis for studying fungal diversity. In Dighton, J., White, J. F. and Oudemans, P. (Eds.), *The Fungal Community: Its Organization and Role in the Ecosystem*, 3rd edn. (pp. 193-214), Boca Raton, Florida: CRC Press.
- Schrenk von and Spaulding. (1903). The bitter-rot fungus. *Science* 17, 750-751.
- Scotese, C. R. (2003). *Paleomap Project*. <<http://www.scotese.com/earth.htm>>.
- Shearer, C. A. and Zare, M. H. (1988). *In vitro* hyphal interactions among wood- and leaf inhabiting ascomycetes and fungi imperfecti from freshwater habitat. *Mycologia* 80, 31-37.
- Shearer, C. I., Crane, J. L. and Chen, W. (1999). Freshwater Ascomycetes: *Ophioceras* species. *Mycologia* 9, 145-156.
- Shenoy, B. D., Jeewon, R. and Hyde, K. D. (2005). *Oxydothis bambusicola*, a new ascomycete with a huge subapical ascus ring found on bamboo in Hong Kong. *Nova Hedwigia* 80, 511-518.
- Shivas, R. G. (1989). Fungal and bacterial diseases of plants in Western Australia. *Journal of the Royal Society of Western Australia* 72, 1-62.
- Shivas, R. G. and Hyde, K. D. (1997). Biodiversity of plant pathogenic fungi in the tropics. In Hyde, K. D. (Ed.), *Biodiversity of Tropical Microfungi* (pp. 47-56), Hong Kong: Hong Kong University Press.
- Shoemaker, R. A. (1964). Conidial states of some *Botryosphaeria* species on *Vitis* and *Quercus*. *Canadian Journal of Botany* 42, 1297-1301.
- Sivanesan, A. (1984). *The Bitunicate Ascomycetes and Their Anamorphs*. Berlin: J. Cramer.

- Sivanesan, A. and Chang, H. S. (1992). *Ascotaiwania*, a new amphisphaeriaceous ascomycetes genus on wood from Taiwan. *Mycological Research* 96, 481-484.
- Smith, G. J. D., Liew, E. C. Y. and Hyde, K. D. (2003). The Xylariales: a monophyletic order containing 7 families. *Fungal Diversity* 13, 175-208.
- Snittler, M. and Stephenson, S. L. (2000). Myxomycete biodiversity in four different forest types in Costa Rica. *Mycologia* 92, 616-637.
- Spegazzini, C. L. (1881). Fungi Argentini. Pugillus quartus. *Anales de la Sociedad Científica Argentina* 12, 97-117.
- Sridhar, K. R. and Raviraja, N. S. (1995). Endophytes - A crucial issue. *Current Science* 69, 570-571.
- Srivastava, R. K., Narayan, S. and Srivastava, A. K. (1995). *Cercospora* species causing leaf spots in crops and horticultural plants of north-eastern Uttar Pradesh. *Indian Phytopathology* 48, 106-107.
- Stewart, E. L., Liu, Z. W., Crous, P. W. and Szabo, L. J. (1999). Phylogenetic relationships among some cercosporoid anamorphs of *Mycosphaerella* based on rDNA sequence analysis. *Mycological Research* 103, 1491-1499.
- Steyaert, R. L. (1949). Contribution à l'étude monographique de *Pestalotia* de Not., et *monochaetia* Sacc. (*Truncatella* gen. nov. et *Pestalotiopsis* gen. nov.). *Bulletin du Jardin Botanique de l'État à Bruxelles* 19, 285-354.
- Stone, J. K. and Petrini, O. (1997). Endophytes of forest trees: a model for fungus plant interactions. In Carroll, G. C. and Tudzynski, A. (Eds.), *The Mycota*, Vol. V, part B, (pp. 129-140), Berlin: Springer-Verlag.
- Sutton, B. C. (1980). *The Coelomycetes: Fungi Imperfecti with Pycnidia, Acervuli, and Stromata*. Kew, Surrey: Commonwealth Mycological Institute.

- Suzuki, A. (2002). Fungal succession at different scales. In Hyde, K. D. and Jones, E. B. G. (Eds.), *Fungal Succession*. (pp. 11-20), Hong Kong: Hong Kong University Press.
- Swofford, D. L. (2002). *PAUP*: Phylogenetic Analyses Using Parsimony (* and Other Methods)*, Version 4.0b 10. Sunderland, Massachusetts: Sinauer Associates.
- Sydow H. and Sydow P. (1908). Micromycetes orientalis a cl. Bornmüller communicati. *Annales Mycologici* 6, 526-530.
- Sydow, H. and Sydow, P. (1914). Fungi from Northern Palawan. *Philippine Journal of Science. Section C, Botany* 9, 157-189.
- Sydow, H. and Sydow, P. (1915). Novae fungorum species. *Annales Mycologici* 13, 35-43.
- Sydow, H. and Sydow P. (1917). Beitrag zur Kenntnis der Pilzflora der Philillinen-Inseln. *Annales Mycologici* 15, 165-268.
- Taylor, J. (1997). *Biodiversity and distribution of microfungi on palms*. Ph.D. Thesis. The University of Hong Kong.
- Taylor, J. E. and Hyde, K. D. (2003). Microfungi of tropical and temperate palms. *Fungal Diversity Research Series* 12, 1-458.
- Taylor, J. E., Hyde, K. D. and Jones, E. B. G. (1999). Endophytic fungi associated with the temperate palm, *Trachycarpus fortunei*, within and outside its natural geographic range. *New Phytologist* 142, 335-346.
- Taylor, J. E., Hyde, K. D. and Jones, E. B. G. (2000). The biogeographical distribution of microfungi associated with three palm species from tropical and temperate habitats. *The Journal of Biogeography* 27, 297-310.

- Techa, W. (2001). *Isolation and Collection of Endophytic and Saprobiic Fungi from Two Species of Palms in Doi Suthep Pui National Park*. M.Sc. Thesis. Chiang Mai University, Thailand.
- Thaung, M. M. (2008). A list of hypomycetes (and agonomycetes) in Burma. *Australas. Mycol.* 27, 149-172.
- Thomson, J. D., Gibson, T. J., Plewniak, F., Jeanmougin, F. and Higgins, D. G. (1997). The Clustal_X windows interface: Flexible strategies for multiple sequences alignment aided by quality analyses tools. *Nucleic Acids Research* 25, 4876–4882.
- To-anun, C., Nguenhom, J., Meeboon, J. and Hidayat, I. (2009). Two fungi associated with necrotic leaflets of areca palms (*Areca catechu*). *Mycological Progress* 8, 115-121.
- Tokumasu, S. (1996). Mycofloral succession on *Pinus densiflora* needles on a moder site. *Mycoscience* 37, 313-321.
- Tokumasu, S. (1998a). Fungal successions on pine needles fallen at different seasons: the succession of interior colonizers. *Mycoscience* 39, 409-416.
- Tokumasu, S. (1998b). Fungal successions on pine needles fallen at different seasons: the succession of surface colonizers. *Mycoscience* 39, 417-423.
- Tomlinson, P. B. (1964). Stem structure in arborescent monocotyledons. In Zimmermann, M. H. (Ed.), *Formation of wood in forest trees: the second symposium held under auspices of the Maria Moors Cabot Foundation for Botanical Research, Harvard Forest, April, 1963*, (pp. 65-86), New York: Academic Press.


- Tomlinson, P. B. (1990). *The structural biology of palms*. Oxford: Oxford University Press.
- Tulasne, L. R. and Tulasne, C. (1863). *Selecta Fungorum Carpologica*. *Selecta Fungorum Carpologia* 2, 1-319.
- Uhl, N. W. and Dransfield, J. (1987). *Genera Palmarum: A Classification of Palms based on the Work of Harold E. Moore, Jr.* Lawrence: Allen Press.
- Vilgalys, R. and Hester, M. (1990). Rapid genetic identification and mapping enzymatically amplified ribosomal DNA from several *Cryptococcus* species. *Journal of Bacteriology* 172, 4238–4246.
- Waksman, S. A. (1916). Do fungi live and produce mycelium in the soil? *Science* 44, 320-322.
- Wang, Y. Z. and Hyde, K. D. (1999). *Hyponectria buxi* with notes on the *Hyponectriaceae*. *Fungal Diversity* 3, 159–172.
- Weeks, A., Daly, D. C. and Simpson, B. B. (2005). The phylogenetic history and biogeography of the frankincense and myrrh family (Burseraceae) based on nuclear and chloroplast sequence data. *Molecular Phylogenetics and Evolution* 35, 85–101.
- Wehmeyer, L. E. (1975). The pyrenomycetous fungi. *Mycological Memoir* 6, 1-250.
- White, T. J., Burns, T., Lee, S. and Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In Innis, M. A., Gelfand, D. H., Sninsky, J. J. and White, T. J. (Eds.), *PCR Protocols: a Guide to Methods and Application* (pp. 315–322), San Diego: Academic Press.

- Whitham, T. G., Young W. P., Martinsen G. D., Gehring C. A., Schweitzer J. A., Shuster S. M., Wimp G. M., Fischer D. G., Bailey J. K., Lindroth R. L., Woolbright S. and Kuske C. R. (2003). Community and ecosystem genetics: A consequence of the extended phenotype. *Ecology* 84, 559-573.
- Whittaker, R. H. (1975). *Communities and Ecosystems*, 2nd ed. New York: MacMillan.
- Whitton, S. R. (1999). *Microfungi on the Pandanaceae*. Ph.D. Thesis. The University of Hong Kong. Hong Kong, PR China.
- Whitton, S. R., McKenzie, E. H. C. and Hyde, K. D. (2000). *Dictyochaeta* and *Dictyochaetopsis* species from the Pandanaceae. *Fungal Diversity* 4, 133-158.
- Wilkinson, H. H., Siegel, M. R., Blankenship, J. D., Mallory, A. C., Bush, L. P. and Schardl, C. L. (2000). Contribution of fungal loline alkaloids to protection from aphids in a grass-endophyte mutualism. *Molecular Plant-Microbe Interactions* 13, 1027-1033.
- Willis, K. J. and McElwain, J. C. (2002). *The Evolution of Plants*. Oxford: Oxford University Press.
- Wilson, D. (1995). Endophyte – the evolution of a term, a clarification of its use and definition. *Oikos* 73, 274-276.
- Wong, S. W. and Hyde, K. D. (1999). Ultrastructural observations on *Oxydothis alexandrarum*. *Fungal Diversity* 2, 181-188.
- Yanna. (2001). *Biodiversity, Ecology and Taxonomy of Saprobic Fungi on Palm Fronds*. Ph.D Thesis. The University of Hong Kong. Hong Kong, PR China.
- Yanna, Ho, W. H. and Hyde, K. D. (2001). Fungal communities on decaying palm fronds in Australia, Brunei, and Hong Kong. *Mycological Research* 105, 1458-1471.

Yuen, T. K., Hyde, K. D. and Hodgkiss, I. J. (1999). Interspecific interactions among tropical and sub-tropical freshwater fungi. *Microbial Ecology* 37, 257-262.

Zhaxybayeva, O. and Gogarten, J. P. (2002). Bootstrap, Bayesian probability and maximum likelihood mapping exploring new tools for comparative genome analyses. *Genomics* 3, 1-15.

Zhuang, W. Y. (2001). *Higher Fungi of Tropical China*. Ithaca, New York: Mycotaxon, Ltd.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved