REFERENCES

Ahrens, C.D. (2008). *Essentials of meteorology: an invitation to the atmosphere*, 5th ed. Belmont: Cengage Learning.

Anothai, J., Patanothai, A., Jogloy, S., Pannangpetch, K., Boote, K.J., and

Hoogenboom, G. (2008). A sequential approach for determining the cultivar coefficients of peanut lines using end-of-season data of crop performance trials. *Field Crops Research*. 108, 169-178.

Aulukh, M.S., and Bijay-Singh. (1997). Nitrogen losses and fertilizer N use efficiency in irrigated porous soils. *Nutrient Cycling in Agroecosystems*. 47, 197-212.

Bouman, B.A.M., and Laar, H.H.V. (2006). Description and evaluation of the rice growth model ORYZA2000 under nitrogen-limited conditions. *Agricultural Systems*. 87, 249-273.

Bowen, W. (2005). Urea deep placement as an option for increasing nitrogen use efficiency. Proceeding of the Rice-Wheat Consortium Meeting, Dhaka, Banggladesh, February, 2005.

- Bray, R.H. and Kurtz, L.T. (1945). Determination of total organic and available form of phosphorus in soil. Soil Science. 59: 39-45.
- Brian, L. (1994). *IRRI 1993-1994: filling the world's rice bowl*. The International Rice Research Institute, Los Baños.

Brigitte, L., Guerif, M., and Baret, F. (1991). The use of remotely sensed data in estimation of PAR use efficiency and biomass production of flooded rice. *Remote Sensing of Environment*. 38, 147-158.

- Buresh, R.J. (2008). *Site-specific nutrient management for rice*. Farming Outlook. June: 81-23.
- Cassman, K.G., Peng, S., Olk, D.C., Ladha, J.K., Reichardt, W., Dobermann A., and Singh U. (1998). Opportunities for increased nitrogen-use efficiency from improved resource management in irrigated rice systems. *Field Crops Research.* 56, 7-69.

Catling, D. (1992). Rice in deep water. 1 st ed. London: Macmillan.

- Catling, H.D., Puckridge, D.W., and HilleLambers, D. (1988). *The environment of Asian deepwater rice*, Proceeding of the international deepwater rice workshop. Rice research institute, Bangkok, October, 1987.
- Chareontham, P., Palaklang, W., Niyonwit, L., Prommanart, P., and Chareonsilp, N. (1994). Situation of floating rice cultivation in 1992/1993. Rice Research Institute, Sukhothai.
- Cheyglinted, S., Ramamukhaarachchi, S. L., and Sing, G. (2001). Assessment of the CERES-rice model for rice production in the central plain of Thailand. *Journal of Agricultural Science*. 137, 289-298.
- David, C.C. (1994). *Modern rice technology and income distribution in Asia*. The International Rice Research Institute.
- De Datta, S.K. (1978). Fertilizer management for efficient use in wet land rice soils. in *Soil and Rice*. (p. 671-701), The International Rice Research Institute: Los Baños.
- De Datta, S.K. (1981). Principles and Practices of Rice Production. New York: John Wiley and Son.

- De Datta, S.K., Magnaye, C.P., and Moomaw, J.C. (1978). *Efficiency of fertilizer nitrogen (15N-labelled) for flooded rice*, Proceeding of Transactions of 9th International Soil Science Congress IV.
- Denning, G. L., and Xuân, V. T. (1994). Vietnam and IRRI: a partnership in rice research: Proceedings of a conference, Hanoi, May, 1994.
- Department of Agriculture. (2002). *Good Agricultural Practice (GAP) for flooded rice*. Bangkok: The agricultural co-operative federation of Thailand. (in Thai)

Department of Agriculture. (2004a). *Recommendation for chemical fertilizer application in rice field base on soil analysis*. Department of Agriculture, Bangkok. (in Thai)

- Department of Agriculture. (2004b). *Thai rice check*. The agricultural co-operative federation of Thailand, Bangkok. (in Thai)
- Department of Agriculture. (2010). Statistic of chemical fertilizer [Online]. Available: http://as.doa.go.th/ard/stat2.php?cat=3 [2009, Nov 12].
- Dobermann, A., Witt, C., Dawe, D. eds. (2004). Increasing productivity of intensive rice systems through site-specific nutrient management. Enfield, N.H. (USA) and Los Baños. Philippines: Science Pubblication, Inc., and International Rice Research Institue (IRRI). 410p.
- Eriksen, A.B., and Nelsen, S. (1982). Effect of deep placement and surface application of urea on the yield of wetland rice in pot trials. *Plant and Soil*. 66, 29-36.
- Evans, L.T., and De Datta, S.K. (1979). The relation between irradiance and grain yield of irrigated rice in the tropicc, as influence by cultivar, nitrogen fertilizer application and month of planting. *Field Crops Research.* 2, 1-17.

Fageria, N.K. (1992). Maximizing crop yields. New York: Marcel Dekker.

- Frouin, R., and Pinker, T.R. (1995). Estimating photosynthetically active radiation (PAR) at the earth surface fron sattleite observations. *Remote Sensing of Environment*. 51, 98-107.
- Furuya, S. (1987). Growth diagnosis of rice plants by means of leaf color. Japan Agricultural Research Quarterly. 29, 147-153.
- Gao, L.Z., Jin, Z.Q., and Li, L. (1987). Photo-Thermal models of rice growth duration for varietal types in Chaina. *Agricultural and Forest Meteorology*. 39, 205-213.
- Gao, L., Zhiqing, J., Huang, Y., and Zhang, L. (1992). Rice clock model a computer model to simulate rice development. *Agricultural and Forest Meteorology*. 60, 1-16.

George, A. (2007). Principles of plant genetics and breeding. Maklen: Blackwell.

- Gomez, K.A., and Gomez, A.A. (1984). *Statistical procedures for agricultural research*, 2 nd ed. New York: John Wiley and Son.
- Graves, A. R., Hess, T., Matthews, R. B., Stephens, W., and Middleton, T. (2002).Crop simulation models as tools in computer laboratory and classroom-base education. *Journal of Natural Resource Life Science Education*. 31, 48-54.
- Gravetter, F. J., and Wallnau, L. B. (2008). *Essentials of statistics for the behavioral sciences*. Belmont: Cengage Learning.
- Gravois, K. A. (1992). Genetic effects determining rice grain weight and grain density. *Euphytica*. 64, 161-165.
- Greenland, D. J. (1997). *The Sustainability of Rice Farming*. CABI-IRRI, Wallingford.

- Halder, K.P., Sattar, S.M.A., Islam, M.S., and Chowdhury, M.J.U. (2004). Effect of planting date on phenological event of transplanted aman rice. *Journal of Agronomy*. 3, 90-93.
- Harry, J.N. (1997). *Rice production in Cambodia*. International Rice Research Institute.
- He, J., Hu, H., and Jone, J.W. (2008). Guideline of GLUE Program Installation and Running. Volume, 13.
- He, J., Jone, J. W., Graham, W.D., and Duke, M.D. (2010). Influence of likelihood function choice for estimating crop model parameters using the generalized likelihood uncertainty estimation methods. *Agricultural System*. 103, 256-264.
- Hirunyupakorn, V., Kupkanchanakul, T., Bhekasut, P., Runtan, S., and Krobpetch, N. (1988). *Effect of water depth at fertilizer application on deepwater rice yield*.
 Proceeding of the international deepwater rice workshop, Bangkok, October, 1987.
- Hoogenboom, G. (2000). Contribution of agrometeorology to the simulation of crop production and its applications. *Agricultural and Forest Meteorology*. 103, 137-157.
- Hoogenboom, G., Wilkens, P.W. and Tsuji, G.Y. (1999). DSSAT version 3, volume4. University of Hawaii, Honolulu, Hawii.
- Hunt, L. A., and Boote, K. J. (2002). Data for model operation calibration, and evaluation. in G. Y. Tsuji, G. Hoogenboom, and P. K. Thornton (Eds.), *Understanding for agricultural production*. (p.9-39), Hawaii: Kluwer Academic Publishers and ICASA.

- Hunt, L.A., Kuchar, L. and Swwanton, C.J. (1998). Estimation of solar radiation for use in crop modeling. Agricultural and Forest Meteorology. 91 (3-4), 293-300.
- Hunt, L. A., Pararajasingham, S., Jone, J. W., Hoogenboom, G., Imamura, D. T., and Ogoshi, R. M. (1993). GENCALC: Software to facilitate th use of crop model for analizing field experiments. *Agronomy Journal*. 85, 1090-1094.
- International Fertilizer Development Center. (2007). Bangladesh will dramatically expand technology that doubles efficiency of urea fertilizer use. FDC Report. 32(4), 1–2–5.
- International Fertilizer Development Center. (2008). World fertilizer prices continue to soar as scientists stress need to increase fertilizer efficiency. IFDC Report. 33(2), 1–3–4.

International Rice Research Institute. (1976). Climate & Rice. International Rice

Research Institute, Los Baños.

International Rice Research Institute. (1984). Terminology for Rice Growing

Environments. International Rice Research Institute, Los Baños.

International Rice Research Institute. (1985a). Soil physics and rice. International

Rice Research Institute, Los Baños.

International Rice Research Institute. (1985b). Wetland Soils: Characterization.

Classification and Utilization. International Rice Research Institute, Los Baños.

International Rice Research Institue. (1988). *International Deepwater Rice* Workshop, Bangkok, October, 1987. International Rice Research Institute. (1989). Progress in irrigated rice research: selected papers and abstracts from the International Rice Research Conference, 21-25 September 1987, Hangzhou, China.

- International Rice Research Institute. (1989). *Rice farming systems: new directions*. International Rice Research Institute, Sakha.
- International Rice Research Institute. (1993). *Rice Research in a Time of Change*. International Rice Research Institute, Los Baños.
- Jackson, M.L. (1965). Soil Chenmcal Analysis: Advanced Course. Department of Soil, University of Wisconsin. Madison.
- Jaiwal, P.K., Singh, R.P., and Gulati, A. (1997). *Strategies for improving salt tolerance in higher plants*. Ithaca: Science Publishers,
- Jiang, M., and Zhi-qing, J. (2009). A Method for Upscaling Genetic Parameters of CERES-Rice in Regional Applications. *Rice Science*. 16, 292-300.
- Jing, Q., Keulen, H.V., and Hengsdilk, H. (2010). Modeling biomass, nitrogen and water dynamics in rice–wheat rotations. *Agricultural Systems*. 103, 433-443.
- Jinyrawet, A., Promrit, S., and Sringarm, P., (2002). Earth surface solar radiation calculation from day length and daily temperature. Agricultural Journal, 18(1) 189-208. (in Thai)

Jones, C.A., Koenig, R.T., Ellsworth, J.W., Brown, B.D., and Jackson, G.D. (2007). *Management of urea fertilizer to minimize volatilization*. Montana State University Extension Bull. EB173; Bozeman, MT.

Jones, J.W., Hoogenboomb, G., Portera, C.H., Bootea, K.J., Batchelorc, W.D., Huntd, L.A., Wilkense, P.W., Singhe, U., Gijsmana, A.J., and Ritchief, J.T. (2003).

The DSSAT cropping system model. *European Journal of Agronomy*. 18, 235-265.

 Kammen, D. M., and Hassenzahl, D. M. (2001). Should we risk it?: exploring environmental, health, and technological problem solving. New Jersey: Princeton University Press.

Kawasaki, J. (2010). Thailand's rice farmers adapt to climate change [Online]. Available: http://ourworld.unu.edu/en/climate-change-adaptation-for-thailandsrice-farmers [2010, June 12].

Kerdsuk, V. (2002). Application of crop modeling and GIS for agroclimatic of KDML105 in Tung Samrit, Nakhon Rachasima, Thailand. Crop Production Technology. Nakhon Rachasima, Thailand, Suranaree University of Technology. Ph.D.

Khedari, J., Sangprajak, A. and Hirunlabh, J. (2002). Thailand climatic zones. *Reneable energy*. 25, 267-280.

Khush, G.S., and Toenniessen, G.H. (1991). *Rice biotechnology*. Wallingford: CAB International.

Kunnoot, L., (2006). *Integration of check list for flooded rice production*. Bangkok: Panich Pranakorn.

Kupkanchanakul, T., Puckridge, D. W., Petchrit, K., Kupkanchanakul, K., and Thongbai, P. (1986). Production from deepwater rice and early maturing rice intercrops with different row combinations. *Field Crops Research*. 14, 53-62.
Kwesi Ampong-Nyarko, S.K.D.D. (1991). *A hand book for weed control in rice*. International rice research institute. Land Development Department. 2003. *Land use*. Ministry of Agriculture and Cooperative, Bangkok.

- Loague, K., and Green, R. E. (1993). Startistical and and graphical methods for evaluation sulote transport model: overview and application. *Journal of Contaminant Hydrology*. 7, 51-73.
- Maclean, J.L., David, C.D., and Gene, P.H. (2002). *Rice almanac: source book for the most important economic activity on earth.* Wallingford: CABI Publishing.
- Mahabub, H., N.T. Duong, and Gascon, F.B. (1994). *Change from deepwater rice to irrigated rice ecosystem in Mekong River Delta: impact on productivity and on farmer' income*. Vietnam and International Rice Research Institute: a partnership in rice research, Hanoi, May, 1994.
- Mahmood, R., Meo, M., David, R.L., Mark, L.M. (2003). The CERES-Rice Modelbased estimates of potential monsoon season rainfed rice productivity in Bangladesh. *The Professional Geoghrapher*. 55, 259-273.
- Mankeb, P. (1993). Calibration of genetic coefficients of paddy rice (Oryza sativa L.)
 for validation of the ceres-rice model in Northern Thailand. Agricultural
 Systems. Chiang Mai, Chiang Mai University. Master of Science: 121.
- Mannan, M. A. (1987). *Deepwater rice in perspective*. Proceeding of the international deepwater rice workshop. International rice research institute, Bangkok,Thailand, October, 1987.
- Mather, T.H., and That, T.T. (1984). *Environmental management for vector control in rice fields*. Food and Agriculture Org, Rome.

Matthews, R.B. (1995). *Modeling the impact of climate change on rice production in Asia*. Wallingford: Cab International.

- Matthews, R.B., and William, S. (2002). *Crop-soil simulation models: applications in developing countries*. New York: CAB International.
- Matthews, R. B., Stephens, W., Hest, T., Middleton, T., and Graves, A. (2002).
 Applications of crop/soil simulation models in tropical agricultural systems.
 Advances in Agronomy. 76, 31-124.
- Mazaredo, A.M., Laureles, E.V., and Setter, T.L. (1996). Growth and yield of modern deepwater rice: Comparisons with modern irrigated rice. *Field Crops Research.* 46, 105-116.
- McConnell, D.J., and Dillon, J.L. (1997). Farm management for Asia: a systems approach. Rome.
- Michele, R., Nicola, L. and Zina, F. (2003). Evaluation and application of the
 OILCROP?SUN model for sunflower in southern Italy. *Agricultural Systems*.
 78, 17-30.
- Miller, F.P., Vandome, A.F., and McBrewster, J. (2009). *Arithmetic Mean*. Beau Bassin: VDM Publishing House Ltd.
- Min, J., and Zhi-qing, J. (2009). A Method for Upscaling Genetic Parameters of CERES-Rice in Regional Applications. *Rice Science*. 16, 292-300.
- Mohanty, S.K., Sing, U., Barasubramanian, V., and Jha, K.P. (1999). Nitrogen deepplacement technologies for productivity, profitability, and environmental quality of rainfed lowland rice systems. Nutirent Cycling in Agroecosystems. 53, 43-57.
- Molle, F., and Keawkulaya, J. (1998). Water management and agricultural change: A case study in the upper Chao Phraya Delta. *Southeast Asian Studies*. 36, 32-58.

- Moran, J. M., and Morgan, M. D. (1994). *Meteorology; The atmosphere and the science of the weather*. New York: Macmillan College Publishing.
- Natsuki, K. (1993). Southeast Asian Rice Farming and Farmers in Transition. Ryuukeisyosya,
- Matsui, T., Namuco, O.S., Ziska, L.H., and Horie, T. (1997). Effects of high temperature and CO2 concentration on spikelet sterility in Indica rice. *Field Crops Research*. 51, 213-221.
- Nesbitt, H.J. (1997). *Rice production in Cambodia*. International Rice Research Institute, Manila.
- Pabico, J.P. (2008). Optimizing the cultivar coefficients in Ceres-rice model using simulated breeding. The Joint 19th Philippine Agricultural Engineering Week, 58th Philippine Society of Agricultural Engineers Annual National Convention, and 6th International Agricultural Engineering Conference and Exhibition, Laguna.
- Pasandaran, E., Gultum, B., Sri Adiningsih, J., Hapsari, and Rochayati, S. (1999).
 Government policy support for technology promotion: A case study of urea tablet technology in Indonesia. *Nutrient Cycling in Agroecosystems*. 53, 113-119.
- Paul, C. (1994). Rice biotechnology and genetic engineering. Lancaster: CRC Press.
- Paul, L.V., and Byrnes, B.H. (1986). The efficacy of fertilizer N in lowland rice. Nutrient Cycling in Agroecosystems. 9, 131-147.
- Peng, S., Laza R. C., Garcia, F. V., Sanico, A. L., Visperas, R. M., Cassman, K. G. (1996). Increased N-use efficiency using a chlorophyll meter on high-yielding irrigated rice. *Field Crops Research*. 47, 243-252.

- Pingali, P.L., Hossen, M., Pandey, S., and Price, L.L. (1998). Economic and nutrient management in Asia rice systems: Towards increasing knowledge intensity. *Field Crops Research*. 56, 157-176.
- Pratt, P.F. (1965). Potassium. pp. 1022-1030. In C.A. Black, ed. Method of SoilAnalysis. Part II. Agronomy NO. 9. America Society Agronomy Inc.Wisconsin. Madison.
- Puckridge, D.W., Catling, H.D., Vongsaroj, P., Boonyawivatana, S., Niyomwit, L., and Thongbai, P. (1989). Factors affecting deepwater rice in the central plain of Thailand. *Field Crops Research*. 19, 263-283.
- Puckridge, D.W., Kongchuma, M., Thongbaia, P., Sattarasarta, A., and SinoupakarnaS. (1994). Nitrogen uptake and yield of deepwater rice in the central plain ofThailand. *Field Crops Research*. 37, 193-204.
- Qi, Y., Zhang, H., Zhang, D., Wang, M., Sun, J., Ding, L., Wang, F., and Li, Z.
 (2009). Assessing indica -japonica differentiation of improved rice varieties using microsatellite markers. *Journal of Genetics and Genomics*. 36, 305-312.
- Rice Department. (2009). Rice Knowledge Bank [Online]. Available: http://www.brrd.in.th/rkb/ [2009, Nov 15].
- Ritchie, J.T., Alocilja, E.C., Singh, U. and Uehera, G. (1987). *IBSNAT and CERES-Rice model*. In: Weather and Rice -Proc. Int. Workshop on the Impact of
 Weather Parameters on Growth and Yield of Rice. International Rice Research Institute, Los Baños, Philippines.
- Schafera, B.M., and Kirchhof, B.G. (2000). The soil and climate characterisation of benchmark sites for lowland rice-based cropping systems research in the Philippines and Indonesia. *Soil Tillage Research.* 56, 15-35.

- Shepard, K., McNeill J.R., and Merchant, C. (2004). *Encyclopedia of world environmental history*. London: Routledge.
- Shunji, O. and Kimuraa, A. (2007). Impacts of climate changes on the temperature of paddy waters and suitable land for rice cultivation in Japan. *Agricultural and Forest Meteorology*. 147, 196-198.

Singh, S.N. (2009). Climate Change and Crops. New York: Springe.

- Sombilla, M., Mahabub, H., and Hardy, B. (2002). *Developments in the Asian rice economy*. Proceedings of the International Workshop on Medium and Long-Term Prospect of Rice Supply and Demand in the 21st Century, International rice research institute, Los Bonos, December, 2001.
- Sommut, W. (2003). *Change in flood-prone rice ecosystems in Thailand, crop year* 2000-2001. Prachin Buri Rice Research Center, Prachin Buri.
- Sommut, W., and DungSoongnern, P. (2002). Situation of rice cultivation in deep water ecosystem of Thailand cropping season 2000/2001. Proceedings of academic meeting, Rice Research Institute, Pathum Thani, March, 2002.

Sparks, D.L. (2009). Advances in Agronomy. San Diego: Elsevier Academic Press.

Takebe, M., and Yoneyama, T. (1989). Measurement of leaf color score and its implication to nitrogen nutrition of rice plants. 23, 86-93.

Timsina, J., and Humphreys, E. (2006). Performance of CERES-Rice and CERES-

Wheat models in rice–wheat systems: A review. *Agricultural systems*. 90, 5-31.
Timsina, J., and Humphreys, E. (2006). Application of CERES-Rice and CERESWheat in research policy and climate change studies in Asia: A review. *International Journal of Agricultural Research*. 1, 202-225.

Timsina, J., Pathak H., Humphreys, E., Godwin, D., Bijay-Singh, Shukla, A.K., and Singh, U. (2004). *Evaluation of and yield gap analysis in rice using CERES-Rice vers. 4.0 in north-west India*. Proc. (CD-ROM) of 4th Intl. Crop Sci. Cong., 26 September-1 October, Brisbane, Australia.

Tongyai, C. (1994). Impact of climate change on simulated rice production in

Thailand. in C. Rosenzweig and A. Iglesias (eds.), *Implications of Climate Change for International Agriculture: Crop Modelling Study*, US Environmental Protection Agency, Washington, DC.

- Vijarnsorn, P., and Eswaran, H. (2002). *The Soil Resources of Thailand*. Bangkok.: First Press Ltd.
- Wallach, D., and Goffinet, B. (1987). Mean squared error of predictionin model for studying ecological and agronomic systems. *Biometrics*. 43, 561-573.
- William, P.G., and Gettinby, G. (1998). Experimental design techniques in statistical practice: A practical software-based approach. Chichester: Horwood
 Publishing.
- Williams, E.R., Matheson, A.C., and Harwood, C.E. (2002). *Experimental design and analysis for tree improvement*. 2 nd ed. Collingwood: CSIRO Publishing.

Yamane, T., (1967). *Statistics, An Introductory Analysis,* second ed. New York. Harper and Row.

Yao, F., Xu, Y., Lin, E., Yokozawa, M., and Zhang, J. (2007). Assessing the impacts of climate change on rice yields in the main rice areas of China. *Climatic Change*. 80, 395-409.



ลิ<mark>ขสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University All rights reserved