

REFERENCES

- Allen, O.N. and E.K. Allen. 1981. Leguminosae: A Source Book of Characteristics, Uses, and Nodulation. Univ. of Wisconsin Press, Madison.
- Allos, H.F. and W.V. Bartholomew. 1959. Replacement of symbiotic fixation by available nitrogen. *Soil Sci.* 87: 61-66.
- Andrews, C.S., A.D. Johnson and R.L. Sandland. 1973. Effect of aluminium on the growth and chemical composition of some tropical and temperate pasture legumes. *Aust. J. Agric. Res.* 24: 325-339.
- Antoun H, C., J. Beauchamp, N. Goussard, R. Chabot and R. Lalande. 1998. Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: effect on radishes (*Raphanus sativus* L.) *Plant Soil* 204:57-67.
- Azevedo, J. L., W.Jr. Maccheroni, J.O. Pereira and W.L. Araujo. 2000. Endophytic microorganisms: a review on insect control and recent advances on tropical plants. *EJB Electronic J. Biotechnol.* 3(1): 40-65.
- Bashan, Y. 1998. Inoculants of plant-promoting bacteria for use in agriculture. *Biotechnol. Adv.* 16: 729-770.
- Berkum, P. and B.D. Eardly. 1998. Molecular evolutionary systematics of the Rhizobiaceae. In The Rhizobiaceae: Molecular Biology of Model Plant-Associated Bacteria. (Spaink, H.P. et al. eds.), Kluwer Academic Publishers, Dordrecht. pp.1-24.
- Bernstein, L. and G. Ogata. 1966. Effect of salinity on nodulation, nitrogen fixation and growth of soybean and alfalfa. *Agron. J.* 68: 201-203.
- Bezdicek, D. F., D. W. Evans, B. Abede and R. E. Witters. 1978. Evaluation of Peat and granular inoculum for soybean yield and N fixation under irrigation. *Agron. J.* 70: 865-868.
- Bien, P.V. H.H. Tien, P.N. Quy, M.T. Tam, and B.V. Nu. 1996. The Soybean Agriculture Public House. Hanoi. 78pp. (in Vietnamese)
- Bottomley, P. J. and D. D. Myrold. 2007. Biological N inputs. In Paul. (Ed.) *Soil Microbiology, Ecology, and Biochemistry*. Oxford Academic Press in an imprint of Elsevier. pp. 377.

- Brady, D.J., C.H. Hecht-Buchholz, C.D. Asher, and D.G. Edwards. 1990. Effects of low activities of aluminium on soybean (*Glycine max*) 1. Early growth and nodulation. In van Beusichem, M.L. (Ed.) Plant Nutrition-Physiology and Applications. Kluwer Academic Publishers, Dordrecht. pp. 329-334.
- Brockwell, J., P.J. Botomley and J.E. Thies. 1995. Manipulation of rhizobial microflora for improving legume productivity and soil fertility: a critical assessment. *Plant Soil* 174: 143-180.
- Bremer, E., C. van Kessel, L. Nelson, R.J. Rennil and D.A. Rennie. 1990. Selection of *Rhizobium leguminosarum* strains for lentil under growth room and field conditions. *Plant Soil* 121:47-56.
- Caldwell, B.E. and G. Vest. 1968. Nodulation interactions between soybean genotypes and serogroups of *Rhizobium japonicum* strains on soybean yields. *Crop Sci.* 10: 19-21.
- Caldwell, B.E. and G. Vest. 1970. Effect on *Bradyrhizobium japonicum* strain on soybean yields. *Crop Sci.* 10: 19-21.
- Campo, R.J. 1995. Residual Effects of Aluminium on *Bradyrhizobium japonicum* in Defined Medium and Soil Solution. Ph.D. Thesis. The University of Reading, Reading.
- Catado D.A., M. Haroon, L.E Schrader and V.L. Youngs. 1975. Rapid colorimetric determination of nitrate in plant tissues by nitration of salicylic acid. *Comm. Soil Sci. Plant Anal.* 6: 71-80.
- Cattelant, A.J., and M. Hungria, 1994. Nitrogen nutrition and inoculation. In Tropical Soybean: Improvement and Production. FAO. Rome. pp. 201-212.
- Cooper, J.E., M. Wood and A.J. Holding. 1983. The influence of soil acidity factors on rhizobia. In Jones, D. G. and D. R. Davies (Eds.) Temperate Legumes: Physiology, Genetics and Nodulation. Pittman, London. pp. 319-335.
- Coventry, D.R. and J. Evans. 1989. Symbiotic nitrogen fixation and soil acidity. In Robison, A.D. (Ed.) Soil Acidity and Plant Growth. Academic Press, Sydney. pp. 103-137.
- Date, R. 1996. Selection of strains for inoculant production. In Balatti, A. P. and J. R. J. Freire. (Eds.) Legumes Inoculants: Selection and Characterization of Strains, Production, Use and Management. pp. 184.
- Dara, P. and B. Martin, U. Sopheap, E. Natalie and B. McCormick. 2006. Rhizobial inoculation versus nitrogen fertilizer for mungbean, peanut and soybean in rainfed upland areas of Cambodia. Document from Cambodian Agricultural Research and Development Institute. pp. 12.

- Dart, P.J. 1974. Development of root-nodule symbioses. In Quispel, A. (Ed.) The Biology of Nitrogen Fixation. American Elsevier Publishing Company, New York. pp. 381-429.
- Denarie, J., F. Debelle and C. Rosenberg. 1992. Signalling and host range variation in nodulation. Annual Review of Microbiology 46:453-464.
- Diatloff, A. and S. Langford. 1975. Effective natural nodulation of peanuts in Queensland. Queensl. J. Agric. Anim. Sci. 32: 95-100.
- Dilworth, M.J., J.G. Howieson, W.G. Reeve, R.T. Tiwari and A.R. Glenn. 2001. Acid tolerance in legume root nodule bacteria and selecting for it. Aust. J. Expt. Agric. 41: 446-453.
- Eaglasham, A.R., J.S. Hassouna and R. Seegers. 1983. Fertilizer-N effect on N₂ fixation by cowpea and soybeans. Agron. J. 75: 61-66.
- Erdman, L.W. and U.M Means. 1952. Use of total yield for predicting nitrogen content of inoculated legumes grown in sand cultures. Soil Sci. 73:231-235.
- Evans, H.J. and L.E. Barbar. 1977. Biological nitrogen fixation for food and fiber production. Science 197: 332-339.
- Ferreira, E.M and J.F. Margues. 1992. Select of portuguese *Rhizobium leguminosarum* bv. *trifolii* strains for production of legume inoculates. Plant and Soil 147: 151-158.
- FAO. 1984. Legume Inoculants and Their Use. Food and Agriculture Organization of the United Nation. Rome. pp. 63.
- FAO. 1998. Crop production. FAOTAT Database 1995, FAO Rome.
- Giller, K.E. and K.J. Wison. 1993. Nitrogen Fixation in Tropical Cropping Systems. CAB International, Wallingford, pp. 313.
- Gomez, K.A and A.A Gomez. 1984. Statistical Producers for Agricultural Research. 2nd Ed, John Wiley and Sons Inc., New York.
- Graham, P.H., K.J. Draeger, M.L. Ferrey, M.G. Conroy, B.E. Hammer, E. Martinez, S.R. Aarons and C. Quinto. 1994. Acid pH tolerance in strains of *Rhizobium* and *Bradyrhizobium*, and initial studies on the basis for acid tolerance of *Rhizobium tropici* UMR 1899. Can. J. Microbiol. 40: 198-207.
- Hadri, A_z-E., H.P. Spaink, T. Bisseling and N.J Brewin. 1998. Diversity of root nodule and rhizobial infection process. In Spaink, H. P., A. Konlorosi and P. J. J. Hooykaas. (Eds). The Rhizobiaceae: Molecular Biology of Model Plant Associated Bacteria. Kluwer Academic Publishers. London. pp. 347-360.

- Halliday, J. 1984. Principles of *Rhizobium* strain selection. In Alexander, M. (Ed.), Biological nitrogen Fixation: Ecology, Technology and Physiology. Plenum Press, New York. pp. 155-171.
- Ham, G.E., L.R. Frederic and I.C. Anderson. 1971. Serogroups of *Rhizobium japonicum* in soybean nodules. Agron. J. 63: 69-72.
- Herridge, D.F. 1984. Effects of nitrate and plant development on the abundance of nitrogenous solutes in root-bleeding and vacuum extracted exudates of soybean. Crop Sci. 24: 173-179.
- Herridge, D.F and M.B. Peoples. 2002. Timing of xylem sampling for ureide analysis of nitrogen fixation. Plant and Soil 238: 57-67.
- Herridge, D.F 2002. Legume N and inoculants: global and Vietnamese perspectives. In Herridge, D. (Ed.) Inoculants and Nitrogen Fixation of Legumes in Vietnam.
- Hinson, K., and H.H. Hartwig, 1982. Soybean Production in The Tropics. FAO. Rome. 158p.
- Hobbs, R.L.A., J.D. Mahon. 1982. Effects of pea (*Pisum sativum*) genotypes and *Rhizobium leguminosarum* strains on N_2 (C_2H_2) fixation and growth. Can. J. Bot. 60: 2594-2600.
- Howieson, J.G., G.W.O. Hara and S.J. Carr. 2000. Changing roles for legumes in Mediterranean agriculture: developments from an Australian perspective. Field Crops Research 65: 107-122.
- Hungria, M., M.A.T. Vargas and R.S. Araujo. 1997. Fixacao biologica do nitrogenio em feijoeiro. In Vargas, M.A.T., and M. Hungria (Eds.) Biologia dos Solos doc Cerrados. Brazil: EMBRAPA-CPAC, Planaltina. Brazil. pp. 189-295.
- Hymowitz, T., R.J. Singh and K.P. Kollipara. 1998. The genomes of the *Glycine*. In Janick, J. (Ed.) Plant Breeding Reviews. 16: 289-311.
- ITTA. 1985. Grain legume Improvement Program. Research highlights 1981-1984. Nigeria. pp. 80.
- Jordan, D.C. 1982. Transfer of *Rhizobium japonicum* Buchanan 1980 to *Bradyrhizobium* gen. nov., a genus of slow-growing root-nodule bacteria from leguminous plants. Int. J. Syst. Bacteriol. 32: 136-139.
- Jordan, D.C. 1984. *Rhizobiaceae*. CONN 1983. In Krieg, N.R. and J.G. Holt (Eds.), Bergey's Manual of systematic Bacteriology, Vol. I. Williams and Wilkins, Baltimore. pp. 234-244.

- Kim, M.M., C.J. Asher, D.G. Edwards and R.A. Date. 1985. Aluminium toxicity: effects on growth and nodulation of subterranean clover. Proceedings of the 15 International Grasslands Congress, Kentucky. pp. 501-503.
- Kuykendall, L.D., and D.F. Weber. 1978. Genetically marked *Rhizobium* identifiable as inoculum strain in the nodules of soybean plants grown in fields populated with *Rhizobium japonicum*. Appl. Environ. Microbiol. 36: 915-919.
- Kuykendall, L.D., B. Saxena, T.E. Devine and S.E. Udell. 1992. Genetic diversity in *Bradyrhizobium japonicum* Jordan 1982 and proposal for *Bradyrhizobium elkanii* sp. nov. Can. J. Microbiol. 38: 501-505.
- Ladha, J.K., and M.B. Peoples, 1995. Management of Biological N₂ Fixation of the Development of More Productive and Sustainable Agricultural Systems. Kluwer Academic Publishers. pp. 125.
- Libbenza, K.R. and R.J. Bogers. 1974. Root-nodule morphogenesis. In Quispel, A. (Ed.) The Biology of Nitrogen Fixation. American Elsevier Publishing, Inc., New York. pp. 430-472.
- Lopez-Garcia, S.L., T.E.E. Vazquez, G. Favelukes and A.R. Lodeiro. 2001. Imporved soybean root association of N-starved *Bradyrhizobium japonicum*. J. Bacteriol. 183: 7241-7254.
- Lowendorff, H.S. 1981. Factor affecting survival of *Rhizobium* in soil. Adv. Microbial Ecol. 4: 87-124.
- MAFF. 2008-2009. Annual Report for Agriculture, Forestry and Fisheries. Ministry of Agriculture, Forestry and Fisheries. Phnom Penh, Cambodia. pp. 105.
- MAFF. 2006-2010. Agricultural Sector Strategic Development Plan. Ministry of Agriculture, Forestry and Fisheries. Phnom Penh, Cambodia. pp. 49.
- Matsukuma, S., T. Okuda, and J. Watanabe. 1994. Isolation of actinomycetes from pine litter layers. Actnomyctol. 8 (2): 57-65.
- Moawad, A.M. 2000. Soil Biology. Institute of Agronomy in the tropics. University of Gottingen, Germany.
- Mulonggoy, K., and M. Gueye. 1990. Biological N₂ fixation and Sustainability of Tropical Agriculture. Jones Wiley and Sons Inc., New York. 435p.
- Munns, D.N. 1977. Mineral nutrition and the legume symbiosis. In Hardy, R.W.E and H. Gibson. (Eds.) A Treatise on Dinitrogen Fixation. Section IV. Agronomy and Ecology. John Wiley and Sons. New York. pp. 353-391.

- Murphy, H.E., D.G. Edward and C.J. Asher. 1984. Effects of aluminum on nodulation and early growth of four tropical pasture legumes. *Aust. J. Agric. Res.* 35: 663-673.
- Novozamsky, I., R. van Eck, J.Ch. van Schouwenburg and I. Walinga. 1974. Total nitrogen determination in plant material by means of the indophenol blue method. *Neth.J.agric.Sci.* 22:3-5.
- Nguyen Xuan Cu. 1996. The performance of soybean on low phosphorous acid soil in the northern mountainous region of Vietnam. MSc Thesis. Chiang Mai University, Thailand. pp. 41-45.
- Okazaki, T., K. Takahashi, M. kizuka and R. Enokita. 1995. Studies on acinomycetes isolated from plant leaves. *Ann. Rep. Sanko Res. Lab.* 47:97-106.
- Paulitz, T.C and R.G. Linderman. 1991. Lack of antagonism between the biocontrol agent *Gliocladium virens** and vesicular arbuscular mycorrhizal fungal. *New phytol.* 117: 303-308.
- Peoples, M.B., F.J. Bergersen, D.F. Herridge, M.N. Sudin, A.W. Faizah, K. Chong and M. Norhayati, 1988. Estimation of nitrogen fixation in legumes in the Tropics by xylem sap analysis. In Shanmsuddin, Z.H, W.M.W. Othman, M. Marziah and J. Sundram. (Eds.) Biotechnology of Nitrogen Fixation in the tropics. Serdang, Malaysia: Universiti Pertanian Malaysia, Serdang, pp. 117-126.
- Peoples, M.B., A.W. Faizah, B. Rerkasem and D.F. Herridge. 1989. Methods for Evaluating Nitrogen Fixation by Nodulated Legumes in the Field. ACIAR Monograph No. 11, pp. 39-40.
- Perret, X., C. Staechelin and W.J. Broughton. 2000. Molecular basis of symbiotic promiscuity. *Microbiology and molecular biology reviews* 64: 180-201.
- Phillips, D.A., W.R. Streit, H. Volpin and C.M. Joseph. 1997. Plant regulation of root colonization by *Rhizobium meliloti*. In Legocki, A., H. Bothe, and A. Puhler. (Eds.) Biological Fixation of Nitrogen for Ecology and Sustainable Agriculture. Springer-Verlag, Berlin. pp. 133-136.
- Polsnelli, M. and P.G. Mazza. 1984. Use of membrane filters for selective isolation of actinomycetes from soil. *Microbiol. Lett.* 22: 79-83.
- Pueppke, S.G. 1986. Nodule distribution on legume roots: Specificity and response to the presence of soil. *Soil Biol. and Biochem.* 18:601-606.
- Quispel, A. 1992. A search for signals in endophytic microorganisms. In Verma D.P.S. (Ed.) Molecular Signals in Plant-Microbe Communications. Boca Raton: CRC Press, Boca Raton. pp. 471-490.

- Rennie, R.J. and S. Dubetz. 1984. Multistrain vs. single strain *Rhizobium japonicum* inoculants for early maturing soybeans cultivars: N₂ quantified by N¹⁵ isotopic dilution. Agron. J. 76: 498-502.
- Rosas, J.C., J.A. Castro, E.A. Robleto, J. Handelsman. 1998. A method for screening *Phaseolus vulgaris* L. germplasm for preferential nodulation with a selected *Rhizobium etli* strain. Plant Soil 203:71-78.
- Sadowsky, M.J. and P.H. Graham. 1998. Soil biology of the *Rhizobiaceae*. In Spaink, H.P., A. Kondorosi and P.J.J. Hooykaas. (Eds.) *The Rhizobiaceae: Molecular Biology of Model Plant-Associated Bacteria*. Kluwer Academic Publishers, Dordrecht. pp. 155-172.
- Sardi, P., M. Saracchi, S. Quaroni, B. Peterolini, G.E. Borgonovi and S. Merli. 1992. Isolation of endophytic *Spreptomyces* strain from surface-sterile roots. Appl. Environ. Microbiol. 58(8): 2691-2693.
- Sawada, H., L.D. Kuykendall and J.M. Young. 2003. Changing concepts in the systematics of bacterial nitrogen-fixing legume symbiosis. J. Gen. Appl. Microbiol 49: 155-179.
- Schlaman, H.R.M., D.A. Phillips and E. Kondorosi. 1998. Genetic organization and transcriptional of rhizobial nodulation genes. In Spaink, H.P., A. Kondorosi and P.J.J. Hooykaas. (Eds.) *The Rhizobiaceae: Molecular Biology of Model Plant-Associated Bacteria*. Kluwer Academic Publishers, Dordrecht. pp. 361-386.
- Senaratne, R., C. Amornpinol and G. Hardarson. 1987. Effect of combined nitrogen on nitrogen fixation of soybean (*Glycine max* L. Merril) as affected by cultivar and rhizobial strain. Plant Soil 103:45-50.
- Sessitsch, A., B. Reiter and G. Berg. 2004. Endophytic bacterial communities of field grown potato plants and their plant-growth-promoting and antagonistic abilities. Can. J. Microbiol. 50(4):239-249.
- Shimizu, M., Y. Nakagawa, Y. Sato, T. Furumai, Y. Igarashi, H. Onaka, R. Yoshida and H. Kunoh. 2000. Studies on endophytic actinomycetes (I) *Streptomyces* sp. isolate from rhododendron and its antifungal activity. J. Gen. Plant Patho. 66: 360-366.
- Sinha, S.K. 1977. Food Legumes Distribution Adaptability and Biology of Yield. FAO. Rome. pp. 230.
- Somasegaran, P. and H.J. Hoben. 1994. Handbook for Rhizobia: Methods in Legume Rhizobium Technology. Springer-Verlag Inc., New York. Pp. 450.

- Samac. D.A, A. M. Willert, M.J.Mcbride and L.L. Kinkel. 2003. Effect of antibiotic producing *Streptomyces* on nodulation and leaf spot in alfalfa. Applied soil ecology 22: 55-66.
- Thapanapongworakul, P. 2003. Characterization of Endophytic Actinomycetes Capable of Controlling Sweet Pea Root Rot and Effects on Root Nodule Bacteria. MS. Thesis, Graduate School, Chiang Mai University. pp. 109.
- Tanner, J.W. and D.J. Hume. 1978. Management and production. In. Geoffreyy, N. (Ed.) Soybean Physiology, Agronomy and Utilization. Academic Press, New York. pp. 164-166.
- Thompson J.A., A. Bhromsiri, A. Shutsrirung, and S. Nillakan. 1991. Native root-nodule bacteria of traditional soybean growing areas of Northern Thailand. Plant Soil 135: 53-65.
- Tokala, R.K., J.L. Strap, C.M. Jung, D.F. Crawford, M.H. Salove, L.A. Deobalb, J.F. Bailey and M.J. Morra. 2002. Novel plant-microbe rhizosphere interaction involving *Streptomyces lydicus* Wyce108 and the pea plant (*Pisum sativum*). Appl. Environ. Microbiol 68 (5): 2161-2171.
- Vander Merwe, S.R., B.W. Strijdom, and C.J. Uys. 1974. Groundnut response to seed inoculation under extensive agricultural practices in South African soils. *Phytophylactic* 6: 295-302.
- Van Kammen, A. 1995. The molecular development of nitrogen fixing root nodules. In Tikhonovich I.A., N.A. Provorov, V.I. Romanov and W.E. Newton. (Eds.) Nitrogen Fixation: Fundamentals and Applications. Kluwer Academic Publishers. Dordrecht. pp. 9-14.
- Vargas, A.A.T. and P.H. Graham. 1988. *Phaseolus vulgaris* and *Rhizobium* strain variation in acid-pH tolerance and nodulation under acidic conditions. Field Crops Res. 19: 91-101.
- Vincent, J.M. 1976. A Manual for Practical Study of Root Nodule Bacteria. Blackwell Scientific Publications, Oxford. pp.164.
- Young E.G and C.E. Conway. 1942. On the estimation of allantoin by the Rimini-Schryver reaction. J. Biol. Chem. 142:836-853.
- Wadisirisuk, P. and R.W. Weaver. 1985. Importance of bacteroid number in nodules and effective nodule mass to dinitrogen fixation by cowpea. Plant and Soil 87:223-231.

- Wallinga, I., W. Van Vark, V.J.G. Houba and J.J. Van der Lee. 1989. Soil and Plant Analysis. An series of Syllabi. Part 7 Plant Analysis Procedures. Wageningen Agricultural Univ., Dept. of Soil Science and Plant Nutrition. Wageningen.
- Weaver, R.W. and L.R. Frederick. 1974. Effects of inoculum rate on competitive nodulation of *Glycine max* L. Merril. II. Field studies. Agron. J. 66:233-236.
- Weaver, R.W. and P.H. Graham. 1994. Legume nodule Symbionts. In. Weaver, R.W., S. Angle, P. Bottomley, D. Bezdicele, S. Smith, A. Tabatabai and A. Wollum, (Eds) Methods of Soil Analysis Part 2 Microbiological and Biochemical Properties. Soil Sci. Soc. Amer. Inc. pp. 199-218.
- Wilson, P.W., and W.W. Umbried. 1967. Fixation and transfer of nitrogen in the soybean. Zenthl. Bact. Etc. 2 Abt. 96:402-411.
- Xu, L.M., C. Ge, Z. Cui, J. Li and H. Fan. 1995. *Bradyrhizobium liaoningense* sp. nov., isolated from the root nodules of soybeans. Int. J. Syst. Bacterial. 45: 706-711.
- Yuan, W.M and D.L. Crawford. 1995. Characterization of *Streptomyces lydicus* WYEC108 as a potential biological agent against fungal root and seed rots. Appl. Environ. Micobiol. 61(8):3119-3128.
- Zary K.W., J.C. Miller, Jr.R.W. Weaver, and L.W. Barnes. 1978. Intraspecific variability for nitrogen fixation in southern pea (*Vigna unguiculata* L. Walp). J. Amer. Soc. Hort. Sci. 103(6):806-808.