

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ENGLISH ABSTRACT	iv
THAI ABSTRACT	vii
TABLE OF CONTENTS	x
LIST OF TABLES	xiii
LIST OF FIGURES	xvii
CHAPTER 1 INTRODUCTION	1
Objectives	3
CHAPTER 2 LITERATURE REVIEW	4
2.1 Effects of cultivation practices on sustainable highland rainfed agriculture	4
2.2 Effect of liming on nutrient availability	5
2.2.1 <i>Liming materials and benefits of lime application</i>	6
2.2.2 <i>Soil acidity and phosphorus availability</i>	7
2.2.3 <i>Effects of liming on phosphorus availability</i>	7
2.3 Effect of organic matter on soil properties and nutrient availability	8
2.3.1 <i>Effect of organic matter on soil physical properties</i>	8
2.3.2 <i>Effect of organic matter on nutrient availability</i>	9
2.3.3 <i>Relationships of organic matter, phosphorus fertilizer and phosphorus availability</i>	9
2.4 The source of zinc and effect of foliar zinc application on crop growth and yield	11
2.4.1 <i>Source of available zinc in soil</i>	11
2.4.2 <i>Effect of foliar zinc application on crop growth and yield</i>	12

TABLE OF CONTENTS (continued)

	Page
CHAPTER 3 MATERIALS AND METHODS	14
3.1 The experimental design	14
3.2 Treatment applications	16
3.3 Cropping practices	17
3.4 Measurement of soil properties and nutrients contents.	18
3.5 Measurement of plant growth, plant nutrient uptake and crop yield	25
3.6 Data analysis	26
CHAPTER 4 RESULT AND DISCUSSION	27
4.1 Soil physical properties	27
4.2 Soil chemical properties	31
4.2.1 <i>Soil reaction (soil pH)</i>	31
4.2.2 <i>Soil organic matter</i>	39
4.2.3 <i>Extractable phosphorus (Ext. P)</i>	45
4.2.4 <i>Extractable zinc (Ext.Zn)</i>	52
4.3 Vegetative growth (height), total phosphorus and zinc contents in tissue, total dry matter and seed yield of lablab bean	54
4.3.1 <i>Lablab bean development (Height of lablab bean)</i>	54
4.3.2 <i>Phosphorus and zinc contents in plant tissue of lablab bean</i>	62
4.3.3 <i>Total dry matter and seed yield</i>	67
CHAPTER 5 CONCLUSIONS	74
REFERENCES	78

TABLE OF CONTENTS (continued)

	Page
APPENDICES	83
Appendix A : Meteorology Data of Banthuan , Maecheam District, Chiang Mai in the year 2009.	84
Appendix B : Meteorology Data of Banthuan , Maecheam District, Chiang Mai in the year 2010.	85
CURRICULUM VITAE	86

LIST OF TABLES

Table	Page
3.1 <i>Experimental designed was a Split-Split Plot in Completely Randomized Designed (Split-Split Plot in CRD), Main-plots were cultivated practices comprising conventional planting (CP) and furrow cultivation (CF), Subplots were zinc (Zn₁) and no zinc (Zn₀) applications, whilst Sub-subplots were lime (L), organic fertilizer (OF) and inorganic fertilizer (IF) applications.</i>	15
3.2 <i>Soil physical and chemical properties within 0-20 and 20-40 cm depth under conventional planting (CP) and furrow cultivation (CF) before commencing the experiment (22 August, 2009).</i>	18
3.3 <i>Date of soil sampling at different growing stages for analysis of the studied soil properties and available nutrients, which were bulk density (BD), particle density (PD), total porosity (TP), field capacity (FC), and aeration porosity (AP), soil acidity (pH), organic matter (OM), extractable phosphorus (Ext.P) and extractable zinc (Ext.Zn).</i>	20
3.4 <i>Methods of soil analysis for the studied soil properties and available nutrients, which were bulk density (BD), particle density (PD), total porosity (TP), field capacity (FC), and aeration porosity (AP), soil acidity (pH), organic matter (OM), extractable phosphorus (Ext.P) and extractable zinc (Ext.Zn).</i>	21
4.1.1 <i>Variations of Bulk Density (BD), Field Capacity (FC), Total Porosity (TP), and Aeration Porosity (AP) within 0-20 cm depth affected by conventional planting (CP), furrow cultivation (CF), applications of lime (L), organic (OF)/inorganic (IF) fertilizers and control (average of CP and CF only) at different times of lablab bean growing during August 2009- January 2011.</i>	29

LIST OF TABLES (continued)

Table	Page
4.2.1a <i>Variations of mean values of soil pH within 0-20 cm depth under different treatments, cultivation methods (conventional planting, CP and furrow cultivation, CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizers, foliar zinc (Zn₁) and no-zinc (Zn₀) applications during August 2009- January 2011.</i>	34
4.2.1b <i>Variations of mean values of soil pH within 20-40 cm depth under different treatments, cultivation methods (conventional planting, CP and furrow cultivation, CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizers, foliar zinc (Zn₁) and no-zinc (Zn₀) applications during August 2009- January 2011.</i>	35
4.2.2a <i>Mean variations of soil organic matter (OM) within 0-20 cm depth under different treatments, conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizers foliar, including zinc (Zn₁) and no zinc (Zn₀) applications, during August 2009- January 2011.</i>	40
4.2.2b <i>Mean variations of soil organic matter (OM) within 20-40 cm depth under different treatments, conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizers foliar, including zinc (Zn₁) and no zinc (Zn₀) applications, during August 2009- January 2011.</i>	41
4.2.3a <i>Mean variations of extractable phosphorus (Ext.P) within 0-20 cm depth under different treatments, conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizers applications, including foliar zinc (Zn₁) and no zinc (Zn₀) applications, during August 2009- January 2011.</i>	46

LIST OF TABLES (continued)

Table	Page
4.2.3b <i>Mean variations of extractable phosphorus (Ext.P) within 20-40 cm depth under different treatments, conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizers applications, including foliar zinc (Zn₁) and no zinc (Zn₀) applications, during August 2009-January 2011.</i>	47
4.2.4 <i>Mean variations of Extractable zinc (Ext.Zn) within 0-20 cm soil depth under conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic fertilizer (OF), inorganic fertilizer (IF) applications, including foliar zinc (Zn₁) and no zinc (Zn₀) spray during 2 years experiment (August, 2009- January, 2011).</i>	53
4.3.1 <i>Mean variations height (cm) of lablab bean during 2 period crop planting (September, 2009- February, 2010 and September, 2010-January, 2011) under conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic fertilizer (OF), and inorganic fertilizer (IF) applications, including foliar zinc (Zn₁) and no zinc (Zn₀) spray.</i>	55
4.3.2 <i>Total phosphorus (total P) and total zinc (total Zn) in plant tissue at the maturity stage under conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF only), lime (L), organic fertilizer (OF), inorganic fertilizer (IF), foliar zinc (Zn₁) and no zinc (Zn₀) applications in the 1st and the 2nd year experiment.</i>	63
4.3.3 <i>The amount of total phosphorus and total zinc uptake (total P-uptake and total Zn-uptake (kg ha⁻¹) by lablab bean under different treatments, cultivation practices (CP and CF), Control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizer applications including foliar zinc (Zn₁) and no-zinc (Zn₀) applications.</i>	66

LIST OF TABLES (continued)

Table	Page
4.3.4 <i>Mean values of total dry matter and seed yield of lablab bean under conventional planting (CP) and furrow cultivation (CF), Control (average of CP and CF), lime (L), organic (OF) and inorganic fertilizer (IF) applications including foliar zinc (Zn₁) and no-zinc (Zn₀) spray.</i>	69

LIST OF FIGURES

Figure	Page
3.1 <i>The experimental plot consisted of 2 Mainplot, conventional planting (CP) and furrow cultivation (CF) and 4 Subplot of lime (L), fertilizers (organic, OF, and inorganic, IF) and foliar zinc (Zn) applications with 3 replicates of each treatment condition.</i>	16
3.2 <i>Method of preparing furrow with 30 cm depth, 50 cm width and 25 cm width of the ridge and keeping topsoil in the furrow</i>	16
4.1.1 <i>Variations of total porosity (TP), field capacity (FC) and aeration porosity (AP) under conventional planting (CP) and furrow cultivation (CF) at different time of lablab bean growing during August 2009-January 2011</i>	30
4.1.2 <i>Variations of total porosity (TP), field capacity (FC) and aeration porosity (AP) under control (average of CP and CF only), applying lime (L), organic fertilizer (OF) and inorganic fertilizer (IF) at different time of lablab bean growing during August 2009- January 2011</i>	30
4.2.1 <i>Variations of topsoil (0-20 cm) and subsoil pH under conventional planting (CP) and furrow cultivation (CF) during August, 2009 - February 2010 and September, 2010 - January, 2011.</i>	36
4.2.2 <i>Variations of topsoil pH (0-20 cm) under lime (L), organic fertilizer (OF) inorganic fertilizer (IF) applications and control (average of CP and CF only) during August, 2009- February 2010 and September, 2010- January, 2011</i>	37
4.2.3 <i>Variations of subsoil pH (20-40 cm) under lime (L), organic fertilizer (OF) inorganic fertilizer (IF) applications and control (average of CP and CF only) during August, 2009-February 2010 and September, 2010- January, 2011</i>	38
4.2.4 <i>Variations of topsoil (0-20 cm) and subsoil organic matter (OM) contents under conventional planting (CP) and furrow cultivation (CF) during (a) August, 2009 - February 2010 and (b) September, 2010 - January, 2011</i>	42

LIST OF FIGURES (continued)

Figure	Page
4.2.5 Variations of topsoil (0-20 cm) organic matter (OM) contents under control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizer applications during (a) August, 2009 - February 2010 and (b) September, 2010 - January, 2011	43
4.2.6 Variations of subsoil (20-40 cm) organic matter (OM) contents under control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizer applications during (a) August, 2009 - February 2010 and (b) September, 2010 - January, 2011.	44
4.2.7 Variations of topsoil (0-20 cm) and subsoil extractable phosphorus (Ext.P) under conventional planting (CP) and furrow cultivation (CF) during (a) August, 2009 - February, 2010 and (b) September, 2010 - January, 2011	49
4.2.8 Variations of topsoil (0-20 cm) extractable phosphorus (Ext.P) under control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizer applications during (a) August, 2009 - February, 2010 and (b) September, 2010 - January, 2011	50
4.2.9 Variations of subsoil (20-40 cm) extractable phosphorus (Ext.P) under control (average of CP and CF only), lime (L), organic (OF) and inorganic (IF) fertilizer applications during (a) August, 2009 - February, 2010 and (b) September, 2010 - January, 2011	51
4.3.1 Lablab bean growths (height) under conventional planting (CP) and furrow cultivation (CF) in the 1 st year of experiment, September, 2009-February, 2010 and in the 2 nd year of experiment, September, 2010-January, 2011	56
4.3.2 Lablab bean growths under conventional planting (CP) and furrow cultivation (CF)	57

LIST OF FIGURES (continued)

Figure	Page
4.3.3 <i>Lablab</i> bean growth after liming (L), organic fertilizer application (OF), inorganic fertilizer application (IF) and control (CP/CF) at the September 2009- February 2010 and September, 2010- January, 2011	59
4.3.4 <i>Lablab</i> bean growth under foliar zinc (Zn_1) and no zinc (Zn_0) applications the 1 st year- experiment (September, 2009- February, 2010) and the 2 nd year -experiment (September, 2010- January, 2011)	61
4.3.5 <i>Lablab</i> bean growth under foliar zinc (Zn_1) and no-zinc (Zn_0) applications in conventional planting (CP) and furrow cultivation (CF) plot.	62
4.3.6 The interaction effects of cultivation practices (CP and CF), soil amendments (L, OF, and IF), foliar zinc (Zn_1) and no zinc (Zn_0) applications on total dry matter of <i>lablab</i> bean in the 1 st and the 2 nd experimental year.	72
4.3.7 The interaction effects of cultivation practices (CP and CF), soil amendments (L, OF, and IF), foliar zinc (Zn_1) and no zinc (Zn_0) applications on seed yield of <i>lablab</i> bean in the 1 st year experiment.	73