

TABLE OF CONTENTS

	Page
Acknowledgements	iii
Abstract (in English)	iv
Abstract (in Thai)	vi
Table of Contents	viii
List of Tables	x
List of Figures	xii
CHAPTER 1 Introduction and Literature Review	1
1.1 Present Situation of Forests in Thailand	1
1.2 Three Needle Pine (<i>Pinus kesiya</i> Royle ex Gordon)	1
1.2.1 Natural Distribution	2
1.2.2 Flowering and Fruit/Seed Development	2
1.2.3 Seed Dispersal and Germination	3
1.2.4 Natural Regeneration	3
1.3 Watershed Restoration through Forest Plantation	4
1.4 Researches on <i>Pinus kesiya</i> Royle ex Gordon	5
1.5 Soil Properties in Plantation Forests	6
1.6 Plant Succession in Plantation Forests	8
1.7 Research Objectives	11
CHAPTER 2 Growths, Wood Productions, Plant Succession, Plant Communities and Natural Regeneration in a Series of <i>Pinus kesiya</i> Plantations	12
2.1 Introduction	12
2.2 Research Area	13
2.3 Materials and Methods	16
2.3.1 Vegetation Sampling	16
2.3.2 Physical Data of Sampling Plots	16
2.3.3 Calculation of Tree Volume	16
2.3.4 Plant Communities in a Series of Plantations	16
2.4 Results	17
2.4.1 Pine Growths and Wood Productions	17
2.4.2 Plant Succession	23
2.4.3 Plant Communities in a Series of Plantations	46
2.4.4 Natural Regeneration and Ground-covered Species	131
2.5 Discussion	138
CHAPTER 3 Potential Roles of Fragmented Forests on Succession in Pine Plantations	139
3.1 Introduction	139
3.2 Materials and Methods	140
3.2.1 Vegetation Sampling	140
3.2.2 Calculation for Ecological Parameters	140

TABLE OF CONTENTS (CONTINUED)

	Page
3.3 Results	142
3.3.1 Plant Community Analysis of Fragmented Forests	142
3.3.2 Potential Roles of Fragmented Forests on Succession in Pine Plantations	219
3.4 Discussion	221
CHAPTER 4 Changes of Soil Properties under a Series of <i>Pinus kesiya</i> Plantations	223
4.1 Introduction	223
4.2 Materials and Methods	224
4.2.1 Soil Sampling	224
4.2.2 Analysis of Soil Physical Properties	225
4.2.3 Analysis of Soil Chemical Properties	225
4.3 Results	225
4.3.1 Soil Properties in a Series of <i>Pinus kesiya</i> Plantations	225
4.3.2 Soil Properties in Fragmented Forests	242
4.3.3 Soil Properties in Opened Area	273
4.4 Discussion	281
CHAPTER 5 Conclusions and Recommendations	283
References	289
Appendix	299
Curriculum vitae	304

LIST OF TABLES

Table	Page	
2-1	Plantation areas of Boakaew Watershed Management Station	14
2-2	Growths of <i>Pinus kesiya</i> in a series of pine plantations of 21 age-class stands	18
2-3	Wood productions of <i>Pinus kesiya</i> in a series of plantations of 21 age-class stands	21
2-4	Timber volumes of <i>Pinus kesiya</i> with different timber quality and stem-girth classes in 21 age-class plantations	22
2-5	Growths of succession trees in a series of plantations of 21 age-class stands	23
2-6	Wood productions of succession trees in a series of pine plantations of 21 age-class stands	26
2-7	Timber volumes of succession trees with different timber quality and stem-girth classes in 21 age-class plantations	27
2-8	Quantitative characteristics of tree species in a series of pine plantations	47
2-9	Species diversity index (SWI) of tree species in a series of pine plantations	68
2-10	The number of tree individuals of different height classes in a series of pine plantations	89
2-11	The number of tree individuals of different stem-girth classes in a series of pine plantations	110
2-12	Total number of seedling and ground-covered species in a series of pine plantations	132
2-13	Overall quantitative data of plant communities in a series of <i>Pinus kesiya</i> plantations	137
3-1	Species list, growth forms and seed/fruit characteristics of tree species in fragmented forests	144
3-2	Quantitative characteristics of tree species in fifteen fragmented forests	149
3-3	Species diversity index (SWI) of tree species in fifteen fragmented forests	151
3-4	Indexes of forest conditions (FCI) in fifteen fragmented forests	154
3-5	Number of tree individuals with different height classes in fifteen fragmented forests	155
3-6	Number of tree individuals with different height classes in each fragmented forest	157
3-7	Number of tree individuals with different stem-girth classes in fifteen fragmented forests	169
3-8	Number of tree individuals with different stem-girth classes in each fragmented forest	171
3-9	Quantitative characteristics of tree species in fifteen fragmented forests	185
3-10	Species diversity index (SWI) of tree species in each fragmented forest	196

LIST OF TABLES (CONTINUED)

Table	Page
3-11 Quantitative characteristics of tree species in clusters	212
3-12 Overall data of plant communities in fifteen fragmented forests	213
3-13 Total numbers of seedling and ground-covered species in fifteen fragmented forests	215
3-14 Species richness among fragmented forest and pine plantations	221
4-1 Some physical properties in soil profiles under pine plantations	228
4-2 Some chemical properties in soil profiles under pine plantations	235
4-3 Extractable bases and acidity, cation exchange capacity and base saturation in soil profiles under pine plantations	238
4-4 Assessment of fertility levels in soil profiles under pine plantations	239
4-5 Overall data of plant communities in pine plantations	241
4-6 Topography and soil profile development in five fragmented forests	242
4-7 Some physical properties in soil profiles under fragmented forests	260
4-8 Some chemical properties in soil profiles under fragmented forests	267
4-9 Extractable bases and acidity, cation exchange capacity and base saturation in soil profiles under fragmented forests	270
4-10 Assessment of fertility levels in soil profiles under fragmented forests	271
4-11 Overall data of plant communities in five fragmented forests	273
4-12 Some physical properties in soil profile under opened area	274
4-13 Some chemical properties in soil profile under opened area	280
4-14 Extractable bases and acidity, cation exchange capacity and base saturation in soil profile under opened area	281
4-15 Assessment of fertility levels in a soil profile under opened area	281

LIST OF FIGURES

Figure		Page
2-1	The location of study area	15
2-2	The relation between tree height and dbh of <i>Pinus kesiya</i> in pine plantations	19
2-3	The relation between tree volume and the product of the square of dbh (D^2) and tree height (H) of <i>Pinus kesiya</i> by using power equation	19
2-4	Growth models of tree height, dbh and stem volume of <i>Pinus kesiya</i> of 21 age-class stands	20
2-5	Mean volumes and volume increments of <i>Pinus kesiya</i> of 21 age-class stands	22
2-6	Mean height and dbh of <i>Pinus kesiya</i> and other broad-leaved trees in 21 age-class plantations	24
2-7	Mean height and dbh increments of <i>Pinus kesiya</i> and other broad-leaved trees in 21 age-class plantations	24
2-8	Over view of pine plantations at Boakaew Watershed Management Station	25
2-9	The natural succession in pine plantations	25
2-10	Tree densities of <i>Pinus kesiya</i> and succession broad-leaved trees with different stem-girth classes in 21 age-class plantations	46
2-11	Natural regeneration in <i>Pinus kesiya</i> plantations	131
3-1	The relation between dbh and tree height in fragmented forests	153
3-2	The size class distribution of gbh in fragmented forests	153
3-3	Over views pictures of fragmented forests	184
3-4	Similarity percentages of plant communities among fragmented forests	208
3-5	Spatial distribution of dominant tree species in fragmented forests located on different altitudes	209
3-6	Human disturbances through tree cutting in fragmented forests	211
3-7	Dendrogram for the cluster analysis of fragmented lower montane forests of Boakaew highland watershed. The horizontal dash line represents reference points for delimiting cluster 1, 2, 3 and 4.	212
3-8	Some seedlings and ground-covered species in fragmented forests	214
3-9	Modes of fruits/seeds dispersal	220
4-1	Variations of bulk densities (left) and gravel amounts (right) along soil profiles under pine plantations	229
4-2	Distribution of soil particles along soil profiles under pine plantations	229
4-3	Comparison of bulk densities and gravel amounts in surface soils (0-10 cm) of five age class pine plantations	230
4-4	The pH values and contents of soil organic matter, carbon, nitrogen and other extractable nutrients in soil profiles under pine plantations	236
4-5	Comparison of soil reaction in surface soils (0-10 cm) among different age-class pine plantations	237
4-6	C/N ratios, cation exchange capacity (CEC) and base saturation percentages (BS) in soil profiles under pine plantations	237

LIST OF FIGURES (CONTINUED)

Figure	Page
4-7 Study site and soil profile of pedon 1 (The 1 st fragmented forest)	253
4-8 Study site and soil profile of pedon 2 (The 2 nd fragmented forest)	254
4-9 Study site and soil profile of pedon 3 (The 3 rd fragmented forest)	255
4-10 Study site and soil profile of pedon 4 (The 4 th fragmented forest)	256
4-11 Study site and soil profile of pedon 5 (The 5 th fragmented forest)	257
4-12 Variations of bulk densities (left) and gravel amounts (right) in soil profiles under fragmented forests	261
4-13 Distribution of soil particles in soil profiles under fragmented forests	261
4-14 The pH values and contents of organic matter, carbon, nitrogen, and other extractable nutrients in soil profiles under fragmented forests	268
4-15 C/N ratios, cation exchange capacity (CEC) and base saturation percentages (BS) in soil profiles under fragmented forests	269
4-16 Variations of bulk densities (left) and gravel amounts (right) in soil profiles of pine plantations, opened area and the 5 th fragmented forest	274
4-17 Comparison of bulk densities and gravel amounts in surface soils (0-5 and 5-10 cm) among pine plantations, opened area and the 5 th fragmented forest	275
4-18 Distribution of soil particles along profile in opened area	275
4-19 The pH values and contents of organic matter, carbon, nitrogen and extractable nutrients in soil profiles of pine plantations, opened area and the 5 th fragmented forest	278
4-20 C/N ratio, cation exchange capacity (CEC) and base saturation percentage (BS) in soil profiles of pine plantations, opened area and the 5 th fragmented forest	279