

## BIBLIOGRAPHY

- Acree, T. E. (1993). Bioassays of flavor. In "Flavor Science: Sensible Principles and Techniques" (T. E. Acree and R. Teranishi, eds.), pp. 1-20. ACS Professional Reference Book, Washington DC.
- Alexander, L. and Grierson, D. (2002). Ethylene biosynthesis and action in tomato: A model for climacteric fruit ripening. *Journal of Experimental Botany*. 53: 2039-2055.
- Anacleto, J. F., Ramaley, L., Boyd, R. K., Pleasance, S., Quilliam, M. A., Sim, P. G. and Benoit, F. M. (1991). Analysis of polycyclic aromatic compounds by supercritical fluid chromatography/mass spectrometry using APCI. *Rapid Communications in Mass Spectrometry*. 5: 149-155.
- Auerswald, H., Peters, P., Bruckner, B., Krumbein, A. and Kuchenbuch, R. (1999). Sensory analysis and instrumental measurements of short-term stored tomatoes (*Lycopersicon esculentum* Mill.). *Postharvest Biology and Technology*. 15: 323-334.
- Ayub, R., Guis, M., Amor, M. B., Gillot, L., Roustan, J. P., Latche', A., Bouzayen, M. and Pech, J. C. (1996). Expression of ACC oxidase antisense gene inhibits ripening of cantaloupe melon fruits. *Nature Biotechnology*. 14: 862-866.
- Baek, I., Linforth, R. S. T., Blake, A. and Taylor, A. J. (1999). Sensory perception is related to the rate of change of volatile concentration in-nose during eating of model gels. *Chemical Senses*. 24: 155-160.
- Bajic, S., Doerge, D. R., Lowes, S. and Preece, S. (1993). APCI: A technique for routine for LC-MS. *International Laboratory*. 23: 4-12.
- Baldwin, E. A., Nisperos-Carriedo, M. O. and Moshonas, M. G. (1991a). Quantitative analysis of flavor and other volatiles and for certain constituents of two tomato cultivars during ripening. *Journal of the American Society for Horticultural Science*. 116: 265-269.
- Baldwin, E. A., Nisperos-Carriedo, M. O., Baker, R. and Scott, J. W. (1991b). Quantitative analysis of flavor parameters in 6 Florida tomato cultivars. *Proceedings of the 1991 Meeting of the American Society for Horticultural Science*.

instrumental analysis for tomato flavor. *Journal of the American Society for Horticultural Science*. 123: 906-915.

- Baldwin, E. A., Scott, J. W., Shewmaker, C. K. and Schuch, W. (2000). Flavor trivia and tomato aroma: Biochemistry and possible mechanisms for control of important aroma components. *Journal of Horticultural Science*. 35: 1013-1022.
- Barnes, K. A., Fussell, R. J., Startin, J. R., Thorpe, S. and Reynolds, S. L. (1995). Determination of the pesticides diflubenzuron and clofentezine in plums, strawberries and blackcurrant-based fruit drinks by high performance liquid chromatographic/atmospheric pressure chemical ionization-mass spectrometry. *Rapid Communications in Mass Spectrometry*. 9: 1441-1445.
- Bauchot, A. D., Mottram, D. S., Dodson, A. T. and John, P. (1998). Effect of aminocyclopropane-1-carboxylic acid oxidase antisense gene on the formation of volatile esters in cantaloupe charentais melon (cv. Ve'drandais). *Journal of Agricultural and Food Chemistry*. 46: 4787-4792.
- Benoit, F. M., Davidson, W. R., Lovett, A. M., Nacson, S. and Ngo, A. (1983). Breath analysis by atmospheric-pressure ionization mass-spectrometry. *Analytical Chemistry*. 55: 805-807.
- Benoit, F. M., Davidson, W. R., Lovett, A. M., Nacson, S. and Ngo, A. (1985). Breath analysis by API/MS-Human exposure to volatile organic solvents. *International Archive of Environmental Health*. 55: 113-120.
- Bezman, Y., Mayer, F., Takeoka, G. R., Buttery, R. G., Ben-Oliel, G., Rabinowitch, H. D. and Naim, M. (2003). Differential effects of tomato (*Lycopersicon esculentum* Mill.) matrix on the volatility of important aroma compounds. *Journal of Agricultural and Food Chemistry*. 51: 722-726.
- Bird, C. R., Smith, C. J. S., Ray, J. A., Moureau, P., Bevan, M. W., Bird, A. S., Hughes, S., Morris, P. C., Grierson, D. and Schuch, W. (1988). The tomato polygalacturonase gene and ripening-specific expression in transgenic plants. *Plant Molecular Biology*. 11: 651-662.
- Bird, C. R., Ray, J. A., Fletcher, J. D., Boniwell, J. M., Bird, A. S., Fleuriere, C., Blam, I. P. M., B. and Schuch, W. (1991). Using antisense RNA to study gene function: inhibition of carotenoid biosynthesis in transgenic tomatoes. *Plant Molecular Biology*. 9: 525-539.

- Bowsher, C. G., Ferrie, B. J. M., Ghosh, S., Todd, J., Thompson, J. E. and Rothstein, S. J. (1992). Purification and partial characterization of a membrane-associated lipoxygenase in tomato fruit. *Plant Physiology*. 100: 1802-1807.
- Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*. 72: 248-254.
- Brauss, M. S., Linforth, R. S. T. and Taylor, A. J. (1998). Effect of variety, time of eating, and fruit-to-fruit variation on volatile release during eating of tomato fruits (*Lycopersicon esculentum*). *Journal of Agricultural and Food Chemistry*. 46: 2287-2292.
- Brauss, M. S., Linforth, R. S. T., Cayeux, I., Harvey, B. and Taylor, A. J. (1999). Altering the fat content affects flavour release in a model yogurt system. *Journal of Agricultural and Food Chemistry*. 47: 2055-2059.
- Brauss, M. S., Balders, B., Linforth, R. S. T., Avison, S. and Taylor, A. J. (2000). Fat content, baking time, hydration and temperature affect flavor release from biscuits in model and real systems. *Flavour Fragrance Journal*. 14: 351-357.
- Brummell, D. A., Harpster, M. H., Civello, P. M., Palys, J. M., Bennett, A. B. and Dunsmuir, P. (1999). Modification of expansin protein abundance in tomato fruit alters softening and cell wall polymer metabolism during ripening. *The Plant Cell*. 11: 2203-2216.
- 
- Brummell, D. A., Howie, W. J., Ma, C. and Dunsmuir, P. (2002). Postharvest fruit quality of transgenic tomatoes suppressed in expression of a ripening-related expansin. *Postharvest Biology and Technology*. 25: 209-220.
- 
- Buescher, R. W. (1975). Organic acid and sugar levels in tomato pericarp as influenced by storage at low temperature. *Journal of Horticultural Science*. 10: 158-159.
- 
- Buescher, R. H. and Buescher, R. W. (2001). Production and stability of (E,Z)-2,6-nonadienal, the major flavor volatile of cucumbers. *Journal of Food Science*. 66: 357-361.
- 
- Buttery, R. G., Seifert, R. M., Guadagni, D. G. and Ling, L. C. (1971). Characterization of additional volatile components of tomato. *Journal of Agricultural and Food Chemistry*. 19: 524-530.
- 
- Buttery, R. G., Tewari, R. and Ling, L. C. (1973). Volatile components of ripe and unripe tomato. *Journal of Agricultural and Food Chemistry*. 21: 101-104.
-

- Buttery, R. G., Teranishi, R., Ling, L. C., Flath, R. A. and Stern, D. J. (1988b). Quantitative studies on origins of fresh tomato aroma volatiles. *Journal of Agricultural and Food Chemistry*. 36: 1247-1250.
- Buttery, R. G., Teranishi, R., Flath, R. A. and Ling, L. C. (1989a). Identification of additional tomato volatiles. *Abstracts of Papers of the American Chemical Society*. 198: 55-AGFD.
- Buttery, R. G., Teranishi, R., Flath, R. A. and Ling, L. C. (1989b). Fresh tomato volatiles: Composition and sensory studies. In "Flavor Chemistry: Trends and Developments" (R. Teranishi, R. G. Buttery and F. Shahidi, eds.), Vol. 388, pp. 213-222. American Chemical Society, Washington DC.
- Buttery, R. G. (1993). Quantitative and sensory aspects of flavor of tomato and other vegetables and fruits. In "Flavor Science: Sensible Principles and Techniques" (T. E. Acree and R. Teranishi, eds.), pp. 259-278. ACS Professional Reference Book, Washington DC.
- Buttery, R. G. and Ling, L. C. (1993). Volatile components of tomato fruit and plant parts. In "Bioactive Volatile Compounds from Plants" (R. Teranishi, R. G. Buttery and H. Sugisava, eds.), Vol. 525, pp. 23-34. American Chemical Society, Washington DC.
- Buttery, R. G. (1999). Flavor chemistry and odor thresholds. In "Flavor Chemistry: 30 Years of Progress" (R. Teranishi, E. L. Wick and I. Hornstein, eds.), pp. 353-365. Kluwer Academic/Plenum Publishers, New York.
- Buttery, R. G., Takeoka, G. R., Naim, M., Rabinowitch, H. and Nam, Y. (2001). Analysis of furaneol in tomato using dynamic headspace sampling with sodium sulfate. *Journal of Agricultural and Food Chemistry*. 49: 4349-4351.
- Carey, A. T., Smith, D. L., Harrison, E., Bird, C. R., Gross, K. C., Seymour, G. B. and Tucker, G. A. (2001). Down-regulation of a ripening-related beta-galactosidase gene (TBG1) in transgenic tomato fruits. *Journal of Experimental Botany*. 52: 663-668.
- Carroll, D. L., Dzidic, I., Stillwell, R. N., Haegel, K. D. and Horning, E. C. (1975). Atmospheric pressure ionization mass spectrometry: Corona-discharge source for use in liquid chromatograph-mass spectrometer computer analytical system. *Analytical Chemistry*. 47: 2369-2373.
- Carroll, D. L., Dzidic, I., Horning, E. C. and Stillwell, R. N. (1976). Computer analysis of atmospheric pressure ionization mass spectra. *Analyst*. 101: 101-105.

- Chen, A. R. S. and Chase, T. (1993). Alcohol-dehydrogenase-2 and pyruvate decarboxylase induction in ripening and hypoxic tomato fruit. *Plant Physiology and Biochemistry*. 31: 875-885.
- Clark, L. B. (1995). Electrochemical assays: The oxygen electrode. In "Enzyme Assays: A Practical Approach" (R. Eisenthal and M. J. Danson, eds.), pp. 181-190. IRL Press, New York.
- Clark, L. C., Jr (1956). Monitor and control of blood and tissue oxygen tensions. *Transactions of American Society Artificial International Organization*. 2: 41-57.
- Cosgrove, D. J. (2000). Loosening of plant cell walls by expansins. *Nature*. 407: 321-326.
- Davidson, J. M. (2000). Non-volatile flavour compounds in foods: Their analysis and interactions. *Ph.D. Thesis*, The University of Nottingham, Leicestershire, UK.
- Davies, J. N. and Hobson, G. E. (1981). The constituents of tomato fruit-the influence of environment, nutrition and genotype. *CRC Critical Reviews in Food Science and Nutrition*. 15: 205-280.
- Dunwell, J. M. (1998). Novel food products from genetically modified crop plants: Methods and future prospects. *International Journal of Food Science and Technology*. 33: 205-213.
- Eriksson, C. E. (1979). Review of biosynthesis of volatiles in fruits and vegetables since 1975. In "Progress in Flavour Research" (D. G. Land and H. E. Nursten, eds.), pp. 159-174. Applied Science Publishers, Ltd., London.
- Fagard, M. and Vaucheret, H. (2000). (Trans) gene silencing in plants: How many mechanisms? *Annual Review of Plant Physiology and Plant Molecular Biology*. 51: 167-194.
- FAO. (2003). FAOSTAT Database Collections. [www.fao.org](http://www.fao.org).
- Ferrie, B. J., Beaudoin, N., Burkhart, W., Bowsher, C. G. and Rothstein, S. J. (1994). The cloning of 2 tomato lipoxygenase genes and their differential expression during fruit ripening. *Plant Physiology*. 106: 1092-1108.
- Feussner, J., Kuhn, H. and Wasternack, C. (2001). Lipoxygenase-dependent degradation of storage lipids. *Frontiers in Plant Science*. 1: 268-279.
- Feussner, J. and Wasternack, C. (2002). The Lipoxygenase pathway. *Annual Review of Plant Biology*. 53: 27-59.

- Fishwick, M. J., Wright, A. J. and Galliard, T. (1977). Quantitative composition of the lipids of cucumber fruit (*Cucumis sativus*). *Journal of the Science of Food and Agriculture*. 28: 394-398.
- Fleming, H. P., Cobb, W. Y., Etchells, J. L. and Bell, T. A. (1968). The formation of carbonyl compounds in cucumbers. *Journal of Food Science*. 33: 572-576.
- Forss, D. A., Dunstone, E. A., Ramshaw, E. H. and Stark, W. (1962). The flavor of cucumbers. *Journal of Food Science*. 27: 90-93.
- Fray, R. G. and Grierson, D. (1993). Identification and genetic-analysis of normal and mutant phytoene synthase genes of tomato by sequencing, complementation and co-suppression. *Plant Molecular Biology*. 22: 589-602.
- Friedman, M. (2002). Tomato glycoalkaloids: Role in the plant and in the diet. *Journal of Agricultural and Food Chemistry*. 50: 5751-5780.
- Friel, E. N., Linforth, R. S. T. and Taylor, A. J. (2000). An empirical model to predict the headspace concentration of volatile compounds above solutions containing sucrose. *Food Chemistry*. 71: 309-317.
- Galliard, T., Matthew, J. A., Fishwick, M. J. and Wright, A. J. (1976). The enzymic degradation of lipids resulting from physical disruption of cucumber (*Cucumis sativus*) fruit. *Phytochemistry*. 15: 1647-1650.
- Galliard, T. and Matthew, J. A. (1977). Lipoxygenase-mediated cleavage of fatty acids to carbonyl fragments in tomato fruits. *Phytochemistry*. 16: 339-343.
- Galliard, T., Matthew, J. A., Wright, A. J. and Fishwick, M. J. (1977). The enzymatic breakdown of lipids to volatile and non volatile carbonyl fragments in disrupted tomato fruits. *Journal of the Science of Food and Agriculture*. 28: 863-868.
- Galliard, T. (1978). Lipolitik and lipoxygenase enzymes in plants and their action in wounded tissues. In "Biochemistry of Wounded Plant Tissues" (G. Kahl, ed.), pp. 155-201. Walter de Gruyter & Co., Berlin.
- Galliard, T. and Chan, H. W. S. (1980). Lipoxygenases. In "The Biochemistry of Plants: A Comprehensive Treatise" (P. K. Stumpf, ed.), Vol. 4, pp. 131-161. Academic Press, New York.
- Gardner, H. W. (1991). Recent investigations into the lipoxygenase pathway of plants. *Biochemical Biophys Acta*. 1094: 221-239.
- Gardner, H. W. (1995). Biochemical and molecular biology of lipoxygenases. *Annual Review of Plant Physiology and Plant Molecular Biology*. 46: 531-565.

- Goodenough, P. W. (1990). Tomato, cucumber and gherkin. In "Food Flavours Part C: The Flavour of Fruits" (I. D. Morton and A. J. Macleod, eds.), pp. 327-349. Elsevier, Oxford.
- Gray, J. E., Picton, S., Giovannoni, J. J. and Grierson, D. (1994). The use of transgenic and naturally occurring mutants to understand and manipulate tomato fruit ripening. *Plant Cell and Environment*. 17: 557-571.
- Grechkin, A. (1998). Recent developments in biochemistry of the plant lipoxygenase pathway. *Progress in Lipid Research*. 37: 317-352.
- Grierson, D., Slater, A., Speirs, J. and Tucker, G. A. (1985). The appearance of polygalacturonase mRNA in tomatoes: One of a series of changes in gene expression during development and ripening. *Planta*. 163: 263-271.
- Grierson, D. and Kader, A. A. (1986). Fruit ripening and quality. In "The Tomato Crop: A Scientific Basis for Improvement" (J. G. Atherton and J. Rudich, eds.), pp. 241-280. Chapman and Hall, London.
- Grierson, D. and Schuch, W. (1993). Control of ripening. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*. 342: 241-250.
- Grierson, D. and Fray, R. (1994). Control of ripening in transgenic tomatoes. *Euphytica*. 79: 251-263.
- Grierson, D. (1998). Application of molecular biology and genetic manipulation to understand and improve quality of fruit and vegetables. In "Genetic and Environmental Manipulation of Horticultural Crops" (K. E. Cockshull, D. Gray, G. B. Seymour and B. Thomas, eds.). CAB International, London.
- Griffiths, A., Barry, C., Alpuche-Solis, A. G. and Grierson, D. (1999a). Ethylene and developmental signals regulate expression of lipoxygenase genes during tomato fruit ripening. *Journal of Experimental Botany*. 50: 793-798.
- Griffiths, A., Prestage, S., Linforth, R., Zhang, J., Taylor, A. J. and Grierson, D. (1999b). Fruit-specific lipoxygenase suppression in antisense-transgenic tomatoes. *Postharvest Biology and Technology*. 17: 163-173.
- Grossman, S. and Zakut, R. (1979). Determination of the activity of lipoxygenase (lipoxygenase). In "Methods of Biochemical Analysis" (D. Gluck, ed.), Vol. 25, pp. 303-309. J. Wiley & Sons, London.
- Guth, H. and Grosch, W. (1999). Evaluation of important odourants in foods by dilution techniques. In "Flavor Chemistry - 30 Years of Progress" (R.

- Hagiwara, T., Tetsuko, Y., Suzuki, S. and Kazuo, S. (1999). Determination of aspartame and diketopiperazine in food by liquid chromatography/atmospheric pressure chemical ionization-mass spectrometry. *Journal of Food Hygiene Society Japan.* 40: 62-67.
- Hall, L. N., Tucker, G. A., Smith, C. J. S., Watson, C. F., Seymour, G. B., Bundick, Y., Boniwell, J. M., Fletcher, J. D., Ray, J. A., Schuch, W., Bird, C. R. and Grierson, D. (1993). Antisense inhibition of pectin esterase gene-expression in transgenic tomatoes. *The Plant Journal.* 3: 121-129.
- Hamilton, A. J., Lycett, G. W. and Grierson, D. (1990). Antisense gene that inhibits synthesis of the hormone ethylene in transgenic plants. *Nature.* 346: 284-287.
- Hamilton, A. J., Brown, S., Yuanhai, H., Ishizuka, M., Lowe, A., Alpuche-Solis, A.G. and Grierson, D. (1998). A transgene with repeated DNA cause high frequency, post-transcriptional suppression of ACC-oxidase gene expression in tomato. *The Plant Journal.* 15: 737-746.
- Hannon, G. J. (2002). RNA interference. *Nature.* 418: 224-251.
- Harrison, A. G. (1992). *Chemical Ionization Mass Spectrometry.* 2<sup>nd</sup> ed. CRC Press Inc., Florida.
- Hatanaka, A., Kajiwara, T. and Harada, T. (1975). Biosynthetic pathway of cucumber alcohol: *trans*-2,*cis*-6-nonadienol via *cis*-3, *cis*-6-nonadienal. *Phytochemistry.* 14: 2589-2592.
- Hatanaka, A., Kajiwara, T., Matsui, K. and Kitamura, A. (1992). Expression of lipoxygenase and hydroperoxide lyase activities in tomato fruits. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences.* 47: 369-374.
- Heath, H. B. and Reineccius, G. (1986). *Biogenesis of Flavor in Fruits and Vegetables.* Van Nostrand Reinhold Company, New York.
- Heitz, T., Bergey, D. R. and Ryan, C. A. (1997). A gene encoding a chloroplast-targeted lipoxygenase in tomato leaves is transiently induced by wounding, systemin, and methyl jasmonate. *Plant Physiology.* 114: 1085-1093.
- Hildebrand, D. E. (1989). Lipoxygenases. *Physiology Plant.* 76: 249-253.
- Hobson, G. E. (1981). The short-term storage of tomato fruit. *Journal of Horticultural Science.* 56: 361-368.
- Hobson, G. E. and Grierson, D. (1993). Tomato. In "Review of Fruit Research". G. P. S. Sankaran, Ed. Academic Press, London, pp. 395-422.

- Hoeberichts, F. A., Van Der Plas, L. H. W. and Woltering, E. J. (2002). Ethylene perception is required for the expression of tomato ripening-related genes and associated physiological changes even at advanced stages of ripening. *Postharvest Biology and Technology*. **26**: 125-133.
- Horning, E. C., Horning, M. G., Carroll, D. I., Dzidic, I. and Stillwell, R. N. (1973). New picogram detection system based on a mass spectrometer with an external ionization source at atmospheric pressure. *Analytical Chemistry*. **45**: 936-943.
- Ishida, B. K., Baldwin, E. A., Butterly, R. G., Chui, S. H. and Ling, L. C. (1993). Flavor volatiles, sugars and color development in ripening *in vitro*-cultured tomato fruit calyx. *Physiologia Plantarum*. **89**: 861-867.
- Islam, M. S. (1997). Variability in different physical and biochemical characteristics of six tomato genotypes according to stages of ripeness. *Bangladesh Journal of Botany*. **26**: 137-147.
- Kader, A. A., Morris, L. L., Stevens, M. A. and Allbright-Holton, M. (1978a). Composition and flavor quality of fresh market tomatoes as influenced by some postharvest handling procedures. *Journal of the American Society for Horticultural Science*. **103**: 6-13.
- Kader, A. A., Stevens, M. A., Allbright-Holton, M. and Morris, L. L. (1978b). Amino acid composition and flavor of fresh market tomatoes as influenced by fruit ripeness when harvested. *Journal of the American Society for Horticultural Science*. **103**: 514-544.
- Kato, Y. and Numajiri, Y. (1991). Chloride attachment negative-ion mass spectra of sugars by combined liquid chromatography and atmospheric pressure chemical ionization mass spectrometry. *Journal of Chromatography-Biomedical Applications*. **562**: 81-97.
- Kausch, K. D. and Handa, A. K. (1997). Molecular cloning of a ripening-specific lipoxygenase and its expression during wild-type and mutant tomato fruit development. *Plant Physiology*. **113**: 1041-1050.
- Kazieniec, S. J. and Hall, R. M. (1970). Flavor chemistry of tomato volatiles. *Journal of Food Science*. **35**: 519-530.
- Ketkar, S. N., Dulak, J. G., File, W. L., Buchner, J. D. and Dhedphadkar, S. (1989). Atmospheric-pressure ionization tandem mass spectrometric system for food

- Klee, H. J. (1993). Ripening physiology of fruit from transgenic tomato (*Lycopersicon esculentum*) plants with reduced ethylene synthesis. *Plant Physiology*. **102**: 911-916.
- Knewstubb, P. F. and Sugden, T. M. (1958). Mass-spectrometric observations of ions in flames. *Nature*. **181**: 474-475.
- Kramer, M. G. and Redenbaugh, K. (1994). Commercialization of a tomato with an antisense polygalacturonase gene: The FLAVR SAVR™ tomato story. *Euphytica*. **79**: 293-297.
- Lee, K. Y., Baden, C., Howie, W. J., Bedbrook, J. and Dunsmuir, P. (1997). Post-transcriptional gene silencing of ACC synthase in tomato results from cytoplasmic RNA degradation. *The Plant Journal*. **12**: 1127-1137.
- Linforth, R. S. T., Savary, I., Pattenden, B. and Taylor, A. J. (1994). Volatile compounds found in expired air during eating of fresh tomatoes and in the headspace above tomatoes. *Journal of the Science of Food and Agriculture*. **65**: 241-247.
- Linforth, R. S. T. and Taylor, A. J. (1998). Apparatus and methods for the analysis of trace constituents of gases. *European Patent 0819 937 A2*.
- Linforth, R. S. T. and Taylor, A. J. (1999). Apparatus and methods for the analysis of trace constituents of gases. *US Patent 5,869,344*.
- Linforth, R. S. T., Baek, I. and Taylor, A. J. (1999). Simultaneous instrumental and sensory analysis of volatile release from gelatine and pectin/gelatine gels. *Food Chemistry*. **65**: 77-83.
- Linforth, R. S. T., Friel, E. N. and Taylor, A. J. (2000). Modeling flavor release from foods using physicochemical parameters. In "Flavor Release: Linking Experiments, Theory and Reality" (D. D. Roberts and A. J. Taylor, eds.), Vol. 763, pp. 166-178. American Chemical Society, Washington DC.
- Linforth, R. S. T., Martin, F., Carey, M., Davidson, J. and Taylor, A. J. (2002). Retronasal transport of aroma compounds. *Journal of Agricultural and Food Chemistry*. **50**: 1111-1117.
- Lovett, A. M., Reid, N. M., Buckley, J. A., French, J. B. and Cameron, D. M. (1979). Real-time analysis of breath using an atmospheric pressure ionization mass spectrometer. *Biomedical Mass Spectrometry*. **6**: 91-97.
- Morozumi, S., Hayata, Y., Kozuka, H., Sakamoto, K. and Ochiai, Y. (2002).

- Marin, M., Baek, I. and Taylor, A. J. (1999). Flavour release from aqueous solutions under dynamic headspace dilution. *Journal of Agricultural and Food Chemistry*. 47: 4750-4755.
- Marquet, P. and Lachatre, G. (1999). Liquid chromatography-mass spectrometry: Potential in forensic and clinical toxicology. *Journal of Chromatography B*. 733: 93-118.
- Maul, F., Sargent, S. A., Balaban, M. O., Baldwin, E. A., Huber, D. J. and Sims, C. A. (1998). Aroma volatile profiles from ripe tomatoes are influenced by physiological maturity at harvest: An application for electronic nose technology. *Journal of the American Society for Horticultural Science*. 123: 1094-1101.
- Maul, F., Sargent, S. A., Sims, C. A., Baldwin, E. A., Balaban, M. O. and Huber, D. J. (2000). Tomato flavor and aroma quality as affected by storage temperature. *Journal of Food Science*. 65: 1228-1237.
- McGorrin, R. J. and Gimelfarb, L. (2001). Novel aspects of tomatillo flavor. In "Aroma Active Compounds in Foods: Chemistry and Sensory Properties" (G. R. Takeoka, M. Guntert and K. H. Engel, eds.), pp. 73-92. American Chemical Society, Washington DC.
- Meyer, P. (1995). Understanding and controlling transgene expression. *Trends in Biotechnology*. 13: 332-337.
- Meyer, P. and Saedler, H. (1996). Homology-dependent gene silencing in plants. *Annual Review of Plant Physiology and Plant Molecular Biology*. 47: 23-48.
- Mitchum, R. K. and Korfmacher, W. A. (1983). Atmospheric-pressure ionization mass-spectrometry. *Analytical Chemistry*. 55: 1485-1499.
- Napoli, C., Lemieux, C. and Jorgensen, R. (1990). Introduction of a chimeric chalcone synthase gene into petunia results in reversible co-suppression of homologous genes in trans. *The Plant Cell*. 2: 279-289.
- NCBI (2002). Entrez Nucleotide. [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov).
- Nelson, B. C. and Sharpless, K. B. (2003). Quantification of the predominant monomeric catechins in baking chocolate standard reference material by LC/APCI-MS. *Journal of Agricultural and Food Chemistry*. 51: 531-537.
- Niessen, J. W. M. A. (1999). State-of-the-art in liquid chromatography-mass spectrometry. *Journal of Chromatography A*. 856: 19-197.

- Oeller, P. W., Min-Wong, L., Taylor, L. P., Pike, D. A. and Theologis, A. (1991). Reversible inhibition of tomato fruit senescence by antisense RNA. *Science*. 254: 437-439.
- Palma-Harris, C., McFeeters, R. F. and Fleming, H. P. (2001). Solid-phase microextraction (SPME) technique for measurement of generation of fresh cucumber flavor compounds. *Journal of Agricultural and Food Chemistry*. 49: 4203-4207.
- Petro-Turza, M. (1987). Flavor of tomato and tomato products. *Food Reviews International*. 2: 309-351.
- Petro-Turza, M. and Teleky-Vamossy, G. (1989). Study on taste substances of tomato. Part 3. Sensory evaluations. *Die Nahrung*. 33: 387-394.
- Petro-Turza, M., Szarfoldi-Szalma, I., Fuzesi-Kardos, K. and Barath, A. (1989). Study on taste substances of tomato: II. Analytical investigations into the free amino acid, peptide and protein contents. *Acta Alimentaria*. 18: 107-117.
- Pickenhagen, W. (1999). Flavor chemistry-the last 30 years. In "Flavor Chemistry: 30 Years of Progress" (R. Teranishi, E. L. Wick and I. Hornstein, eds.), pp. 75-87. Kluwer Academic/Plenum Publishers, New York.
- Picton, S., Barton, S. L., Bouzayen, M., Hamilton, A. J. and Grierson, D. (1993). Altered fruit ripening and leaf senescence in tomatoes expressing an antisense ethylene-forming enzyme transgene. *The Plant Journal*. 3: 469-481.
- Porretta, S., Poli, G. and Minuti, E. (1998). Tomato pulp quality from transgenic fruits with reduced polygalacturonase (PG). *Food Chemistry*. 62: 283-290.
- Prestage, S., Linforth, R. S. T., Taylor, A. J., Lee, E., Speirs, J. and Schuch, W. (1999). Volatile production in tomato fruit with modified alcohol dehydrogenase activity. *Journal of the Science of Food and Agriculture*. 79: 131-136.
- Price, N. C. (1996). The determination of protein concentration. In "Enzymology Labfax" (P. C. Engel, ed.). Academic Press, Dublin.
- Prima-Hartley, V. G. B. (1998). Lipoxygenase activity in model food emulsion systems. *Ph.D. Thesis*. The University of Nottingham, Leicestershire, UK.
- Quiroga, G. O. S. and Fraschina, A. A. (1997). Evaluation of sensory attributes and biochemical parameters in transgenic tomato fruit with reduced polygalacturonase activity. *Food Science and Technology International*. 3: 93.

- Read, S. M. and Northcote, D. H. (1981). Minimization of variation in the response to different proteins of the Coomassie Blue G dye-binding assay for protein. *Analytical Biochemistry*. **116**: 53-64.
- Redenbaugh, K., Hiatt, W., Martineau, B., Kramer, M., Sheehy, R., Sanders, R., Houck, C. and Emlay, D. (1992). *Safety Assessment of Genetically Engineered Fruits and Vegetables: A Case Study of the FLAVR SAVR™ Tomato*. CRC Press, London.
- Regdel, D., Kuhn, H. and Schewe, T. (1994). On the reaction specificity of the lipoxygenase from tomato fruits. *Biochimica Et Biophysica Acta-Lipids and Lipid Metabolism*. **1210**: 297-302.
- Reineccius, G. (2002). Instrumental methods of analysis. In "Food Flavour Technology" (A. J. Taylor, ed.), pp. 210-251. Sheffield Academic Press Ltd., Sheffield.
- Rick, C. M. (1978). The tomato. *Scientific American*. **239**: 67-76.
- Riley, J. C. M., Willemot, C. and Thompson, J. E. (1996). Lipoxygenase and hydroperoxide lyase activities in ripening tomato fruit. *Postharvest Biology and Technology*. **7**: 97-107.
- Satouchi, K., Kodama, Y., Murakami, K., Tanaka, T., Iwamoto, H. and Ishimoto, M. (2002). A lipase-inhibiting protein from lipoxygenase-deficient soybean seeds. *Bioscience Biotechnology and Biochemistry*. **66**: 2154-2160.
- Schuch, W., Kanczler, J., Robertson, D., Hobson, G., Tucker, G., Grierson, D., Bright, S. and Bird, C. (1991). Fruit-quality characteristics of transgenic tomato fruit with altered polygalacturonase activity. *Journal of Horticultural Science*. **26**: 1517-1520.
- Scieberle, P., Ofner, S. and Grosch, W. (1990). Evaluation of potent odorants in cucumbers (*Cucumis sativus*) and muskmelons (*Cucumis melo*) by aroma extract dilution analysis. *Journal of Food Science*. **55**: 193-195.
- Sekiya, J., Kajiwara, T. and Hatanaka, A. (1977). *Trans*-2, *cis*-6-nonadienal and *trans*-2, *cis*-2-nonenal in cucumber fruits. *Phytochemistry*. **16**: 1043-1044.
- Shiea, J., Wang, W. S., Wang, C. H., Chen, P. S. and Chou, C. H. (1996). Dimethylenedithiophosphine in CH<sub>2</sub>Cl<sub>2</sub> by low-temperature API-MS. *Analytical Chemistry*. **68**: 1062-1066.
- Siegel, M. W. and McKeown, M. C. (1976). Ions and electrons in the electron capture detector. *Journal of Chromatography*. **118**: 11-18.

- Sitrit, Y. and Bennett, A. B. (1998). Regulation of tomato fruit polygalacturonase mRNA accumulation by ethylene: A re-examination. *Plant Physiology*. **116**: 1145-1150.
- Smith, C. J. S., Slater, A. and Grierson, D. (1986). Rapid appearance of an mRNA correlated with ethylene synthesis encoding a protein of molecular weight 35000. *Planta*. **168**: 94-100.
- Smith, C. J. S., Watson, C. F., Ray, J. A., Bird, C. R., Morris, P. C., Schuch, W. and Grierson, D. (1988). Antisense RNA inhibition of polygalacturonase gene expression in transgenic tomatoes. *Nature*. **334**: 724-726.
- Smith, C. J. S., Watson, C. F., Bird, C. R., Ray, J. A., Schuch, W. and Grierson, D. (1990a). Expression of a truncated tomato polygalacturonase gene inhibits expression of the endogenous gene in transgenic plants. *Molecular General Genetics*. **224**: 477-481.
- Smith, C. J. S., Watson, C. F., Morris, P. C., Bird, A. S., Seymour, G. B., Gray, J. E., Arnold, C., Tucker, G. A., Schuch, W., Harding, S. and Grierson, D. (1990b). Inheritance and effect on ripening of antisense polygalacturonase genes in transgenic tomatoes. *Plant Molecular Biology*. **14**: 369-379.
- Smith, J. J., Linforth, R. and Tucker, G. A. (1997). Soluble lipoxygenase isoforms from tomato fruit. *Phytochemistry*. **45**: 453-458.
- Speirs, J., Lee, E., Holt, K., Yong-Duk, K., Scott, N. S., Loveys, B. and Schuch, W. (1998). Genetic manipulation of alcohol dehydrogenase levels in ripening tomato fruit affects the balance of some flavor aldehydes and alcohols. *Plant Physiology*. **117**: 1047-1058.
- Stern, D. J., Butterly, R. G., Teranishi, R., Ling, L., Scott, K. and Cantwell, M. (1994). Effect of storage and ripening on fresh tomato quality. *Food Chemistry*. **49**: 225-231.
- Stevens, M. A. (1972). Relationships between components contributing to quality variation among tomato lines. *Journal of the American Society for Horticultural Sciences*. **97**: 70-73.
- Stevens, M. A., Kader, A. A. and Holton, M. A. (1977). Intercultivar variation in composition of locular and pericarp portions of fresh market tomatoes. *Journal of the American Society for Horticultural Sciences*. **102**: 689-692.
- Stevens, M. A. (1980). Inheritance of tomato fruit quality components. In "Plant

- Stevens, L. (1992). Buffers and the determination of protein concentrations. In "Enzyme Assays a Practical Approach" (R. Eisenthal and M. J. Danson, eds.), pp. 317-336. Oxford University Press, Oxford.
- Tadege, M., Dupuis, I. and Kuhlemeier, C. (1999). Ethanolic fermentation: New functions for an old pathway. *Trends in Plant Science*. 4: 320-325.
- Taylor, A. J. (1996). Volatile flavor release from foods during eating. *Critical Reviews in Food Science and Nutrition*. 36: 765-784.
- Taylor, A. J. and Linforth, R. S. T. (1996). Flavour release in the mouth. *Trends in Food Science and Technology*. 7: 444-448.
- Taylor, A. J. and Linforth, R. S. T. (2000). Techniques for measuring volatile release *in vivo* during consumption of food. In "Flavor Release" (D. D. Roberts and A. J. Taylor, eds.), Vol. 763, pp. 8-21. American Chemical Society, Washington DC.
- Taylor, A. J., Linforth, R. S. T., Harvey, B. A. and Blake, A. (2000). Atmospheric pressure chemical ionisation for monitoring of volatile flavour release *in vivo*. *Food Chemistry*. 71: 327-338.
- Taylor, A. J. and Linforth, R. S. T. (2003). Direct mass spectrometry of complex volatile and non-volatile flavour mixtures. *International Journal of Mass Spectrometry*. 223: 179-191.
- Tieman, D. M., Harriman, R. W., Ramamohan, G. and Handa, A. K. (1992). An antisense pectin methylesterase gene alters chemistry and soluble solids in tomato fruits. *The Plant Cell*. 4: 667-679.
- Todd, J. F., Paliyath , G. and Thompson, J. E. (1990). Characteristics of a membrane-associated lipoxygenase in tomato fruit. *Plant Physiology*. 94: 1225-1232.
- Tucker, G. A. and Grierson, D. (1982). Synthesis of polygalacturonase during tomato fruit ripening. *Planta*. 155: 64-67.
- Turner, J. A., Linforth, R. S. T. and Taylor, A. J. (2002). Real-time monitoring of thermal flavor generation in skim milk powder using atmospheric pressure chemical ionization mass spectrometry. *Journal of Agricultural and Food Chemistry*. 50: 5400-5405.
- USDA (2001). Two views of the Flavr Savr. [www.access2excellence.org](http://www.access2excellence.org)
- van der Hijden, H. T. W. M. and Bom, J. J. (1996). Enzymes involved in the metabolic pathway leading to 3-methylbutanal in tomato fruit. In "Flavour

- van der Krol, A. R., Mur, L. A., Beld, M., Mol, J. N. M. and Stuitje, A. R. (1990). Flavonoid genes in petunia: Addition of a limited number of gene copies may lead to a suppression of gene expression. *The Plant Cell*. **2**: 291-299.
- Wang, C. L., Xing, J., Chin, C. K., Ho, C. T. and Martin, C. E. (2001). Modification of fatty acids changes the flavor volatiles in tomato leaves. *Phytochemistry*. **58**: 227-232.
- Wang, C. L., Chin, C. K., Ho, C. T., Hwang, C. F., Polashock, J. J. and Martin, C. E. (1996). Changes of fatty acids and fatty acid-derived flavor compounds by expressing the yeast *delta-9* desaturase gene in tomato. *Journal of Agricultural and Food Chemistry*. **44**: 3399-3402.
- Wardale, D. A. and Ambert, E. A. (1980). Lipoxygenase from cucumber fruit: Localization and properties. *Phytochemistry*. **19**: 1013-1016.
- Watson, J. T. (1997). *Introduction to Mass Spectrometry*. 3<sup>rd</sup> ed. Lippincott-Raven Publishers, Philadelphia.
- Whitaker, J. R. (1991). Lipoxygenases. In "Oxidative Enzymes in Foods" (D. S. Robinson and N. A. M. Eskin, eds.), pp. 175-215. Elsevier Science Publishers Ltd., New York.
- Whitfield, F. B. and Last, J. H. (1991). Vegetables. In "Volatile Compounds in Foods and Beverages" (H. Maarse, ed.), pp. 203-281. Marcel Dekker, Inc., New York.
- Winterhalter, P. (1992). Oxygenated C<sub>13</sub>-norisoprenoids important flavor precursors. In "Flavor Precursors: Thermal and Enzymatic Conversions" (R. Teranishi, G. R. Takeoka and M. Guntert, eds.), pp. 98-113. American Chemical Society, New York.
- Wong, D. W. S. (1995). *Food Enzymes: Structure and Mechanism*. Chapman & Hall, New York.
- Wright, D. H. and Harris, N. D. (1985). Effect of nitrogen and potassium fertilization on tomato flavor. *Journal of Agricultural and Food Chemistry*. **33**: 355-358.
- Yilmaz, E., Baldwin, E. A. and Shewfelt, R. L. (2002). Enzymatic modification of tomato homogenate and its effect on volatile flavor compounds. *Journal of Food Science*. **67**: 2122-2125.
- Yiu, M. H., Olson, L. E. and Salunkhe, D. K. (1967). Precursors of volatile components in tomato fruit. I. Compositional changes during development.

- Yu, M. H., Olson, L. E. and Salunkhe, D. K. (1968b). Precursors of volatile components in tomato fruit: III. Enzymatic reaction products. *Phytochemistry*. 7: 561-565.
- Yu, M. H., Salunkhe, D. K. and Olson, L. E. (1968c). Production of 3-methylbutanal from L-leucine by tomato extract. *Plant Cell Physiology*. 9: 633-638.
- Zamora, R., Olias, J. M. and Mesias, J. L. (1987). Purification and characterization of tomato lipoxygenase. *Phytochemistry*. 26: 345-347.