

## TABLE OF CONTENTS

	Page
Acknowledgement	iii
English abstract	iv
Thai abstract	vi
List of tables	x
List of figures	xiv
<b>Chapter 1 Introduction</b>	<b>1</b>
1.1 Principle, theory, rationale and hypotheses	1
1.2 Research objectives	3
1.3 Useful of the research	3
1.4 Research location	3
<b>Chapter 2 Literature reviews</b>	
2.1 Orange fruits	4
2.2 Chemical composition of orange juice	6
2.3 Spoilage and food- born pathogens in orange juice	9
2.4 Processes and hurdle treatments for orange juice	11
2.5 Regulation of fruit juices in Thailand	14
2.6 Chilling and freezing	15
2.7 Nisin	18
2.7.1 General characteristics of nisin	19
2.7.2 Structure and mechanism nisin	20
2.7.3 The effectiveness of nisin in food	22
2.7.4 The safety of nisin	24
2.7.5 Application of nisin in food products	25

## TABLE OF CONTENTS

	<b>Page</b>
Chapter 3 Materials and methods	
3.1 Physical, chemical, microbiological and sensory analysis of fresh orange juice	27
3.2 Monitoring the shelf life of orange juice at different storage temperatures	31
3.3 The effect of storage condition on carotenoids content in orange juice	31
3.4 The combination effect of nisin and pH on the quality of orange juice	32
Chapter 4 Result and discussion	
4.1 Physical, chemical, microbiological and sensory analysis of fresh orange juice cv.Sai Nam Pung and cv. Khieo Waan	33
4.2 Monitoring the shelf life of orange juice at different storage temperatures	35
4.3 The effect of storage condition on carotenoids content in orange juice	43
4.4 The combination effect of nisin and pH on the quality of orange juice	44
Chapter 5 Conclusion	50
References	52
Appendices	56
Appendix A Method for analysis	57
Appendix B Data of orange juice section 2-4	67
Vita	105

## LIST OF TABLES

Table	Page
2.1 An approximate chemical composition of orange juice	6
2.2 Composition of volatile flavour in orange juice	7
2.3 General characteristics of nisin	19
2.4 Food products, the permitted levels and countries in which nisin is approved to be used	25
4.1 Physical and chemical properties of orange juice cv. Sai Nam Pung and cv. Khieo Waan	34
4.2 Changes in Total Plate Count in orange juice during storage at room temperature (30°C), 4 and -18°C.	35
4.3 Shelf life of orange juice cv. Sai Nam Pung and cv. Khieo Waan at different storage temperatures	36
A4.1 Sensory properties of orange juice at the first day storage	68
A4.2 Changes in colour L* in orange juice during storage at room temperature, 4 and -18°C	69
A4.3 Changes in colour a* in orange juice during storage at room temperature, 4 and -18°C	70
A4.4 Changes in colour b* in orange juice during storage at room temperature, 4 and -18°C	71
A4.5 Changes in total soluble solids in orange juice during storage at room temperature, 4 and -18°C	72
A4.6 Changes in total titrable acidity in orange juice during storage at room temperature, 4 and -18°C	73
A4.7 Changes in pH in orange juice during storage at room temperature, 4 and -18°C	74
A4.8 Changes in reducing sugars in orange juice during storage at room temperature, 4 and -18°C	75

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
A4.9 Changes in ascorbic acid in orange juice during storage at room temperature, 4 and-18°C	76
A4.10 Changes in yeast and mould in orange juice during storage at room temperature, 4 and-18°C	77
A4.11 Changes in lactic acid bacteria in orange juice during storage at room temperature, 4 and-18°C	78
A4.12 Changes in spore count in orange juice during storage at room temperature, 4 and-18°C	79
A4.13 Changes in total carotenoid content in orange juice during storage at room temperature, 4 and-18°C	80
A4.14 Effect of nisin and pH on colour L* in orange juice cv. Sai Nam Pung during storage at 4°C	81
A4.15 Effect of nisin and pH on colour L* in orange juice cv. Khieo Waan during storage at 4°C	82
A4.16 Effect of nisin and pH on colour a* in orange juice cv. Sai Nam Pung during storage at 4°C	83
A4.17 Effect of nisin and pH on colour a* in orange juice cv. Khieo Waan during storage at 4°C	84
A4.18 Effect of nisin and pH on colour b* in orange juice cv. Sai Nam Pung during storage at 4°C	85
A4.19 Effect of nisin and pH on colour b* in orange juice cv. Khieo Waan during storage at 4°C	86
A4.20 Effect of nisin and pH on total soluble solids in orange juice cv. Sai Nam Pung during storage at 4°C	87
A4.21 Effect of nisin and pH on total soluble solids in orange juice cv. Khieo Waan during storage at 4°C	88

## LIST OF TABLES

Table	Page
A4.22 Effect of nisin and pH on reducing sugars in orange juice cv. Sai Nam Pung during storage at 4°C	89
A4.23 Effect of nisin and pH on reducing sugars in orange juice cv. Khieo Waan during storage at 4°C	90
A4.24 Effect of nisin and pH on ascorbic acid in orange juice cv. Sai Nam Pung during storage at 4°C	91
A4.25 Effect of nisin and pH on ascorbic acid in orange juice cv. Khieo Waan during storage at 4°C	92
A4.26 Effect of nisin and pH on total plate count in orange juice cv. Sai Nam Pung during storage at 4°C	93
A4.27 Effect of nisin and pH on total plate count in orange juice cv. Khieo Waan during storage at 4°C	94
A4.28 Effect of nisin and pH on yeast and mould in orange juice cv. Sai Nam Pung during storage at 4°C	95
A4.29 Effect of nisin and pH on yeast and mould in orange juice cv. Khieo Waan during storage at 4°C	96
A4.30 Effect of nisin and pH on lactic acid bacteria in orange juice cv. Sai Nam Pung during storage at 4°C	97
A4.31 Effect of nisin and pH on lactic acid bacteria in orange juice cv. Khieo Waan during storage at 4°C	98
A4.32 Effect of nisin and pH on spore count in orange juice cv. Sai Nam Pung during storage at 4°C	99
A4.33 Effect of nisin and pH on spore count in orange juice cv. Khieo Waan during storage at 4°C	100

## LIST OF TABLES

Table	Page
A4.34 Sensory properties of orange juice cv. Sai Nam Pung during storage at 6 days	101
A4.35 Sensory properties of orange juice cv. Khieo Waan during storage at 6 days	102
A4.36 Sensory properties of orange juice cv. Sai Nam Pung during storage at 18 days	103
A4.37 Sensory properties of orange juice cv. Khieo Waan during storage at 18 days	104

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

## LIST OF FIGURES

<b>Figures</b>	<b>Page</b>
2.1 Schematic structure of a mature orange	5
2.2 Primary structure of nisin A	21
2.3 Model of barrel- stave pore formation by peptides	21
4.1 Changes in colour L* in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	38
4.2 Changes in colour a* in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	38
4.3 Changes in colour b* in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	39
4.4 Changes in total soluble solids in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	39
4.5 Changes in titratable acidity in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	40
4.6 Changes in ascorbic acid in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	40
4.7 Changes in total carotenoid content in orange juice cv. Sai Nam Pung and cv. Khieo Waan during storage at 4 and -18°C	43

**LIST OF FIGURES**

<b>Figures</b>		<b>Page</b>
4.8	$\beta$ -carotene ( $\mu\text{g}/100\text{g}$ ) in orange juice cv. Sai Nam Pung and Khieo Waan at first day storage	44
4.9	Combination of nisin and pH on effectiveness to extend shelf life of orange juice	48
A.1	Value range in relation to lightness scales	58
A.2	Colour chart of natural colour system	59