

## REFERENCES

- ประกาศกระทรวงอุตสาหกรรม ฉบับที่ 3209 (พ.ศ. 2547), เรื่อง มอก. นมเปรี้ยว (มอก. 2146-2546), ราชกิจจานุเบกษา ฉบับประกาศทั่วไป เล่ม 21 ตอนที่ 29ง., สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม, กระทรวงอุตสาหกรรม
- Abd-El-Gawad, I.A., Metwally, M.M., El Nockkrasy, S.A. and Ahmed, K.E. (1989). Spray drying of lactic acid cultures II: the effect of culture conditions and storage on microorganisms' survival Egyptian Journal Dairy Science, 17, 273.
- Anal, A. K. and Singh, H. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. Trends in Food Science & Technology 18, 240-251.
- AOAC. (2000). *Official Method of Analysis of AOAC International*. 17<sup>th</sup> ed. USA: Arling, VA.
- Arevalo-Pinedo, A. and Murr, F.E.X. (2007). Influence of pre-treatments on the drying kinetics during vacuum drying of carrot and pumpkin. Journal of Food Engineering, 80, 152-156.
- Baker, C.G.J. (1997). Industrial drying of foods. London: Blackie Academic & Professional.
- Beilecka, M. and Majkowska, A. (2000). Effect of spray drying temperature of yoghurt on the survival of starter cultures, moisture content and sensoric properties of yoghurt powder in Polish Academy of Sciences, Institute of Animal Reproduction and Food Research, Department of Food Microbiology, Olsztyn, Poland.
- Bridson, E. (1993). The oxid VADE-MECUM of Microbiology. UK: Basingstoke. Unipath Ltd.
- Cai, Y.Z. and Corke H. (2000). Production and properties of spray-dried *Amaranthus* *Betacyanin* pigments. Journal of Food Science, 65, 1248-1252.

- Champagne, C.P., Roy, D. and Lafond, A. (1997). Selective enumeration of *Lactobacillus casei* in yoghurt-type fermented milks based on a 15°C incubation temperature. *Biotechnology Techniques*, 11, 567-569.
- Chitomarat, S. (2002). Effects of drying on characteristic of powdered corn milk yoghurt (in Thai). B.S. Thesis, Chiang Mai University, Thailand.
- Chandramouli, V., Kailasapathy, K., Peiris, P. and Jones, M. (2004). An improved method of microencapsulation and its evaluation to protect *Lactobacillus* spp. in simulated gastric conditions. *Journal of Microbiology Methods*, 56, 27-35.
- Crittenden, R.G., Morris, L.F., Harvey, M.L., Tran, L.T., Mitchell, H.L. and Playne, M.J. (2000). Selection of *Bifidobacterium* strain to complement resistant starch in a symbiotic yoghurt. *Journal of Applied Microbiology*, 90, 268-278.
- Corcoran, B., Stanton, C., Miao, S., Fitzgerald, G.F. and Ross, R.P. (2006). Water properties of food, pharmaceutical, and biological materials in viability of probiotic bacteria as affected by drying. New York, CRC Taylor & Francis.
- Dave, R.I. and Shah, N.P. (1996). Evaluation of media for selective enumeration of *Streptococcus thermophilus*, *Lactobacillus delbrueckii* ssp. *bulgaricus*, *Lactobacillus acidophilus*, and Bifidobacteria. *Journal Dairy Science*, 79, 1529-1536.
- Dave, R.I. and Shah, N.P. (1997). Viability of yoghurt and probiotic bacteria in yoghurts made form commercial starter cultures. *International Dairy Journal*, 7, 31-41.
- Deeth, H.C. and A.Y. Tamime. (1981). Yogurt Nutritive and Therapeutic Aspects. *Journal of Food Protection*, 55, 80-91.
- Desobry, S.A., Netto, F.M. and Labuza, T.P. (1997). Comparison of spray-drying, drum-drying and freeze-drying for beta-carotene encapsulation and preservation. *Journal of Food Science*, 62, 1158-1162.
- Donkor, O.N., Henriksson, A., Vasiljevic, T. and Shah, N.P. (2006). Effect to acidification on the activity of probiotics in yoghurt during cold storage. *International Dairy Journal*, 16, 1181-1189.
- Fennema, O.R. (1996). Water and Ice. in *Food Chemistry* 3<sup>rd</sup> ed. New York: Marcel Dekker, Inc.
- Fizman, S.M., Lluch, M.A., and Salvador, A. (1999). Effect of addition of gelation on microstructure of acidic milk gels and yoghurt and on their rheological properties. *International Dairy Journal*, 9, 895-901

- Foster, E. M. (1962). VI Culture preservation. *Journal Dairy Science*, 45, 1290.
- Fuller, R. (1991) Probiotics in human medicine. *Gut*, 32, 439-442
- Gardiner, G.E., O'Sullivan, E., Kelly, J., Collins, J.K., Fitzgerald, G.F., Ross R.P. and Stanton, C. (2000). Comparative survival rates of human-derived probiotic *Lactobacillus paracasei* and *Lactobacillus salivarius* strains during heat treatment and spray drying. *Applied Environmental Microbiology*, 66, 2605.
- Gardini, F., Lanciotti, R., Guerzoni, M.E. and Torriani, S. (1999). Evaluation of aroma production and survival of *Streptococcus thermophilus*, *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Lactobacillus acidophilus* in fermented milks. *International Dairy Journal*, 9, 125-134.
- Giri, S.K. and Prasad, S. (2007). Drying Kinetics and rehydration characteristics of microwave vacuum and convective hot air dried mushrooms. *Journal of Food Engineering*, 78, 512-521.
- Gomes, A.M., Malcata, F.X. and Klaver, F.A. (1998). Growth enhancement of *Bifidobacterium lactis* Bo and *Lactobacillus acidophilus* Ki by milk hydrolyzates. *Journal of Dairy Science*, 81, 2817-2825.
- Gonzalez-Martinez, C., Becerra, M., Chafer, M., Albors, A., Corot, J.M., and Chiralt, A. (2002). Influence of substituting milk powder for whey powder on yoghurt quality. *Trends in Food Science and Technology*, 13, 334-340
- Grosso, C.R.F. and Favaro-Trindade, C.S. (2004). Stability of free and immobilized *Lactobacillus acidophilus* and *Bifidobacterium lactis* in acidified milk and of immobilized *B. lactis* in yoghurt. *Journal of Applied Microbiology*, 84, 342-348.
- Hansen Truelstrup, L., Allan-Wojtas, P.M., Jin, Y.-L. and Paulson, A.T. (2002). Survival of Ca-alginate microencapsulated *Bifidobacterium* spp. in milk and stimulated gastrointestinal conditions. *Journal of Food Microbiology*, 19, 35-45.
- Iyer, C. and Kailasapathy, K. (2005). Effect of co-encapsulation of probiotics with prebiotics on increasing the viability of encapsulated bacteria under In Vitro acidic and bile salt conditions and in yogurt. *Journal of Food Science*, 70, M18-M23.
- Ishibashi, N., Tatematsu, T., Tomita, M. and Okonogi, S. (1985). Effect of water activity on the viability of freeze-dried bifidobacteria and lactic acid bacteria, in I.I.F-I.I.R Comission C1, (pp.1227-1232), Japan.

- Jankowski, T., Zielnska, M., Wysakowska, A. (1997). Encapsulation of lactic acid bacteria with alginate/starch capsules. *Biotechnology Technique*, 11, 31-34
- Kailasapathy, K. (2005). Survival of free and encapsulated probiotic bacteria and their effect on the sensory properties of yoghurt. *Lebensmittel-Wissenschaft und -Technologie*, 1-7.
- Kandler, O. and Weiss, N. (1984). *Bergey's manual of systematics bacteriology*. USA: Mair Ns., Sharpe M.E., Holt J.G.
- Kilcast, D. and Subramaniam, P. (2000). *Milk and milk product in stability and shelf life of food*. New York: CRC Press.
- Kim, S.S. and Bhowmik, S.R. (1990). Survival of lactic acid bacteria during spray drying of plain yoghurt. *Journal of Food Science*, 55, 1008-1010.
- Kim, S.S., Shin, S.G., Chang, K.S., Kim, S.Y., Noh, B.S. and Bhowmik, S.R. (1997). Survival of lactic acid bacteria during microwave vacuum-drying of plain yoghurt. *Lebensmittel-Wissenschaft und -Technologie*, 30, 573-577.
- Kneifel, W., Paquin, P., Abert, A. and J.-P. Richard (1991). Water-holding capacity of proteins with special regard to milk proteins and methodological aspect-a review. *Journal Dairy Science*, 74, 2027-2041.
- Krasaekoopt, W., Bhandari, B. and Deeth, H. (2004). The influence of coating material on some properties of alginate beads and survivability of microencapsulated probiotic bacteria. *International Dairy Journal*, 14, 737-743.
- Krasaekoopt, W., Bhandari, B. and Deeth, H. (2006). Survival of probiotics encapsulated in chitosan coated alginate beads in yoghurt form UHT and conventionally treated milk during storage. *Lebensmittel-Wissenschaft und -Technologie*, 39, 177-183.
- Krasaekoopt, W., Bhandari, B. and Deeth, H. (2003). Evaluation of encapsulation techniques of probiotics for yoghurt. *International Dairy Journal* 13, 3-13.
- Kumar, P. and Mishra, H.N. (2004). Storage stability of mango soy fortified yoghurt powder in two different packaging materials: HDPP and ALP. *Journal of Food Engineering*, 65, 569-576.
- Lan-Szu, C. and Weimer, B. (1998). Isolation and characterization of acid- and bile-tolerant isolated from strain of *Lactobacillus acidophilus*. *Journal of Dairy Science*, 82, 23-31.

- Larsen, R.F. and Anon, M.C. (1990). Effect of water activity of milk on acid production by *Streptococcus thermophilus* and *Lactobacillus bulgaricus*. *Journal of Food Science*, 54, 917-921.
- Lee, K. and Heo, T. (2000). Survival of *Bifidobacterium longum* immobilized in calcium alginate beads in simulated gastric juice and bile salt solution. *Applied Environment Microbiology*, 66(2), 869-873.
- Lian, W.C., Hsiao, H.C. and Chou, C.C. (2002). Survival of bifidobacteria after spray drying. *International Journal of Food Microbiology*, 74, 79-86.
- Lourens-Hattingh, A. and Viljoen, B.C. (2001). Yogurt as probiotic carrier food. *International Dairy Journal*, 11, 1-17.
- Lucas, A., Sodim, I., Mormet, C., Jolivet, P. and Corrieu, G. (2004). Probiotic cell counts and acidification in fermented milks supplemented with milk protein hydrolysates. *International Dairy Journal*, 14, 47-53.
- Makarupinyo, P. (1995). Effects of freeze drying and spray drying in powdered yoghurt (in Thai). M.S. Thesis. Chulalongkorn University, Thailand.
- Master, K. (1991). *Spray drying handbook*. Harlow, Essex: Longman Scientific & Technical.
- Mattila-Sandholm, T., Myllarinen, P., Crittenden, R., Mogensen, G., Fonden, R. and Saarela, M. (2002). Technological challenges for future probiotic foods. *International Dairy Journal*, 12, 173-182.
- Mcdonald, L.C., Mcfeeters, R.F., Daeschel, M.A. and Fleming, H.P. (1987). A differential Medium for the enumeration of Homofermentative and Heterofermentative lactic Acid Bacteria. *Applied and Environmental Microbiology*, 53, 1382-1384.
- Metwally, M.M. and Abd-El-Garad, I.A. (1989). Spray drying of lactic acid culture and the effect of spray drying conditions on the survival of microorganism. *Egyptian Journal of Dairy Science*, 17, 35-43.
- Miao, S. and Roos, Y. H. (2006). Isothermal study of nonenzymatic browning kinetics in spray dried and freeze-dried systems at different relative vapor pressure environments. *Innovative Food Science and Emerging Technologies*, 7, 182-194.
- Miltz, J. and Ulitzur, S. (1980). A bioluminescence method for the determination of oxygen transmission rates plastic films. *Journal of Food Technology*, 15, 389-396.

- Montgomery, D.C. (2001). Design and Analysis of Experiments. 5<sup>th</sup> ed. Hamilton Printing Company, New York.
- Mortazavian, A.M., Ehsani, M.R., Mousavi, S.M., Reinheimer, J.A., Emamdjomeh, Z., Sohrabvandi, S. and Rezaei, K. (2006). Preliminary investigation of the combined effect of heat treatment and incubation temperature on the viability of the probiotic micro-organisms in freshly made yogurt. *International Journal of Dairy Technology*, 59, 8-11.
- Mosilhey, S. (2003). Influence of different capsule materials on the physiological Properties of microencapsulated *Lactobacillus acidophilus*, Bonn University, Germany.
- Muir, D.D. and Banks, J.M. (2000). Milk and Milk products. in *The stability and shelf life of food*. Kilcast, D. and Subraminiam, P. (eds.). England: Woodhead Publishing Limited.
- Mujumdar, A.S. (1995). Industrial spray drying system. in *Handbook of Industrial*, (pp 263-309). New York: Academic Press.
- Nakazawa, Y. and Hosono A. (1992). Functions of fermented milk. Translated by Howells, B.W. Elsevier Science Publishers Ltd., England.
- Nighswanger, B.D., Brashears, M.M. and Gilliland, S.E. (1996). Viability of *Lactobacillus casei* in fermented milk products during refrigerated storage. *Journal of Dairy Science*, 79, 212-219.
- Onwulata, C. (2005) Milk powder in Encapsulated and powdered foods, (pp. 387-434). New York: Taylor & Francis.
- Ostme, H.M., Treimo, J. and Narvhus, J.A. (2005). Effect of temperature on growth and metabolism of probiotic bacteria in milk. *International Dairy Journal*, 15, 989-997.
- Ouweland, A. C. and Salminen, S. J. (1998). The health effects of cultured milk products with viable and non-viable bacteria. *International Dairy Journal*, 8, 749-758.
- Pan, T.A., Xu, G.H. Zhang, H.L. and Gao, F.Y. (1995). *Dairy Science Abstracts*, 57, 345.
- Pearson, D. (1976). *The chemical analysis of foods*, 7<sup>th</sup> ed. London: Churchill Livingstone.
- Peri, C. and Pompei, C. (1976). Search of optimum survival condition of lactic acid in powders obtained by spray drying of yoghurt. *Rivista di Scienza Technology Degli Alimenti e di Nutrizion Umama*, 6, 231-236.

- Picot, A. and Lacroix, C. (2004). Encapsulation of bifidobacteria in whey protein-based microencapsules and survival in simulated gastrointestinal conditions and in yoghurt. *International Dairy Journal*, 14, 505.
- Ramaswamy, H. and Marcotte, M. (2006). *Food Processing: Principles and applications*. New York: CRC Taylor & Francis.
- Rardniyom, C. (2002). Production of logan juice powder by foam-mat drying (in Thai). B.S. Thesis, Chiang Mai University, Thailand.
- Rybka, S. and Kailasapathy, K. (1996). Medias for the enumeration of yoghurt bacteria. *International Dairy Journal*, 6, 839-850.
- Saarela, M., Mogensen, G., Fonden, R. and Matto, M.-S., T. (2000). Probiotic bacteria: Safety, functional and technological properties. *Journal of Biotechnology*, 84, 197-215.
- Salminen, S., Ouwehand, A.C. and Isolauri, E. (1999). Probiotics : How should they be defined? *Trends in Food Science & Technology*, 10, 107-110.
- Sankhavadhana, P. (2001). Development of yoghurt-like fermented milk product using probiotic cultures (in Thai). M.S. Thesis. Chiang Mai University, Thailand.
- Selvamuthukumar, M. and Shukla, S.S. (2006). Optimization of spray drying conditions for production of bifidus milk powder from cow milk. *Journal of Food Quality*, 29, 305-318.
- Shah N.P. (2000). Symposium: Probiotic bacteria; Selective enumeration and survival in dairy foods. *Journal of Dairy Science*, 83, 894-907.
- Sheu, T.Y. and Marshall, R.T. (1993). Microentrapment of Lactobacilli in Calcium Alginate Gels. *Journal of Food Science*, 54, 557-561.
- Sultana, K., Goddard, G., Reynolds, N., Arumugaswamy, R., Peiris, P. and Kailasapathy, K. (2000). Encapsulation of probiotic bacteria with alginate-starch and evaluation of survival in simulated gastrointestinal conditions and in yoghurt. *International Journal of Food Microbiology*, 62, 47-55.
- Sun, W. and Griffiths, M.W. (2000). Survival of bifidobacteria in yoghurt and simulated gastric juice following immobilization in gellan-xanthan beads. *International Journal of Food Microbiology*, 61, 17-25.
- Tamine, A.Y. and Robinson, R.K. (1999). *Yoghurt science and technology*. England: CRC press.
- Tannock, G. W. (2002). *Probiotics a critical review*. England: Horizon Scientific Press.

- Tharmaraj, N. and Shah, N.P. (2003). Selective Enumeration of *Lactobacillus delbrueckii* ssp. *bulgaricus*, *Streptococcus thermophilus*, *Lactobacillus acidophilus*, *Bifidobacteria*, *Lactobacillus casei*, *Lactobacillus rhamnosus*, and propionic bacteria. *Journal of Dairy Science*, 86, 2288-2296.
- To, B.C.S. and Etzel, M.R. (1997). Spray drying, freeze drying or freezing of three different lactic acid bacteria species. *Journal of Food Science*, 62, 576-578.
- Tsen, J.-H., Chen, H.-H. and King, V.A.-E. (2002). Survival of freeze-dried *Lactobacillus acidophilus* immobilized in  $\kappa$ -carrageenan gel. *Journal General and Applied Microbiology*, 48, 237-241.
- Walstra, P., Genurts, T.J., Noomen, A., Jellema, A., van Boekel, M.A.J.S. (1999). *Yoghurt in Dairy Technology*, (pp. 526-537). New York: Marcel Dekker.
- Wang, Y.-C., Yu, R.-C. and Chou, C.-C. (2004). Viability of lactic acid bacteria and bifidobacteria in fermented soymilk after drying, subsequent rehydration and storage. *International Journal of Food Microbiology*, 93, 209-217.