

REFERENCES

- AACC. (2000). *Approved methods of the American Association of Cereal Chemists* (10thed.). St. Paul, MN: American Association of Cereal Chemists, Inc.
- Abdel-Aal, E.M., Young, J.C., and Rabalski, I. (2006) Anthocyanin composition in black, blue, pink, purple, and red cereal grains. *Journal of Food Chemistry*, 54: 4696-4704
- Adams, M.R. and Moss, M.O. 2000. *Food Microbiology*. 2nd edition, p. 187-192. Cornwall, UK: The Royal Society of Chemistry.
- Afonso, I.M., and Maia, J.M. (1999). Rheological monitoring of structure evolution and development in stirred yoghurt. *Journal of Food Engineering*, 42: 183-190.
- Ahromrit, A., Ledward, D.A., and Niranjana K. (2006). High pressure induced water uptake characteristics of Thai glutinous rice. *Journal of Food Engineering*, 72: 225–233.
- AOAC. (2000). *Official Method of Analysis of AOAC International* (17thed.). Virginia, USA: Elsevier Science Publishing.
- Apar, D.K., and Ozbek, B. (2005). α -Amylase inactivation during rice starch hydrolysis. *Process Biochemistry*, 40: 1367-2379.
- Ashraf, R., and Shah, N.P. (2011). Selective and differential enumerations of *Lactobacillus delbrueckii* subsp. *bulgaricus*, *Streptococcus thermophilus*, *Lactobacillus acidophilus*, *Lactobacillus casei* and *Bifidobacterium* spp. in yoghurt — A review. *International Journal of Food Microbiology*, 149: 194–208.

- Auto, H., Trivedi, U.B., and Patel, K.C. (2006). Glucoamylase production by solid-state fermentation using rice flake manufacturing waste products as substrate. *Bioresource Technology*, 97: 1161–1166.
- BeMiller, J.N. and Whistler, R.L. (1996). Carbohydrates. p. 157-224. In: *Food Chemistry* (3rd ed.). Fennema, O.R (ed.). New York, USA: Marcel Dekker Inc.
- Bennett, T. P., and Frieden, E. (1969). *Modern Topics in Biochemistry*, p. 43-45, London: Macmillan.
- Brouillard, R. and Delaporte, B. (1977). Chemistry of anthocyanin pigments. *Journal of Food Chemistry*, 99: 8461- 8468
- Camp, J.V. and Dierchx, S. (2004). Proteins. p. 167-202. In: *Handbook of Food Analysis* vol.1 (2nded). Nollet, M.L. (ed.). New York, USA: Marcel Dekker, Inc.
- Chandan, R.C. (2006). *Manufacturing yoghurt and fermented milks*. Iowa, USA: Blackwell Publishing.
- Chen, P.N., Kuo, W.H., Chiang, C.L., Chiou, H.L., Hsieh, Y.S., and Chu, S.C. (2006). Black rice anthocyanins inhibit cancer cells invasion via repressions of MMPs and u-PA expression. *Chemico-Biological Interactions*, 163: 218–229.
- Chiang, P.Y. and Yeh, A.I. (2001). Effect of soaking on wet-milling of rice. *Journal of Cereal Science*, 35: 85-94.
- Chough, S.H., Kim, K.S., Hyung, K.W., Cho, H.I., Park, H.R., Choi, O.J., Song, S.H., and Rogers, K.R. (2006). Identification of botanical origins of starches using a glucose biosensor and amyloglucosidase. *Sensors and Actuators*, B 114: 573–577.

Donkor, O.N., Nilmini, S.L.I., Stolic, P., Vasiljevic, T. and Shah, N.P. (2007). Survival and activity of selected probiotic organisms in set-type yoghurt during cold storage. *International Dairy Journal*, 17: 657-665.

Evans, D.J. and Morriss, G.P. (1998). Transient-time-correlation functions and the rheology of fluids. *Phys. Rev. A* 38: 4142-4148.

Escribano-Bailon, M.T, Santos-Buelga, C., and Rivas-Gonzalo, J.C. (2004). Anthocyanins in cereals. *Journal of Chromatography A*, 1054: 129–141.

Famularo, G., Simone, C.D., Pandey, V., Sahu, A.R. and Minisola, G. (2005). Probiotic lactobacilli: An innovative tool to correct the malabsorption syndrome of vegetarians?. *Medical Hypotheses*, 65: 1132 – 1135.

Fernandes, C.S., Dias, R., Nobrega, J.M., Afonsa, I.M., Melo, L.F., and Maia, J.M. (2005). Simulation of stirred yoghurt processing in plate heat exchangers. *Journal of Food Engineering*, 69: 281-290.

García-Estepa, R.M., Guerra-Hernández, E., and Garcí'a-Villanova, B. (1999). Phytic acid content in milled cereal products and breads. *Food Research International*, 32: 217–221.

Guler, A. and B. Mutlu (2005). The effects of different incubation temperatures on the acetaldehyde content and viable bacteria counts of bio-yogurt made from ewes milk. *International Journal Dairy Technology*, 58: 174-179.

Haas, E.M. (1992). *Staying Healthy with Nutrition*. The Complete Guide to Diet & Nutritional Medicine. Berkeley, California: Celestial Arts, p. 22.

Haque, A., Richardson, R.K., and Morris, E.R. (2001). Effect of fermentation temperature on the rheology of set and stirred yogurt. *Food Hydrocolloids*, 15: 593-602.

Hussain, I., Rahman, A., and Atkinson, N. (2009). Quality comparison of probiotic and natural yogurt. *Pakistan Journal of Nutrition*, 8(1): 9-12.

Iwaki, K. and Kitada, Y. (2007). Availability of partially milled rice as a daily source of gamma-aminobutyric acid. *Food Science and Technology Research*, 13(1): 41-44.

Isanga, J., and Zhang, G. (2009). Production and evaluation of some physicochemical parameters of peanut milk yoghurt. *LWT – Food Science and Technology*, 42: 1132–1138.

James, C.S. (1995). *Analytical chemistry of food*. Seale-Hayne Faculty of Agriculture, Food and Land use, Department of Agriculture and Food studies, University of Plymouth, UK.

Kong, S., and Lee, J. (2010). Antioxidants in milling fractions of black rice cultivars. *Food Chemistry*, 120: 278-281.

Krzeminski, A., Grobhable, K., and Hinrichs, J. (2011). Structure properties of stirred yoghurt as influenced by whey proteins. *LWT – Food Science and Technology*, 44: 2134- 2140.

Lamberts, L., Bie, E.D., Vandeputte, G.E., Veraverbeke, W.S., Derycke, V., Man, W.D., and Delcour, J.A. (2007). Effect of milling on color and nutritional properties of rice. *Food Chemistry*, 100: 1496–1503.

Marshall, R.T. (2006). Laboratory analysis of fermented milks. p. 117- 128. In: *Manufacturing Yogurt and Fermented milk* (1st ed.). Chandan, R.C. (ed.). Iowa, USA: Blackwell Publishing.

Matsuura Y., Kusunoki M., Harada W., and Kakudo M. (1984). Structure and possible catalytic residues of Taka-amylase A. *Journal of Biochemistry (Tokyo)*, 95: 697-702.

McClure, P.J. (2006). Spore-forming bacteria. p. 579-623. In: *Food spoilage microorganisms*. Blackburn, C.W. (ed.). Cambridge, England: Woodhead Publishing Limited.

Muhammed, B.F., Abubakar, M.M., Adegbola, T.A. and Oyawoye, E.O. (2005). Effects of culture concentration and inoculation temperature on physicochemical, microbial and organoleptic properties of yogurt. *Nigerian Food Journal*, 23: 156-165.

Naz, S. (2002). *Enzyme of Foods* (1st ed.). Oxford, UK: Oxford University Press.

Nur, A. and Purwiyatno, H. (2010). Gelatinization properties of white maize starch from three varieties of corn subject to oxidized and acetylated-oxidized modification. *International Food Research Journal*, 17: 961-968.

Park, D.J., Oh, S., Ku, K.H., Mok, C., Kim, S.H., and Imm, J.Y. (2005). Characteristics of yogurt-like products prepared from the combination of skim milk and soymilk containing saccharified- rice solution. *International Journal of Food Science and Nutrition*, 569(1): 23-34.

Phengrat, J., and Jearakongman, S. (2009). *Black glutinous rice: Various benefits, composite thinking, enhancing Thai economic opportunities*. Chum Phae, KhonKaen: Chum Phae Rice Research Center.

Pomeranz, Y., and Meloan, C.E. (1994). *Food Analysis Theory and Practice*. New York, USA: Chapman & Hall..

Rattanapanone, N. (2011). *Food Principles Analysis* (1st ed.). Bangkok: Odian Store Inc. (in Thai).

Rona, Z.P. (1996). *Childhood Illness and The Allergy Connection*. Rocklin, California: Prima Books.

- Saipang, S., Utamaang, N., and Phimolsiripol, Y. (2010). Effect of soaking conditions on physicochemical properties of red-jasmine germinated brown rice flour. *Proceedings of 48th Kasetsart University Annual Conference*, Bangkok (Thailand), 3-5 Feb 2010.
- Schillinger, U., Holzapfel, W.H. and Björkroth, K.J. (2006). Lactic acid bacteria. p. 541-578. In: *Food spoilage microorganisms*. Blackburn, C.W. (ed.). Cambridge, England: Woodhead Publishing Limited.
- Sompong, R., Siebenhandl-Ehn, S., Linsberger, M.G., and Berghofer, E. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food Chemistry*, 124: 132–140.
- Steffe, J. F. (1996). *Rheological Methods in Food Process Engineering* (2nded.). New York, USA: Freeman Press.
- Sutharut, J. and Sudarat, J. (2012). Total anthocyanin content and antioxidant activity of germinated colored rice. *International Food Research Journal*, 19(1): 215-221.
- Svensson, B. (1994). Protein engineering in the α -amylase family: Catalytic mechanism, substrate specificity, and stability. *Plant Molecular Biological*, 25: 141-157
- Tamime, A.Y. and Robinson, R.K. (1999). *Yoghurt Science and Technology* (2nded.). Cambridge, England: Woodhead Publishing Limited.
- Tananuwong, K. and Tewaruth, W. (2010). Extraction and application of antioxidation from black glutinous rice. *LWT-Food Science and Technology*, 43: 476-481.
- Tarakci, Z. and Erdogan, K. (2003). Physical, chemical, microbiological and sensory characteristics of some fruit-flavored yogurt. *Vet. Fak. Derg.*, 14: 10-14.
- Thiel, T. (1999). *Cultivation of Bacteria from Commercial Yoghurt*. St. Louis: Department of Biology, University of Missouri.

- Usansa, U., Burberg, F., Geiger, E., Back, W., Wanapu, C., Arendt, E.K., Kreis, S., Boonkerd, N., Teaumroong, N., and Zarnkow, M. (2011). Optimization of malting conditions for two black rice varieties, black non-waxy rice and black waxy rice (*Oryza sativa* L. *Indica*). *The Institute of Brewing & Distilling*, 117(1): 39-46.
- Vichapong, J., Sookserm, M., Srijesdaruk, V., Swatsitang, P., and Srijanai, S. (2010). High performance liquid chromatographic analysis of phenolic compounds and their antioxidant activities in rice varieties. *LWT – Food Science and Technology*, 43: 1325-1330.
- Vihinen, M. and Mäntsälä P. (1989). Microbial amyolytic enzymes. *Critical Review Biochemecal Molecular Biological*, 24: 329-410.
- Walstra, P., Geurts, T.J., Noomen, A., Jellema, A., and van Boekel, M.A.J.S. (1999). *Dairy Technology: Principles of Milk Properties and Processes* (1st ed.). New York, USA: Marcel Dekker Inc.
- Walstra, P., Wouters, J.T.M. and Geurts, T.J. (2006). *Dairy Science and Technology* (2nd ed.). New York, USA: CRC Press.
- Wirjantoro, T.I. (2011). *Food Microbiology*. Chiang Mai, Thailand: Pongsawat Publisher.
- Wohlsen, T., Bates, J., Vesey, G., Robinson, W.A. and Katouli, M. (2006). Evaluation of the methods for enumerating coliform bacteria from water samples using precise reference standards. *Letters in Applied Microbiology*, 42:350–356.
- Wongkhalaung, C. and Boonyaratanakornkit, M. (2000). Development of a yogurt-type product from saccharified rice. *Kasetsart Journal (Natural Science)*, 34: 107 -116.

Xanthopoulos, V., Petridis, D., and Tzanetakis, N. (2001). Characterization and classification of *Streptococcus thermophilus* and *Lactobacillus delbrueckii* subsp. *bulgaricus* strains isolated from traditional Greek yogurts. *Journal of Food Science*, 66 (5): 747-752.

Yamamoto, H., Makita, E., Oki, Y., and Otani, M. (2004). Flow characteristics and gelatinization kinetics of rice starch under strong alkali conditions. *Food Science and Nutrition*, 46 (3): 602-0893.

Yafang, S., Gan, Z., and Jinsong, B. (2011). Total phenolic content and antioxidant capacity of rice grains with extremely small size. *African Journal of Agricultural Research*, 6(10): 2289-2293.