

## VII. REFERENCES

1. Schachter J. Biology of *C.trachomatis* : Bacteria. In: Holmes KK, Mardh P, Sparling PF (eds). Sexually Transmitted Diseases, 3ed. New York: McGraw-Hill, 1999: 391-405.
2. Berkeley University. Chlamydia Genome Project. Available: <http://chlamydia-www.berkeley.edu:4231/tax.html>. (1999, October, 23).
3. Wyrick PB, Gutman LT, Hodinka RL. Chlamydiae. In: Joklik WK, Willet HP, Amos DB, Wilfert CM (eds). Zinsser Microbiology, 21 ed. Connecticut : Appleton & Lange, 1994: 719-28.
4. Rodriguez P, Persson B, Dutil K, *et al*. Evaluation of molecular typing for epidemiological study of *C.trachomatis* genital infection. J Clin Microbiol 1993; 31: 2238-40.
5. Grayston JT. Wang SP. New knowledge of chlamydiae and the diseases they cause. J Infect Dis 1975; 132: 87-90.
6. Schachter J. Nongonococcal urethritis and related infections. N Engl J Med 1978; 298: 1428-35.
7. Caldwell HD. Chlamydiae. Ann Rev Microbiol 1980; 34: 285-309.
8. Nichols RL, Bobb AA, Haddad NA, *et al*. Studies on trachoma II: comparison of fluorescent antibody, Giemsa and egg isolation methods for detection of trachoma in human conjunctival scrapings. Am J Trop Med Hyg 1963; 12: 223-9.
9. Wang SP, Grayston JT. Immunologic relationship between genital TRIC, lymphogranuloma venereum, and related organisms in a new

- microtiter indirect immunofluorescence test. Am J Ophthalmol 1970; 70: 367-74.
10. Erlich HA, Gelfand DH, Saiki RK. Specific DNA amplification. Nature 1988; 331: 461-2.
  11. Saiki RK, Gelfand DH, Stoffel S, *et al.* Primer directed enzymatic amplification of DNA with a thermostable DNA polymerase. Science 1988; 239: 487-91.
  12. Ossewaarde JM, Rieffe M, Rozenberg-Arska M, Ossenkoppele PM, Nawrocki RP, Vanloon AM. Development and clinical evaluation of polymerase chain reaction test for detection of *C. trachomatis*. J Clin Microb 1992; 30: 212-28.
  13. Lucotte G, Petit MC, Francosis MH, *et al.* Detection of *C. trachomatis* by using polymerase chain reaction. Mol Cell Probes 1992; 6: 89-92.
  14. Dille BJ, Butzen CC, Birkenmeyer LG, *et al.* Amplification of *C. trachomatis* DNA by ligase chain reaction. J Clin Microb 1993; 31: 729-31.
  15. Lee HH, Chernsky MA, Schachter J, *et al.* Diagnosis of *C. trachomatis* genitourinary infection in women by ligase chain reaction assay of urine. Lancet 1995; 345: 7-10.
  16. Gaydos CA, Crotchfelt KA, Howell MR, Kralian S, Hauptman P, Quinn TC. Molecular amplification assays to detect chlamydial infections in urine specimens from high school female students and to monitor the persistence of chlamydial DNA after therapy. J Infect Dis 1998; 177: 417-24.
  17. Puolakkainen M, Hiltunen-back E, Reunala T, *et al.* Comparison of performances of two commercially available tests, a PCR assay and ligase chain reaction test, in detection of urogenital *C. trachomatis* infection. J Clin Microb 1998; 36: 1489-93.

18. Dhir SP, Hakomori S, Kenny GE, *et al.* Immunochemical studies on chlamydial group antigen. *J Immunol* 1972; 109: 116-22.
19. Wang SP, Grayston JT. Three new serovars of *C. trachomatis* : Da, Ia and L2a. *J Infect Dis* 1991; 163: 403-5.
20. Pool E, Lamont I. *C. trachomatis* serovar differentiation by direct sequence analysis of the variable segment 4 region of outer membrane protein gene. *Infect Immun* 1992; 60: 1089-94.
21. Yuan Y, Zhang YX, Watkins NG, Coldwell HD. Nucleotide and deduced amino acid sequence for the four variable domain of the major outer membrane protein of 15 *C. trachomatis* serovars. *Infect Immun* 1989; 57: 1040-9.
22. Berkeley University. Chlamydia Genome Project. Available:<http://chlamydia-www.berkeley.edu: 4231/genetics.html>. (1998, October, 9).
23. Stephen RS, Kalman S, Lammel C, *et al.* Genome sequence of an obligate intracellular pathogen of humans: *C. trachomatis*. *Science* 1998; 282: 754-59.
24. Wang SP, Kuo CC, Grayston JT. A simplified method for immunological typing of trachoma-inclusion conjunctivitis-lymphogranuloma venereum organism. *Infect Immun* 1973; 8: 356-60.
25. Wang SP, Kuo CC, Bamer RC, Stephens RS, Grayston JT. Immunotyping *C. trachomatis* with monoclonal antibodies. *J Infect Dis* 1985; 152: 791-800.
26. Morrison RP, Manning DS, Caldwell HD. Immunology of *C. trachomatis* Infection : Immunoprotective and Immunopathogenetic Response. In: Quinn TC (ed). Sexually Transmitted Disease. New York: Raven Press, 1992: 57-84.

27. Dean D, Schachter J, Dawson CR, et al. Comparison of the major outer membrane protein variant sequence regions of B/Ba isolates: a molecular epidemiologic approach to *C. trachomatis* infection. *J Infect Dis* 1992; 166: 383-92.
28. Frost EH, Reslandes S, Velleux S, Ramoisy DB. Typing *C. trachomatis* by detection of restriction fragment length polymorphism in the gene encoding the major outer membrane protein. *J Infect Dis* 1991; 163: 1103-7.
29. Yang CL, Maclean I, Brunham RC. DNA sequence polymorphism of the *C. trachomatis* *omp1* gene. *J Infect Dis* 1993; 168 : 1225-30
30. Lan J, Walboomers JM, Roosendaal R, et al. Direct Detection and genotyping of *C. trachomatis* in cervical scrapes by using PCR and restriction fragment length polymorphism analysis. *J Clin Microbiol* 1993; 31:1060-5.
31. Rodriguez P, Vekris A, Baraeyrac B, et al. Typing of *C. trachomatis* by restriction endonuclease analysis of the amplified major outer membrane protein gene. *J Clin Microb* 1991; 29: 1132-6.
32. ปราลี ลีชนาชัย. Restriction fragment length polymorphism. ใน วสันต์ จันทร์ หิตย์, ปราลี ลีชนาชัย และ วาสนา ศิริรังษี (บก.), วิทยาการทันสมัยในการตรวจ วินิจฉัยโรคโนโกรโนโนxmและเยิน, เชียงใหม่ : ภาควิชาจุลชีววิทยาคลินิก คณะ เทคนิคการแพทย์ มหาวิทยาลัยเชียงใหม่, 2539: หน้า 17-1 ถึง 17-15
33. Dean D, Patton M, Stephens S. Direct sequence evaluation of major outer membrane protein gene variant regions of *C. trachomatis* subtypes D', I' and L2'. *Infect Immun* 1991; 59: 1579-82
34. Brunham R, Chunlin Y, Maclean I, Josshua K, Maitha G, Plummer F. *C. trachomatis* from individuals in a sexually transmitted disease

- core group exhibit frequent sequence variation in major outer membrane protein (*omp1*) gene. Clin Invest 1994; 94: 458-63.
35. Lyn JH, Robin LB, David CW, *et al*. Genotyping of *C. trachomatis* from a trachoma-endemic village in the Gambia by a nested polymerase chain reaction: identification of strain variants. J Infect Dis 1992; 166: 1173-7.
  36. Lampe MF, Suchland RJ, Stamm WE. Nucleotide sequence of the variable domains with the major outer membrane protein gene from serovariants of *C. trachomatis*. Infect Immun 1993; 61: 213-9.
  37. Dean D, Stephen RS. Identification of individual genotypes of *C. trachomatis* from experimentally mixed serovars and mixed infections among trachoma patients. J Clin Microbiol 1994; 32:1506-10.
  38. Morre SA, Ossewaarde JM, Lan J, *et al*. Serotyping and genotyping of genital *C. trachomatis* isolates reveal variants of serovars Ba, G and J as confirmed by *omp 1* nucleotide sequence analysis. J Clin Microb 1998; 36: 345-51.
  39. Frost EH, Deslandes S, Gendron D, Bourgault-Ramoisy D, Bourgault P. Variation outside variable segments of the major outer membrane protein distinguishes trachoma from urogenital isolates of the same serovar of *C. trachomatis*. Genitourin Med 1995; 71: 18-23.
  40. Dean D, Millman K. Molecular and mutation trends analyses of *omp1* alleles for serovar E of *C. trachomatis* implication for the immunopathogenesis of disease. J Clin Invet 1997; 99: 475-83.
  41. Sanger FS, Nicklen S, Coulson AR. DNA sequencing with chain terminating inhibitors. Proc Natl Acad Sci 1977; 74: 5463-7.
  42. Perkin Elmer. Comparative PCR sequencing a guide to sequencing based mutation detection. Perkin Elmer Corporation. Foster city. 1995: 1-4.

43. Sayada C, Denamure E, Grandchamp B, *et al.* Denaturing gradient gel electrophoresis analysis for the detection of point mutation in the *C.trachomatis* major outer membrane protein gene. *J Med Microbiol* 1995; 43: 14-25.
44. Veeraseatakul P. Genotyping and nucleotide sequence polymorphism of the VD4-MOMP gene of *C. trachomatis* detected in Chiang Mai. M. S. thesis, Chiang Mai University, 1999.
45. Lampe MF, Wong KG, Stamm WE. Sequence conservation in the major outer membrane gene among *C.trachomatis* strains isolated from the upper and lower urogenital tract. *J Infect Dis* 1995; 172: 589-92.
46. Stothard DR, Boguslawsk G, Jones RB. Phylogenetic analysis of the *C.trachomatis* major outer membrane protein (MOMP) and examination of potential pathogenic determinants. *Infect Immune* 1998; 66:3618-25.
47. Morre SA, Rozendaal L, Van Valkengoed IG, *et al.* Urogenital *C.trachomatis* serovars in men and women with a symptomatic or asymptomatic infection: an association with clinical manifestations. *J Clin Microb* 2000; 38: 2292-6.
48. Van Duynhoven YTHP, Ossewaarde JM, Derkxen-Nawrocki RP, *et al.* *C.trachomatis* genotypes: correlation with clinical manifestations of infection and patient's characteristic. *Clin Infect Dis* 1998; 26: 314-22.
49. Sturm-ramirez K, Brumblay H, Diop K, *et al.* Molecular epidemiology of genital *C.trachomatis* infection in high risk women in Senegal, West Africa. *J Clin Microb* 2000; 38: 138-45.

50. Borrego MJ, Gomes JP, Lefebvre JF, EB F, Orfila J, Catry MA. Genotyping of Portuguese *C. trachomatis* urogenital isolates. *Genitourin Med* 1997; 73: 561-3.
51. Lampe MF, Wong KG, Kuehl LM, Stamm WE. *C. trachomatis* major outer membrane protein variants escape neutralization by both monoclonal antibodies and human immune sera. *Infect Immune* 1997; 65: 317-9.
52. Stephen RS, Sanchez-Pescador R, Wagar EA, *et al.* Diversity of *C. trachomatis* major outer membrane protein genes. *J Bact* 1987; 169: 3879-85.