

**EFFECT OF LYOPHILIZATION ON PROTEIN AND
LIPID FORMULATED IN TWO LEVEL
CONTROL SERA**

NATTAKARN LAIEDDEE

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY**

**GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
MAY 2001**

**EFFECT OF LYOPHILIZATION ON PROTEIN AND
LIPID FORMULATED IN TWO LEVEL
CONTROL SERA**

NATTAKARN LAIEDDEE

THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY

EXAMINING COMMITTEE

| | |
|---------------------------------------------------------------------------------------|-----------------|
| <i>R. Nimsung</i> Associate Professor Rujapa Nimsung | CHAIRMAN |
| <i>A. Haesungcharern</i> Assistant Professor Dr. Audomsark Haesungcharern | MEMBER |
| <i>B. Loahachinda</i> Assistant Professor Boonpayoa Loahachinda | MEMBER |
| <i>Sukanya Linpisarn</i> Dr. Sukanya Linpisarn | MEMBER |

4 May 2001

Copyright by the Graduate School, Chiang Mai University

ACKNOWLEDGEMENT

I would like to express my sincere gratitude and appreciation to my advisor, Associate Professor Rujapa Nimsung, for her excellent guidance and continuous discussion. Without her support and encouragement, this thesis would not have been completed successfully. Her kindness and sincerity will be remembered forever.

I give my gratitude to Assistant Professor Dr. Audomsark Haesungcharern and Assistant Professor Boonpayoa Loahachinda, Department of Clinical Chemistry, Faculty of Associated Medical Sciences and Dr. Sukanya Linpisarn, Research Institute for Health Sciences for their advices and prove reading of my thesis articles. I would like to offer my special thanks for their kindness.

Many thanks are also given to my dear friends in Faculty of Associated Medical Sciences, Chiang Mai University, for their help and warm friendship.

My heart felts thanks go to my family for their patience, understanding and encouragement throughout my study.

Finally, I would like to thank the Department of Clinical Chemistry, Faculty of Associated Medical Sciences, Chiang Mai University for their supports in providing instruments and a place to study and the Graduate School, Chiang Mai University for allowing me to have this project investigated.

Nattakarn Laieddee