

TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENT	iii
ABSTRACT	iv
TABLE OF CONTENTS	viii
LIST OF TABLES	xii
LIST OF FIGURES	xiv
ABBREVIATIONS	xv
I. INTRODUCTION	1
A. What is Quality control?	1
B. Essential of quality control in clinical laboratory	1
C. Method of quality control in clinical laboratory	2
D. Quality control materials in clinical chemistry laboratory	3
E. Why is quality control material needed in clinical chemistry laboratory?	5
F. Problems in using control materials in monitoring precision in clinical chemistry	6
II. LITERATURE REVIEWS	7
III. MATERIALS AND METHODS	12
A. Materials	12
1. Serum base materials	12
2. Instruments	12
3. Chemicals and reagents	12
B. Methods	14
Part I. Preparation of materials used to fortify batches of control serum	14
Enzyme concentrates	14
1. Alkaline phosphatase	14
2. Alanine aminotransferase	14

3. Aspartate aminotransferase	14
4. Lactate dehydrogenase	15
Cholesterol concentrate	15
Part II. Selection of a suitable excipient for used as stabilizer	16
1. The effect of excipient on concentrations of proteins, enzymes and lipid components in control serum	16
2. The effect of lyophilization on protein and lipid components, enzyme activities and turbidity of the bovine base matrix control serum containing excipient(s)	17
2.1 Comparisons of the effect of excipient(s) on the concentrations of analytes in lyophilized control sera	17
2.2 The effect of lyophilization on turbidity of the bovine base matrix control sera containing excipient(s)	18
3. The effect of excipients on the cholesterol rich control sera containing selected excipient(s)	22
3.1 The effect of excipient(s) on cholesterol and other component concentrations in control serum	22
3.2 The effect of excipient(s) on turbidity of reconstituted control serum	22
4. The effect of excipient on stability of protein and lipoprotein in control sera by electrophoretic technique	25
Part III. Preparation of the two level control sera	26
Part IV. Optimization of lyophilization process	31
Part V. Assessment of lyophilized control serum containing an excipient	32
1. Determination of optical clarity	32
2. Determination of the analyte concentrations in control serum	32
3. Method for estimating the assign values of constituents in control serum containing excipient	33
Part VI. The study of physical characteristics of lyophilized control serum	34

1. Determination of moisture content in lyophilized control serum	34
2. Determination of pH in reconstituted lyophilized control serum	34
3. Determination of the suitable diluent for reconstituting control serum containing an excipient	34
Part VII. The study of the effect of excipient on storage of lyophilized control serum	34
Part VIII. Feature and cost of lyophilized preparation	35
Part IX. Comparison of methods for constituent analysis in control serum containing excipient	35
Part X. Statistical analysis	35
IV. RESULTS	37
Part I. Preparation of analytes used to add in the control serum	37
Part II. Selection of a suitable disaccharide excipient used as stabilizer	37
1. The effect of excipients on concentrations of proteins, enzymes and lipid components in control serum	37
2. The effect of lyophilization on protein and lipid components, enzyme activities and turbidity of the bovine base matrix control serum containing excipient(s)	39
2.1 Comparisons of the effect of excipient(s) on the concentrations of analytes in lyophilized control sera	39
2.2 The effect of lyophilization on turbidity of the bovine base matrix control sera containing excipient(s)	46
3. The effect of excipients on the cholesterol rich control sera containing selected excipient(s)	49
3.1 The effect of excipient(s) on cholesterol and other component concentrations in control serum	49
3.2 The effect of excipient(s) on turbidity of reconstituted control serum	50

4. The effect of excipient on the stability of protein and lipoprotein in control sera by electrophoretic technique	51
Part III. Results for the preparation of two level lyophilized control sera containing of 8.5% (250 mmol/L) saccharose	56
Part IV. Optimization of parameter for lyophilization process	58
Part V. Assessment of lyophilized control serum containing an excipient	58
Part VI. The study of physical characteristics of lyophilized control serum	62
1. Determination of moisture content in lyophilized control serum	62
2. Determination of pH in reconstituted lyophilized control serum	62
3. Determination of the suitable diluent for reconstituting control serum containing an excipient	62
Part VII. The study of the effect of excipient on storage of lyophilized control serum	63
Part VIII. Feature and cost of lyophilized preparation	68
Part IX. Comparisons of methods for constituent analysis in control serum containing an excipient	69
V. DISCUSSION	71
VI. SUMMARY	76
REFERENCES	77
APPENDIX	84
CURRICULUM VITAE	116

LIST OF TABLES

TABLE	PAGE
1. Comparison of quality control materials	4
2. Concentrations of protein and lipid components before and after adding cholesterol concentrate	23
3. Preparation of bovine control serum (level I)	27
4. Preparation of bovine control serum (level II)	28
5. Preparation of human control serum (level I)	29
6. Preparation of human control serum (level II)	30
7. Parameter for lyophilizing control serum	31
8. Optimization of lyophilized process for control serum containing excipient preparations	32
9. Principle of methods used for analyzing chemical components in control serum	33
10. Yield and activity of enzymes extracted from various sources	37
11. The effect of four excipients on concentrations of protein and lipid components in the prepared control serum	38
12. The effect of saccharose on protein and lipid components in liquid and reconstituted control sera	41
13. The effect of mannitol on protein and lipid components in liquid and reconstituted control sera	42
14. The effect of saccharose, trehalose and dextran on protein and lipid components in liquid and reconstituted control sera	43
15. The effect of combined excipients on protein and lipid components in liquid and reconstituted control sera	45
16. The effect of dextran and saccharose on the cholesterol rich lyophilized control serum	49
17. The percentage of electrophoretic fractionation	54

18. Concentrations of protein and lipid components and enzyme activities in two level lyophilized bovine control sera containing 8.5% saccharose	57
19. Optimal parameter of the Lioalfa-10 for lyophilization of two level control sera containing 8.5% saccharose	58
20. Clarity of reconstituted control sera	59
21. Comparison of turbidity and cholesterol concentration of our preparation and commercially reconstituted control serum	59
22. Assign values of analytes in lyophilized control serum Level I	60
23. Assign values of analytes in lyophilized control serum Level II	61
24. Effect of diluent on protein, enzymes and lipid components in reconstituted control sera with 8.5% saccharose	63
25. Stability of level I bovine control serum containing 8.5% saccharose kept at 4°C	65
26. Stability of level I bovine control serum containing 8.5% saccharose kept at 20°C	65
27. Stability of level I bovine control serum containing 8.5% saccharose kept at 45°C	66
28. Stability of level II bovine control serum containing 8.5% saccharose kept at 4°C	66
29. Stability of level II bovine control serum containing 8.5% saccharose kept at 20°C	67
30. Stability of level II bovine control serum containing 8.5% saccharose kept at 45°C	67
31. The total cost of lyophilized control serum containing excipient of two level batches	69
32. Concentration of the constituents in control serum in the presence of 8.5% saccharose	70

LIST OF FIGURES

FIGURE	PAGE
1. Schematic of the preparation and evaluation of bovine serum pools containing various concentration of each kind of excipient	16
2. Preparation of bovine serum pools containing various concentrations of each kind of excipient	19
3. Preparation of bovine serum pools containing various concentrations of each kind of excipient	20
4. Preparation of bovine serum pools containing various combinations of excipients	21
5. Preparation of cholesterol rich bovine serum pools containing various combinations of excipients	24
6. Absorbance at 620 nm of control sera containing various concentrations of saccharose and mannitol	46
7. Comparison of the absorbance at 620 nm of the control sera containing various concentrations of excipient	47
8. Absorbance at 620 nm of control sera containing combination of two different excipients	48
9. The turbidity of the cholesterol rich control sera with and without excipient(s)	50
10. SDS-PAGE of total protein in reconstituted control sera	51
11. SDS-PAGE of lipoprotein in reconstituted control sera	52
12. SDS-PAGE of total protein in reconstituted control sera	53
13. SDS-PAGE of lipoprotein in reconstituted control sera with 8.5% saccharose compared with the corresponding liquid form	55
14. The feature of lyophilized bovine control containing 8.5% saccharose	68

ABBREVIATIONS

Alb	albumin
ALP	alkaline phosphatase
ALT	alanine aminotransferase
AST	aspartate aminotransferase
CaCl ₂	calcium chloride
CK	creatine kinase
CV	coefficient of variation
DEAE	diethylaminoethyl
dL	deciliter
g	gram
HDL-C	high density lipoprotein-cholesterol
hr	hour
L	liter
LDH	lactate dehydrogenase
LDL-C	low density lipoprotein-cholesterol
mB	millibarr
mg	milligram
min	minute
mL	milliliter
mm	millimeter
No	number
OCV	optimal condition variation
RCV	routine condition variation
rpm	revolution per minute
SD	standard deviation
SDS	sodium dodecyl sulfate
TC	Total cholesterol
TEMED	N, N, N', N'- tetramethylethylenediamine
Tg	triglyceride
<i>T_g</i>	glass transition temperature
TP	total protein
U/L	unit per liter
V	voltage

α	alpha
β	beta
$^{\circ}\text{C}$	degree celsius
γ	gamma
μL	microliter
%	percentage

มหาวิทยาลัยเชียงใหม่
Chiang Mai University