

REFERENCES

- Adachi Y, Inufusa H, Yamashita M, Kambe A, Yamazaki K, Sawada Y, *et al.* Clinical application of serum bilirubin fractionation by simplified liquid chromatography. *Clin Chem* 1988; 34(2): 385-8.
- Bhutani VK, Gourley GR, Adler S, Kreamer B, Dalin C, Johnson LH. Noninvasive measurement of total serum bilirubin in a multiracial predischarge newborn population to assess the risk of severe hyperbilirubinemia. *Pediatrics*. 2000; 106(2): E17.
- Billing BH, Cole PG, Lathe GH. The excretion of bilirubin as a diglucuronide giving the direct van den Bergh reaction. *Biochem J* 1957; 65: 774-84.
- Blanckaert N. Analysis of bilirubin and bilirubin mono - and di -conjugates. Determination of their relative amounts in biological samples. *Biochem J* 1980; 185(1): 115-28.
- Blanckaert N, Gollan J, Schmid R. Bilirubin diglucuronide synthesis by a UDP-glucuronic acid-dependent enzyme system in rat liver microsomes. *Proc Natl Acad Sci USA* 1979; 76(4): 2037-41.
- Blijenberg BG, Roetering HA, de Vos A, Leijnse B. Further studies on the standardization of neonatal bilirubin. *J Clin Chem Clin Biochem* 1987a; 25(10): 737-41.
- Blijenberg BG, Roetering HA, Leijnse B. Reflections on the standardization of total bilirubin in neonatal serum. *J Clin Chem Clin Biochem* 1987b; 25(3):177-81.
- Blumenkrantz N, Asboe-Hansen G. New method for quantitative determination of uronic acids. *Anal Biochem* 1973; 54(2): 484-9.
- Bonnett R, Davies JE, Hursthouse MB. Structure of bilirubin. *Nature* 1976; 262 (5566): 327-8.
- Brett EM, Hicks JM, Powers M, Rand RN. Delta bilirubin in serum of pediatric patients: correlations with age and disease. *Clin Chem* 1984; 30(9): 1561-4.
- Browning DM, Hill PG, Vazquez R, Olazabal DA. Preparation of stabilized liquid quality control serum to be used in clinical chemistry laboratory. WHO document Lab/86 4.

- Burtis CA, Ashwood ER (eds). Tietz Fundamentals of Clinical Chemistry. 4th ed, Philadelphia: W.B. Saunders, 1996.
- Compernelle F. Bilirubin conjugates: isolation, structure analysis and synthesis. In: Heirwegh KPM, Brown SB (eds), Bilirubin Vol. 1: Chemistry. Boca Raton, FL: CRC Press, 1982.
- Cornelius CE, Kelley KC, Himes JA. Heterogeneity of bilirubin conjugates in several animal species. *Cornell Vet* 1975; 65(1): 90-9.
- Cui Y, Konig J, Leier I, Buchholz U, Keppler D. Hepatic uptake of bilirubin and its conjugates by the human organic anion transporter SLC21A6. *J Biol Chem* 2001; 276(13): 9626-30.
- Donovan JM, Carey MC. Formation of pigment gallstones. In: Bouchier IAD, Allan RN, Hodgson HJF, Keighley MRB (eds), *Gastroenterology: Clinical Science and Practice*. 2nd ed, London : W.B. Saunders, 1993: 1715.
- Doumas BT, Wu TW. The measurement of bilirubin fractions in serum. *Crit Rev Clin Lab Sci* 1991; 28(5-6): 415-45.
- Doumas BT, Wu TW, Jendrzejczak B. Delta bilirubin : absorption spectra, molar absorptivity, and reactivity in the diazo reaction. *Clin Chem* 1987; 33(6): 769-74.
- Doumas BT, Wu TW, Poon KC, Jendrzejczak B. Chemical nature of a synthetic bilirubin conjugate and its reactivities in the total and direct reactions by the Jendrassik-Grof method. *Clin Chem* 1985; 31(10): 1677-82.
- Doumas BT, Yein F, Perry B, Jendrzejczak B, Kessner A. Determination of the sum of bilirubin sugar conjugates in plasma by bilirubin oxidase. *Clin Chem* 1999; 45(8 Pt 1): 1255-60.
- Ennever JF, Costarino AT, Polin RA, Speck WT. Rapid clearance of a structural isomer of bilirubin during phototherapy. *J Clin Invest* 1987; 79(6): 1674-8.
- Fevry J, Van de Vijver M, Michiels R, Heirwegh KP. Comparison in different species of biliary bilirubin-IX alpha conjugates with the activities of hepatic and renal bilirubin-IX alpha-uridine diphosphate glycosyltransferases. *Biochem J* 1977; 164(3): 737-46.
- Fog J, Jellum E. Structure of bilirubin. *Nature (London)* 1963; 198: 88.

- Fowler B. 2002. Recommendations to improve the quality of diagnostic quantitative analysis of amino acids in plasma and urine using cation-exchange liquid chromatography with post column ninhydrin reaction and detection.[Online]. Available http://www.ssiem.org.uk/van_genp.pdf (29 May 2003).
- Gambino SR. Standard Methods of Clinical Chemistry. Seligson D (eds). New York: Academic Press, 1965: 55.
- Hertz H, Dybkaer R, Lauritzen M. Direct spectrometric determination of the concentration of bilirubins in serum. *Scand J Clin Lab Invest* 1974; 33(3): 215-30.
- Ihara H, Nakamura H, Aoki Y, Aoki T, Yoshida M. *In vitro* effects of light on serum bilirubin subfractions measured by high-performance liquid chromatography: comparison with four routine methods. *Clin Chem* 1992; 38(10): 2124-9.
- Itoh S, Kusaka T, Imai T, Isobe K, Onishi S. Effects of bilirubin and its photoisomers on direct bilirubin measurement using bilirubin oxidase. *Ann Clin Biochem* 2000; 37: 452-6.
- Jendrassik L, Grof P. Vereinfachte photometrische Methoden zur Nestimmung des Blutbilirubins. *Biochem Z* 1938; 297: 81-9.
- Jirsa M, Jirsova V. Spectrophotometric behavior of azobilirubin and azotaurobilirubin. *Clin Chem* 1959; 5: 532-4.
- Jirsa M, Vecerek B, Neue Bilirubinderivate. I. Ihr Vergleichmet Gallen - und serum-bilirubin. *Hoppe-Seyler's Z Physiol Chem*, 1958; 311: 87-92.
- Jirsa M, Vecerek B, Ledvina M. Di-and mono-taurobilirubin similar to a directly reacting form of bilirubin in serum. *Nature (London)* 1956; 177: 895.
- Kambe A, Adachi Y, Yamashita M. Studies on the formation of delta bilirubin. *Proc Jpn Soc Clin Biochem Metab* 1987; 24: 214.
- Kaplowitz N. Liver and biliary disease. 2nd ed. Baltimore, 1996.
- KillenberG PG, Stevens RD, Wildermann RF, Wildermann NM. The laboratory method as a variable in the interpretation of serum bilirubin fractionation. *Gastroenterology* 1980; 78 (5 Pt 1): 1011-5.

- Kosaka A, Yamamoto C, Morishita Y, Nakane K. Enzymatic determination of bilirubin fractions in serum. *Clin Biochem* 1987; 20(6): 451-8.
- Kuenzle CC, Maier C, Ruttner JR. The nature of four bilirubin fractions from serum and of three bilirubin fractions from bile. *J Lab Clin Med* 1966; 67: 294.
- Kurosaka K, Senba S, Tsubota H, Kondo H. A new enzymatic assay for selectively measuring conjugated bilirubin concentration in serum with use of bilirubin oxidase. *Clin Chim Acta* 1998; 269(2): 125-36.
- Lauff JJ, Kasper ME, Ambrose RT. Quantitative liquid-chromatographic estimation of bilirubin species in pathological serum. *Clin Chem* 1983; 29(5): 800-5.
- Lauff JJ, Kasper ME, Wu TW, Ambrose RT. Isolation and preliminary characterization of a fraction of bilirubin in serum that is firmly bound to protein. *Clin Chem* 1982; 28 (4 Pt 1): 629-37.
- Levine RL. Bilirubin: worked out years ago? *Pediatrics* 1979; 64(3): 380-5.
- Levine RL, Fredericks WR, Rapoport SI. Entry of bilirubin into the brain due to opening of the blood-brain barrier. *Pediatrics* 1982; 69(3): 255-9.
- Lightner DA. Structure, photochemistry and organic chemistry of bilirubin. In: Heirwegh KPM, Brown SB (eds), *Bilirubin Vol. 1: Chemistry*. Boca Raton, FL: CRC Press, 1982: 1-58.
- Lo DH, Wu TW. Assessment of the fundamental accuracy of the Jendrassik-Grof total and direct bilirubin assays. *Clin Chem* 1983; 29(1): 31-6.
- Lott JA, Doumas BT. "Direct" and total bilirubin tests: contemporary problems. *Clin Chem* 1993; 39(4): 641-7.
- Lucassen J. The diazo reaction of bilirubin and bilirubin diglucuronide [Ph.D.Thesis], University of Utrecht, The Netherlands. 1961.
- McDonagh AF, Palma LA, Lauff JJ, Wu TW. Origin of mammalian biliprotein and rearrangement of bilirubin glucuronides *in vivo* in the rat. *J Clin Invest* 1984; 74(3): 763-70.
- McDonagh AF, Palma LA, Lightner DA. Blue light and bilirubin excretion. *Science* 1980; 208 (4440): 145-51.

- McDonagh AF, Palma LA, Lightner DA. Phototherapy for neonatal jaundice: Stereospecific and regioselective photoisomerization of bilirubin bound to human serum albumin and NMR characterization of intramolecular cyclized photoproducts. *J Am Chem Soc* 1982a; 104: 6867-9.
- McDonagh AF, Palma LA, Trull FR, Lightner DA. Phototherapy for neonatal jaundice: configurational isomers of bilirubin. *J Am Chem Soc* 1982b; 104: 6865-7.
- Malloy HT, Evelyn KA. The determination of bilirubin with the photoelectric colorimeter. *J Biol Chem* 1937; 119: 481-90.
- Muraca M, Fevery J, Blanckaert N. Relationships between serum bilirubins and production and conjugation of bilirubin. Studies in Gilbert's syndrome, Crigler-Najjar disease, hemolytic disorders, and rat models. *Gastroenterology* 1987; 92(2): 309-17.
- Nakayama K. Differences between enzymatic and diazo methods for measuring direct bilirubin. *Eur J Clin Chem Clin Biochem* 1995; 33(8): 513-7.
- Onishi S, Isobe K, Itoh S, Kawade N, Sugiyama S. Demonstration of a geometric isomer of bilirubin-IX alpha in the serum of a hyperbilirubinaemic newborn infant and the mechanism of jaundice phototherapy. *Biochem J* 1980; 190(3): 533-6.
- Perry B, Doumas BT, Buffone G, Glick M, Ou CN, Ryder K. Measurement of total bilirubin by use of bilirubin oxidase. *Clin Chem* 1986; 32(2): 329-32.
- Reed RG, Davidson LK, Burrington CM, Peters T, Jr. Non-resolving jaundice: bilirubin covalently attached to serum albumin circulates with the same metabolic half-life as albumin. *Clin Chem* 1988; 34(10): 1992-4.
- Robinson PJ, Rapoport SI. Binding effect of albumin on uptake of bilirubin by brain. *Pediatrics* 1987; 79(4): 553-8.
- Roskoski RJ. *Biochemistry*. Philadelphia : W.B. Saunders, 1996.
- Routh JJ. Liver function. In: Tietz NW (eds), *Fundamental of Clinical Chemistry*. 2nd ed, Philadelphia: W.B. Saunders, 1982; 1026-45.
- Schmid R. The identification of "direct reacting" bilirubin as bilirubin diglucuronide. *J Biol Chem* 1957; 229: 881.

- Schreiber WE. Iron, porphyrin, and bilirubin metabolism. In: Kaplan LA, Pesce AJ (eds), *Clinical Chemistry: Theory, Analysis, Correlation*. 2nd ed, Missouri: Mosby-Year book, 1989: 496-511.
- Seligson D, Seligson H, Wu TW. An anion-exchange chromatographic method for measuring bilirubin covalently bound to albumin. *Clin Chem* 1985; 31(8): 1317-21.
- Sherwin JE, Sobenes JS. Liver function. In: Kaplan LA, Pesce AJ (eds), *Clinical Chemistry: Theory, Analysis, Correlation*. 3rd ed, Saint Louis: CV Mosby, 1996: 523-6.
- Spivak W, Carey MC. Reverse - phase h.p.l.c. separation, quantification and preparation of bilirubin and its conjugates from native bile. Quantitative analysis of the intact tetrapyrroles based on h.p.l.c. of their ethyl anthranilate azo derivatives. *Biochem J* 1985; 225(3): 787-805.
- Spivak W, Yuey W. Application of a rapid and efficient h.p.l.c. method to measure bilirubin and its conjugates from native bile and in model bile systems. Potential use as a tool for kinetic reactions and as an aid in diagnosis of hepatobiliary disease. *Biochem J* 1986; 234(1): 101-9.
- Talafant E. Properties and composition of bile pigment giving a direct diazo reaction. *Nature (London)* 1956; 178: 312.
- Tonk DB. *Quality Control in Clinical Laboratories*. Diagnostic Reagents Division, Warner-Chilcott Laboratories Co. Limited, USA. 1970 : 34-37.
- Walter MI, Gerade HW. An ultramicromethod for the determination of conjugated and total bilirubin in serum and plasma. *Microchemical* 1970; 15: 231-43.
- Wennberg RP, Hance AJ. Experimental bilirubin encephalopathy: importance of total bilirubin, protein binding, and blood-brain barrier. *Pediatr Res* 1986; 20(8): 789-92.
- Westwood A. The analysis of bilirubin in serum. *Ann Clin Biochem* 1991; 28(Pt 2):119-30.
- Whitby LG, Smith AF. In: Backett GJ (eds), *Lecture Notes on Clinical Chemistry*. 4th ed, Oxford: Blackwell Scientific Publications, 1988: 128-49.
- Whitehead TP. *Principle of Quality Control*. WHO document Lab 76/10 49 pages.

- Wu AHB. Analytical Techniques and Instrumentation. In: Bishop ML, Duben-Engelkirk JL, Fody EP (eds), *Clinical Chemistry: principle, procedures correlations*. 4th ed. Lippincott Williams & Wilkins, 2000: 77-103.
- Wu TW. Delta bilirubin-the fourth fraction of bile pigments in human serum. *Isr J Chem* 1983; 23: 241.
- Wu W. Bilirubin analysis-the state of the art and future prospects. *Clin Biochem* 1984; 17(4): 221-9.
- Wu TW. Delta bilirubin-the state of the art and future prospects. *Clin Biochem Rev* 1987; 267.
- Wu TW, Lauff JJ, Kasper ME, Ambrose RT. Delta bilirubin: preliminary physicochemical characterization and its implications in bilirubin determination. *J Clin Chem Clin Biochem* 1981; 19: 881.
- Wu TW, Sullivan SS. Biliprotein in adult icteric serum-demonstrated by extension of the alkaline methanolysis procedure. *Clin Chem* 1982; 28(12): 2398-404.
- Wu TW, Zumbulyadis N, Gross S, Gohlke RS. Human conjugated bilirubin-isolation, biosynthesis, and direct molecular characterization. *Clin Chem* 1980; 26(9): 1323-35.
- Yoshida H, Inagaki T, Hirano M, Sugimoto T. Analyses of azopigments obtained from the delta fraction of bilirubin from mammalian plasma (mammalian biliprotein). *Biochem J* 1987; 248(1): 79-84.