

REFERENCES

- AABB Technical Manual*, 14th Edition, 2002, Pages 674-676.
- Aird, I., Bentall, H. H., Mehigan, J. A., & Roberts, J. A. (1954). The blood groups in relation to peptic ulceration and carcinoma of colon, rectum, breast, and bronchus; an association between the ABO groups and peptic ulceration. *Br Med J*, 4883, 315-321.
- Bamford, K. F., Harris, H., Luffman, J. E., Robson, E. B., & Cleghorn, T. E. (1965). Serum-Alkaline-Phosphatase and the Abo Blood-Groups. *Lancet*, 19, 530-531.
- Bayer, P. M., Hotschek, H., & Knoth, E. (1980). Intestinal alkaline phosphatase and the ABO blood group system--a new aspect. *Clin Chim Acta*, 108(1), 81-87.
- Bharucha, Z., & Chouhan, D. M. (1990). *Introduction to Transfusion Medicine* (1st ed.), 43-47.
- Bhatia, H. M. (1997). *Procedures in Blood Blanking and Immunohaematology*, 13-15.
- Bianes, D. (2001). Analysis of purity In Roe S. (Ed.), Protein purification techniques *Oxford University Press*.
- Blackwell, C. C. (1989). The role of ABO blood groups and secretor status in host defences. *FEMS Microbiol Immunol*, 1(6-7), 341-349.
- Blaney, K. D., & Howard, P. R. *Manufacturer's Directions From Special Lectin H* (1st ed.), 100-101.
- Bowers, G. N., Jr., & McComb, R. B. (1975). Measurement of total alkaline phosphatase activity in human serum. *Clin Chem*, 21(13), 1988-1995.
- Blublitz, R., Hoppe, H., Cumme, G. A., Thiele, M., Attey, A., & Horn, A. (2001). Structural study on the carbohydrate moiety of calf intestinal alkaline phosphatase. *J Mass Spectrom*, 36(8), 960-972.
- Callender, S. T., Denborough, M. A., & Sneath, J. (1957). Blood groups and other inherited characters in pernicious anaemia. *Br J Haematol*, Jan;3(1), 107-114.
- Cameron, J. M. (1958). Blood-groups in tumours of salivary tissue. *Lancet*, 1(7014), 239-240.

- Campbell, P. N., & Smit, A. D. (1994). *Biochemistry Illustrated* (3rd ed.): Churchill Livingstone, NY, 253.
- Celano, P., Berchtold, C. M., Mabry, M., Carroll, M., Sidransky, D., Casero, R. A., Jr., & Lupu, R. (1993). Induction of markers of normal differentiation in human colon carcinoma cells by the v-rasH oncogene. *Cell Growth Differ*, 4(4), 341-347.
- Chapman, A. J., Adler, B., & Faine, S. (1987). Genus-specific antigens in Leptospira revealed by immunoblotting. *Zentralbl Bakteriol Mikrobiol Hyg [A]*, 264(3-4), 279-293.
- Clarke, C. A., Cowan, W. K., Edwards, J. W., Howel-Evans, A. W., Mc, C. R., Woodrow, J. C., & Sheppard, P. M. (1955). The relationship of the ABO blood groups to duodenal and gastric ulceration. *Br Med J*, 4940, 643-646.
- D'Adamo, P. J., & Kelly, G. S. (2001). Metabolic and immunologic consequences of ABH secretor and Lewis subtype status. *Altern Med Rev*, 6(4), 390-405.
- Dawson-Saunders, B., & Trapp, R. G. (1990). *Basic and Clinical Biostatistics*: Appleton & Lange, London, 116-118.
- Day, A. P., Feher, M. D., Chopra, R., & Mayne, P. D. (1992). Triglyceride fatty acid chain length influences the post prandial rise in serum intestinal alkaline phosphatase activity. *Ann Clin Biochem*, 29 (Pt 3), 287-291.
- Dent, C. E., Norris, T. S., Smith, R., Sutton, R. A., & Temperley, J. M. (1968). Steatorrhoea with striking increase of plasma-alkaline-phosphatase of intestinal origin. *Lancet*, 1(7556), 1333-1336.
- Doellgast, G. J., & Benirschke, K. (1979). Placental alkaline phosphatase in Hominidae. *Nature*, 280(5723), 601-602.
- Doll, R., Drane, H., & Newell, A. C. (1961). Secretion of blood group substances in duodenal, gastric and stomal ulcer, gastric carcinoma, and diabetes mellitus. *Gut*, Dec;2, 352-359.
- Domar, U., Danielsson, A., Hirano, K., & Stigbrand, T. (1988). Alkaline phosphatase isoenzyme in non-malignant intestinal and hepatic diseases. *Scand J Gastroenterol*, 23(7), 793-800.
- Domar, U., Hirano, K., & Stigbrand, T. (1991). Serum levels of human alkaline phosphatase isozymes in relation to blood groups. *Clin Chim Acta*, 203(2-3), 305-313.

- Fishman, W. H. (1987). Clinical and biological significance of an isozyme tumor marker--PLAP. *Clin Biochem*, 20(6), 387-392.
- Fishman, W. H., & Ghosh, N. K. (1967). Influence of reagents reacting with metal, thiol and amino sites of catalytic activity and l-phenylalanine inhibition of rat intestinal alkaline phosphatase. *Biochem J*, 105(3), 1163-1170.
- Fishman, W. H., Inglis, N. J., & Krant , M. J. (1965). Serum alkaline phosphatase of intestinal origin in patients with cancer and cirrhosis of the liver. *Clin Chem*, 12, 298-303.
- Fritache, H. A., & Jr. Adams-Park, H. R. (1972). Cellulose acetate electrophoresis of alkaline phosphatase isoenzymes in human serum and tissue. *Clin Chem*, 18(5), 417-421.
- Glickman, R. M., Alpers, D. H., Drummond, G. D., & Isselbacher, K. J. (1970). Increased lymph alkaline phosphatase after fat feeding: effects of medium chain triglycerides and inhibition of protein synthesis. *Biochim Biophys Acta*, 201(2), 226-235.
- Glynn, L. E., Holborow, E. J., & Johnson, G. D. (1957). The distribution of blood-group substances in human gastric and duodenal mucosa. *Lancet*, Nov 30;273(7005), 1083-1088.
- Griffin, C. A., Smith, M., Henthorn, P. S., Harris, H., Weiss, M. J., Raducha, M., & Emanuel, B. S. (1987). Human placental and intestinal alkaline phosphatase genes map to 2q34-q37. *Am J Hum Genet*, 41(6), 1025-1034.
- Griffiths, J., & Black, J. (1987). Separation and identification of alkaline phosphatase isoenzymes and isoforms in serum of healthy persons by isoelectric focusing. *Clin Chim* 33(12), 2171-2177.
- Griffiths, W. C., Camara, P. D., Rosner, M., Lev, R., & Brooks, E. M. (1992). Prevalence and properties of the intestinal alkaline phosphatase identified in serum by cellulose acetate electrophoresis. *Clin Chem*, 38(4), 507-511.
- Griffiths, W. C., Lev, R., Gentile, J., & Horvath, G. (1985). On the difference between colonic and small intestinal alkaline phosphatase. *Clin Biochem*, 18(4), 254-256.
- Haillot, O. (1992). [What is new in the diagnosis of tumors of the testis?]. *Prog Urol*, 2(3), 488-497.

- Hanley, W. B. (1964). Hereditary Aspects of Duodenal Ulceration: Serum-Pepsinogen Level in Relation to Abo Blood Groups and Salivary Abh Secretor Status. *Br Med J*, 5388, 936-940.
- Hanna, S. D., Mircheff, A. K., & Wright, E. M. (1979). Alkaline phosphatase of basal lateral and brush border plasma membranes from intestinal epithelium. *J Supramol Struct*, 11(4), 451-466.
- Herz, F., & Halwer, M. (1989). Modulation of alkaline phosphatases in LoVo, a human colon carcinoma cell line. *Biochim Biophys Acta*, 1013(3), 259-265.
- Hodson, A. W., Latner, A. L., & Raine, L. (1962). Iso-enzymes of alkaline phosphatase. *Clin Chim Acta*, 7, 255-261.
- Hoylaerts, M. F., Manes, T., & Millan, J. L. (1992). Molecular mechanism of uncompetitive inhibition of human placental and germ-cell alkaline phosphatase. *Biochem J*, 286 (Pt 1), 23-30.
- Hoylaerts, M. F., & Millan, J. L. (1991). Site-directed mutagenesis and epitope-mapped monoclonal antibodies define a catalytically important conformational difference between human placental and germ cell alkaline phosphatase. *Eur J Biochem*, 202(2), 605-616.
- Hummer, C., & Millan, J. L. (1991). Gly429 is the major determinant of uncompetitive inhibition of human germ cell alkaline phosphatase by L-leucine. *Biochem J*, 274 (Pt 1), 91-95.
- Itoh, H., Kakuta, T., Genda, G., Sakonju, I., & Takase, K. (2002). Canine serum alkaline phosphatase isoenzymes detected by polyacrylamide gel disk electrophoresis. *J Vet Med Sci* 64(1), 35-39.
- Jing, T., Deng, Hoylaerts, M. F., Van Hoof, V. O., & De Broe, M. E. (1992). Differential release of human intestinal alkaline phosphatase in duodenal fluid and serum. *Clin Chem*, 38(12), 2532-2538.
- Jung, K., Pergande, M., & Klotzek, S. (1989). Sialidase from different sources compared for electrophoretically separating serum alkaline phosphatase fractions from liver and bone. *Clin Chem*, 35(9), 1955-1957.
- Keiding, N. R. (1964). The Alkaline Phosphatase Fractions of Human Lymph. *Clin Sci*, 26, 291-297.
- Komoda, T., & Sakagishi, Y. (1978). The function of carbohydrate moiety and alteration of carbohydrate composition in human alkaline phosphatase isoenzymes. *Biochim Biophys Acta*, 523(2), 395-406.

- Komoda, T., Sakagishi, Y., & Sekine, T. (1981). Multiple forms of human intestinal alkaline phosphatase: chemical and enzymatic properties, and circulating clearances of the fast- and slow-moving enzymes. *Clin Chim Acta*, 117(2), 167-187.
- Kornfeld, R., & Kornfeld, S. (1985). Assembly of asparagine-linked oligosaccharides. *Annu Rev Biochem*, 54, 631-664.
- Korolainen, M. A., Goldsteins, G., Alafuzoff, I., Koistinaho, J., & Pirttila, T. (2002). Proteomic analysis of protein oxidation in Alzheimer's disease brain. *Electrophoresis*, 23(19), 3428-3433.
- Koyama, I., Miura, M., Matsuzaki, H., Sakagishi, Y., & Komoda, T. (1987). Sugar-chain heterogeneity of human alkaline phosphatases: differences between normal and tumour-associated isozymes. *J Chromatogr*, 413, 65-78.
- Kreisher, J. H., Close, V. A., & Fishman, W. H. (1965). Identification by Means of L-Phenylalanine Inhibition of Intestinal Alkaline Phosphatase Components Separated by Starch Gel Electrophoresis of Serum. *Clin Chim Acta*, 11, 122-127.
- Laemmeli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature (London)*, 227 680-685.
- Langman, M. J., Constantinopoulos, A., & Bouchier, I. A. (1968). ABO blood groups, secretor status, and intestinal mucosal concentrations of alkaline phosphatase. *Nature*, 217(131), 863-865.
- Langman, M. J., Doll, R., & Saracci, R. (1967). ABO blood group and secretor status in stomal ulcer. *Gut*, 8(2), 128-132.
- Langman, M. J., Leuthold, E., Robson, E. B., Harris, J., Luffman, J. E., & Harris, H. (1966). Influence of diet on the "intestinal" component of serum alkaline phosphatase in people of different ABO blood groups and secretor status. *Nature*, 212(57), 41-43.
- Le Du, M. H., & Millan, J. L. (2002). Structural evidence of functional divergence in human alkaline phosphatases. *J Biol Chem*, 277(51), 49808-49814.
- Lehmann, F. G. (1980). Differentiation of human alkaline phosphatases by lectin binding affinity. *Klin Wochenschr*, 58(18), 947-951.
- Lemtragool, W. (2004). *Biochemical characterization and properties of intestinal alkaline phosphatase isoenzyme in patients with colon cancer*. Unpublished MSc. Thesis ,Chingmai university.

- Mahmood, A., Shao, J. S., & Alpers, D. H. (2003). Rat enterocytes secrete SLPs containing alkaline phosphatase and cubilin in response to corn oil feeding. *Am J Physiol Gastrointest Liver Physiol*, 285(2), 433-441.
- Mahmood, A., Yamagishi, F., Eliakim, R., DeSchryver-Kecskemeti, K., Gramlich, T. L., & Alpers, D. H. (1994). A possible role for rat intestinal surfactant-like particles in transepithelial triacylglycerol transport. *J Clin Invest*, 93(1), 70-80.
- Matsushita, M., Irino, T., Kawaguchi, T., & Komoda, T. (2002). The effect of different buffers and amounts of intestinal alkaline phosphatase isoforms on total alkaline phosphatase activity. *Clin Chim Acta*, 319(1), 49-55.
- Matsushita, M., Irino, T., Stigbrand, T., Nakajima, T., & Komoda, T. (1998). Changes in intestinal alkaline phosphatase isoforms in healthy subjects bearing the blood group secretor and non-secretor. *Clin Chim Acta*, 277(1), 13-24.
- McCarthy, A. D., Cortizo, A. M., Gimenez Segura, G., Bruzzone, L., & Etcheverry, S. B. (1998). Non-enzymatic glycosylation of alkaline phosphatase alters its biological properties. *Mol Cell Biochem*, 181(1-2), 63-69.
- McComb, R. B., & Bowers, G. N., Jr. (1985). Alkaline phosphatase and the International Clinical Enzyme Scale. *Am J Clin Pathol*, 84(1), 67-73.
- Merikas, G., Christakopoulos, P., & Petropoulos, E. (1966). Distribution of ABO blood groups in patients with ulcer disease. Its relationship to gastroduodenal bleeding. *Am J Dig Dis*, 11(10), 790-795.
- Miura, M., Sakagishi, Y., Hata, K., & Komoda, T. (1994). Differences between the sugar moieties of liver- and bone-type alkaline phosphatases: a re-evaluation. *Ann Clin Biochem*, 31 (Pt 1), 25-30.
- Montreuil, J. (1980). Primary structure of glycoprotein glycans: basis for the molecular biology of glycoproteins. *Adv Carbohydr Chem Biochem*, 37, 157-223.
- Moss, D. (1973). Immunochemical similarities between major and minor components of human placental alkaline phosphatase. *Clin Chim Acta*, 43(3), 447-449.
- Moss, D. (1982). Alkaline phosphatase isoenzymes. *Clin Chim Acta*, 28(10), 2007-2016.
- Moss, D. W., & King, E. J. (1962). Properties of alkaline-phosphatase fractions separated by starch-gel electrophoresis. *Biochem J*, 84, 192-195.

- Moss, D. W., & Whitaker, K. B. (1985). Modification of alkaline phosphatases by treatment with glycosidases. *Enzyme*, 34(4), 212-216.
- Mueller, H. D., Stinson, R. A., Mohyuddin, F., & Milne, J. K. (1983). Isoenzymes of alkaline phosphatase in infantile hypophosphatasia. *J Lab Clin Med*, 102(1), 24-30.
- Nakano, T., Shimanuki, T., Matsushita, M., Koyama, I., Inoue, I., Katayama, S., Alpers, D. H., & Komoda, T. (2006). Involvement of intestinal alkaline phosphatase in serum apolipoprotein B-48 level and its association with ABO and secretor blood group types. *Biochem Biophys Res Commun*, 341(1), 33-38.
- Nakata, N., & Tozawa, T. (1995). [The ABO blood groups-dependent reference intervals for serum alkaline phosphatase isozymes and total activity in individuals 20-39 years of age]. *Rinsho Byori*, 43(5), 508-512.
- Niederman, J. C., Gilbert, E. C., & Spiro, H. M. (1962). The relationship between blood pepsin level, ABO blood group, and secretor status. *Ann Intern Med*, 56, 564-569.
- Nishihara, Y., Hayashi, Y., Adachi, T., Koyama, I., Stigbrand, T., & Hirano, K. (1992). Chemical nature of intestinal-type alkaline phosphatase in human kidney. *Clin Chem*, 38(12), 2539-2542.
- Ognibene, A., Pala, L., Messeri, G., Rotella, C. M., & Berti, P. (1997). Relations between intestinal alkaline phosphatase activity and insulin secretion in obese patients. *Clin Chem*, 43(9), 1672-1673.
- Roberts, J. A. F. (1959). Some associations between blood groups and disease. *Br Med Bull*, 15(2), 129-133.
- Roche, J., & Sarles, H. (1954). [The origin of blood alkaline phosphatase and the regulation of blood phosphatase level.]. *Bull Soc Chim Biol (Paris)*, 36(4-5), 501-510.
- Sievers, M. L. (1959). Hereditary aspects of gastric secretory function; race and ABO blood groups in relationship to acid and pepsin production. *Am J Med*, 27, 246-255.
- Smith, M., Weiss, M. J., Griffin, C. A., Murray, J. C., Buetow, K. H., Emanuel, B. S., Henthorn, P. S., & Harris, H. (1988). Regional assignment of the gene for human liver/bone/kidney alkaline phosphatase to chromosome 1p36.1-p34. *Genomics*, 2(2), 139-143.

- Stinson, R. A., Gainer, A. L., Chai, J., & Chan, J. A. (1986). Substrate specificity of alkaline phosphatase from human polymorphonuclear leukocytes. *Clin Chim Acta*, 161(3), 283-291.
- Stolbach, L. L., Krant, M. J., Inglis, N. I., & Fishman, W. H. (1967). Correlation of serum L-phenylalanine-sensitive alkaline phosphatase, derived from intestine, with the ABO blood group of cirrhotics. *Gastroenterology*, 52(5), 819-827.
- Szulman, A. E. (1960). The histological distribution of blood group substances A and B in man. *J Exp Med*, Jun 1(111), 785-800.
- Szulman, A. E. (1962). The histological distribution of the blood group substances in man as disclosed by immunofluorescence II. The H antigen and its relation to A and B antigens. *libid*, 115, 977-996.
- Tibi, L., Collier, A., Patrick, A. W., Clarke, B. F., & Smith, A. F. (1988). Plasma alkaline phosphatase isoenzymes in diabetes mellitus. *Clin Chim Acta*, 177(2), 147-155.
- Tietz, N. W. (1982). *Textbook of Clinical Chemistry* Philadelphia: W.B. Saunders Company, 704-16.
- Trowsdale, J., Martin, D., Bicknell, D., & Campbell, I. (1990). Alkaline phosphatases. *Biochem Soc Trans*, 18(2), 178-180.
- Tsumura, M., Ueno, Y., Kinouchi, T., Koyama, I., & Komoda, T. (2001). Atypical alkaline phosphatase isozymes in serum and urine of patients with renal failure. *Clin Chim Acta*, 312(1-2), 169-178.
- Van, B. (1976). Alkaline phosphatase.I. Kinetics and inhibition by levamisole of purified isoenzymes from humans *Clin Chem*, 22(7), 99-104.
- Van Hoof, V. O., Hoylaerts, M. F., Geryl, H., Van Mullem, M., Lepoutre, L. G., & De Broe, M. E. (1990). Age and sex distribution of alkaline phosphatase isoenzymes by agarose electrophoresis. *Clin Chem*, 36(6), 875-878.
- Van Hoof, V. O., Hoylaerts, M. F., & Lepoutre, L. G. (1989). Detection and preliminary characterization of an intestinal variant alkaline phosphatase isoenzyme in human serum. *Biologic prospective. Paris*, 2546-2551.
- Van Hoof, V. O., Lepoutre, L. G., Hoylaerts, M. F., Chevigne, R., & De Broe, M. E. (1988). Improved agarose electrophoretic method for separating alkaline phosphatase isoenzymes in serum. *Clin Chem*, 34(9), 1857-1862.

Verpooten, G. F., Nouwen, E. J., Hoylaerts, M. F., Hendrix, P. G., & de Broe, M. E. (1989). Segment-specific localization of intestinal-type alkaline phosphatase in human kidney. *Kidney Int*, 36(4), 617-625.

Vockley, J., & Harris, H. (1984). Purification of human adult and foetal intestinal alkaline phosphatases by monoclonal antibody immunoaffinity chromatography. *Biochem J*, 217(2), 535-541.

Walker, A. (1974). Intestinal alkaline phosphatase in serum of patients on maintenance haemodialysis *Clin Chim Acta*, 55(3), 399-405.

Walker, J. M. (2002). *SDS Polyacrylamide gel electrophoresis of protein* (2nd ed.). New Jersey: Humana.

Watanabe, T., Wada, N., Kim, E. E., Wyckoff, H. W., & Chou, J. Y. (1991). Mutation of a single amino acid converts germ cell alkaline phosphatase to placental alkaline phosphatase. *J Biol Chem*, 266(31), 21174-21178.

Whitehead, T. (1976). WHO document. In *Lab/76* (Vol. 1, pp. 1-49).

Zhang, Y., SHAO, J. S., XIE, Q. M., & ALPERS, D. H. (1996). Immunolocalization of alkaline phosphatase and surfactant-like particle proteins in rat duodenum during fat absorption. *Gastroenterology*, 110, 478-488.

[http://www.dadamo.com/wiki/wiki.pl/Intestinal_Alkaline_Phosphatase_\(IAP\)](http://www.dadamo.com/wiki/wiki.pl/Intestinal_Alkaline_Phosphatase_(IAP))

http://www.matcmadison.edu/is/hbps/mlt/mljensen/BloodBlank/Lab_Manual/determinigg_secretor_.htm

<http://www.right4cu.us/secretor.html>

<http://www.Sharom Laboratory Department of Molecular and Cellular Biology Research GPI-anchored membrane proteins and lipid rafts.htm>

<http://www.w3.whosea.org/bct/pdf/sop/13.pdf>

Copyright © by Chiang Mai University
All rights reserved