

REFERENCES

- Alter, B. P., Goff, S. C., Efremov, G. D., Gravely, M. E., & Huisman, T. H. (1980). Globin chain electrophoresis: a new approach to the determination of the G_{γ}/A_{γ} ratio in fetal haemoglobin and to studies of globin synthesis. *Br J Haematol*, 44(4), 527-534.
- Armstrong, D. H., Schroeder, W. A., & Fenninger, W. D. (1963). A Comparison of the Percentage of Fetal Hemoglobin in Human Umbilical Cord Blood as Determined by Chromatography and by Alkali Denaturation. *Blood*, 22, 554-565.
- Ausavarungnirun, R., Winichagoon, P., Fucharoen, S., Epstein, N., & Simkins, R. (1998). Detection of ζ -globin chains in the cord blood by ELISA (enzyme-linked immunosorbent assay): rapid screening for α -thalassemia 1 (Southeast Asian type). *Am J Hematol*, 57(4), 283-286.
- Ball, H. J., & Finlay, D. (1998). Diagnostic application of monoclonal antibody (MAb)-based sandwich ELISAs. *Methods Mol Biol*, 104, 127-132.
- Bard, H. (1973). Postnatal fetal and adult hemoglobin synthesis in early preterm newborn infants. *J Clin Invest*, 52(8), 1789-1795.
- Bard, H. (1974). The effect of placental insufficiency on fetal and adult hemoglobin synthesis. *Am J Obstet Gynecol*, 120(1), 67-72.

- Bernini, L. F. (1969). Rapid estimation of hemoglobin A₂ by DEAE chromatography. *Biochem Genet*, 2(4), 305-310.
- Betke, K. (1953). [Determination of the alkaline denaturation of the red blood pigments.]. *Klin Wochenschr*, 31(23-24), 557-558.
- Bone, B. (1995). Monoclonal Production and Fibroblast Overgrowth [Online]. Available: <http://www.bio.net/hypermail/immunology/1995-May/004068.html> [2006, July 8].
- Braunitzer, G., Hilse, K., Rudloff, V., & Hilschmann, N. (1964). The Hemoglobins. *Adv Protein Chem*, 19, 1-71.
- Chedid, L., Audibert, F., Lefrancier, P., Choay, J., & Lederer, E. (1976). Modulation of the immune response by a synthetic adjuvant and analogs. *Proc Natl Acad Sci U S A*, 73(7), 2472-2475.
- Chui, D. H., Mentzer, W. C., Patterson, M., Iarocci, T. A., Embury, S. H., Perrine, S. P., et al. (1989). Human embryonic ζ -globin chains in fetal and newborn blood. *Blood*, 74(4), 1409-1414.
- Chui, D. H., & Waye, J. S. (1998). Hydrops fetalis caused by α -thalassemia: an emerging health care problem. *Blood*, 91(7), 2213-2222.
- Chui, D. H., Wong, S. C., Chung, S. W., Patterson, M., Bhargava, S., & Poon, M. C. (1986). Embryonic ζ -globin chains in adults: a marker for α -thalassemia-1 haplotype due to a greater than 17.5-kb deletion. *N Engl J Med*, 314(2), 76-79.

- Chung, S. W., Wong, S. C., Clarke, B. J., Patterson, M., Walker, W. H., & Chui, D. H. (1984). Human embryonic ζ -globin chains in adult patients with α -thalassemias. *Proc Natl Acad Sci U S A*, *81*(19), 6188-6191.
- Clarke, G. M., & Higgins, T. N. (2000). Laboratory investigation of hemoglobinopathies and thalassemias: review and update. *Clin Chem*, *46*(8 Pt 2), 1284-1290.
- Cohen, A. R., Galanello, R., Pennell, D. J., Cunningham, M. J., & Vichinsky, E. (2004). Thalassemia. *Hematology Am Soc Hematol Educ Program*, 14-34.
- Dhanireddy, K. K., Xu, H., Mannon, R. B., Hale, D. A., & Kirk, A. D. (2004). The clinical application of monoclonal antibody therapies in renal transplantation. *Expert Opin Emerg Drugs*, *9*(1), 23-37.
- Dozy, A. M., Kleihauer, E. F., & Huisman, T. H. (1968). Studies on the heterogeneity of hemoglobin. 13. Chromatography of various human and animal hemoglobin types on DEAE-Sephadex. *J Chromatogr*, *32*(4), 723-727.
- Efremov, G. D., Markovska, B., Stojanovski, N., Petkov, G., Nikolov, N., & Huisman, T. H. (1981). The use of globin chain electrophoresis in polyacrylamide gels for the quantitation of the G_{γ} to A_{γ} ratio in fetal hemoglobin. *Hemoglobin*, *5*(7-8), 637-651.
- Eisenbarth, G. S. (1981). Review: application of monoclonal antibody techniques to biochemical research. *Anal Biochem*, *111*(1), 1-16.
- Freund, J. (1956). The mode of action of immunologic adjuvants. *Bibl Tuberc*(10), 130-148.

- Galfre, G., & Milstein, C. (1981). Preparation of monoclonal antibodies: strategies and procedures. *Methods Enzymol*, 73(Pt B), 3-46.
- Goding, J. W. (1986). *Monoclonal Antibodies: Principles and Practice* (Second ed.). London: Academic press Harcourt Brace Jovanovich, Publishers.
- Hartwell, S. K., Srisawang, B., Kongtawelert, P., Christian, D., & Grudpan, K. (2005). Review on screening and analysis techniques for hemoglobin variants and thalassemia. *Talanta*, 65, 1149-1161.
- Higgs, D. R., Pressley, L., Aldridge, B., Clegg, J. B., Weatherall, D. J., Cao, A., et al. (1981). Genetic and molecular diversity in nondeletion Hb H disease. *Proc Natl Acad Sci U S A*, 78(9), 5833-5837.
- Hofstaetter, C., Gonser, M., & Goelz, R. (1993). Perinatal case report of unexpected thalassemia Hb Bart. *Fetal Diagn Ther*, 8(6), 418-422.
- Huisman, T. H., & Dozy, A. M. (1961). Quantitative determination of the minor hemoglobin component Hb-A₂ by DEAE-cellulose chromatography. *Anal Biochem*, 2, 400-403.
- Ingiulla, A., & D'Asero, G. (1967). [Possibility of separating hemoglobin F and hemoglobin S by electrophoresis on cellulose acetate]. *Riv Clin Pediatr*, 80(4), 151-156.
- Ireland, J. H., Luo, H. Y., Chui, D. H., Chu, B., Yuen, J., & Hsia, Y. E. (1993). Detection of the (--SEA) double α -globin gene deletion by a simple immunologic assay for embryonic ζ -globin chains. *Am J Hematol*, 44(1), 22-28.

- Kan, Y. W., Dozy, A. M., Trecartin, R., & Todd, D. (1977). Identification of a nondeletion defect in α -thalassemia. *N Engl J Med*, 297(20), 1081-1084.
- Kasinrerk, W., Tokrasinwit, N., & Naveewongpanit, P. (1998). Production of monoclonal antibody to CD4 antigen and development of reagent for CD4⁺ lymphocyte enumeration. *J Med Assoc Thai*, 81(11), 879-892.
- Kazazian, H. H., Jr., & Woodhead, A. P. (1973). Hemoglobin A synthesis in the developing fetus. *N Engl J Med*, 289(2), 58-62.
- Kearney, J. F., Radbruch, A., Liesegang, B., & Rajewsky, K. (1979). A new mouse myeloma cell line that has lost immunoglobulin expression but permits the construction of antibody-secreting hybrid cell lines. *J Immunol*, 123(4), 1548-1550.
- Kilmartin, J. V., & Rossi-Bernardi, L. (1969). Inhibition of CO₂ combination and reduction of the Bohr effect in haemoglobin chemically modified at its α -amino groups. *Nature*, 222(200), 1243-1246.
- Kirschbaum, T. H. (1962). Fetal hemoglobin content of cord blood determined by column chromatography. *Am J Obstet Gynecol*, 84, 1375-1381.
- Kohler, G., & Milstein, C. (1975). Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature*, 256(5517), 495-497.
- Krieg, A. F., & Henry, J. B. (1967). Hemoglobin electrophoresis. Clinical pathology correlations of hemoglobinopathies and thalassemias. *N Y State J Med*, 67(10), 1275-1283.

- Lafferty, J. D., Crowther, M. A., Waye, J. S., & Chui, D. H. (2000). A reliable screening test to identify adult carriers of the (--SEA) α^0 -thalassemia deletion. Detection of embryonic ζ -globin chains by enzyme-linked immunosorbent assay. *Am J Clin Pathol*, 114(6), 927-931.
- Lavrovsky, V. A., Viksler, V. K., Yurchenko, Y. A., & Razvorotnev, V. A. (1979). Genetic determination of the immune response in mice to cells of different histological type. *Immunology*, 36(4), 835-841.
- Liang, S. T., Wong, V. C., So, W. W., Ma, H. K., Chan, V., & Todd, D. (1985). Homozygous α -thalassaemia: clinical presentation, diagnosis and management. A review of 46 cases. *Br J Obstet Gynaecol*, 92(7), 680-684.
- Liebhaber, S. A. (1989). Alpha thalassemia. *Hemoglobin*, 13(7-8), 685-731.
- Liebhaber, S. A., & Cash, F. E. (1985). Locus assignment of alpha-globin structural mutations by hybrid-selected translation. *J Clin Invest*, 75(1), 64-70.
- Littlefield, J. W. (1964). The Selection of Hybrid Mouse Fibroblasts. *Cold Spring Harb Symp Quant Biol*, 29, 161-166.
- Luo, H. Y., Clarke, B. J., Gauldie, J., Patterson, M., Liao, S. K., & Chui, D. H. (1988). A novel monoclonal antibody based diagnostic test for α -thalassaemia-1 carriers due to the (-SEA/) deletion. *Blood*, 72(5), 1589-1594.
- Ma, S. K., Ma, V., Chan, A. Y., Chan, L. C., & Chui, D. H. (2002). Routine screening of (--(SEA)) α -thalassaemia deletion by an enzyme-linked immunosorbent assay for embryonic ζ -globin chains. *Acta Haematol*, 108(1), 8-12.

Makonkawkeyoon, L., Ongchai, S., & Sanguansermisri, T. (1992). Determination of hemoglobin Bart's in α thalassemia traits by two-site immunoradiometric assay. II. Detection of hemoglobin Bart's in α thalassemia traits. *J Med Assoc Thai*, 75(10), 565-569.

Makonkawkeyoon, L., Sophar, B., Pharephan, S., & Makonkawkeyoon, S. (2006). Production of a mouse hybridoma secreting monoclonal antibody highly specific to β^E -globin chain for the detection of hemoglobin E in southeast asian populations. *Chiang Mai Med Bull*, 45(1), 1-10.

Merwin, R. M., & Redmon, L. W. (1963). Induction of Plasma Cell Tumors and Sarcomas in Mice by Diffusion Chambers Placed in the Peritoneal Cavity. *J Natl Cancer Inst*, 31, 997-1017.

Moini, M., Demars, S. M., & Huang, H. (2002). Analysis of carbonic anhydrase in human red Blood cells using capillary electrophoresis/ electrospray ionization-mass spectrometry. *Anal Chem*, 74(15), 3772-3776.

Moonsom, S., & Kasinrek, W. (2000). Production of anti-CD14 monoclonal antibodies using CD14 expressing COS cells as immunizing antigen. *Asian Pac J Allergy Immunol*, 18(1), 53-61.

Moors, A., Melis-Liekens, J., De Vlieger-Bensel, M., De Groof-Cornelis, E., & Van Ros, G. (1979). Evaluation of a simplified microchromatographic technique for hemoglobin A₂ determination. *Acta Haematol*, 61(1), 15-26.

- Moscoso, H., Shyamala, M., Kiefer, C. R., & Garver, F. A. (1989). Monoclonal antibody to the γ chain of human fetal hemoglobin used to develop an enzyme immunoassay. *Clin Chem*, 35(10), 2066-2069.
- Mundee, Y., Bigelow, N. C., Davis, B. H., & Porter, J. B. (2001). Flow cytometric method for simultaneous assay of foetal haemoglobin containing red cells, reticulocytes and foetal haemoglobin containing reticulocytes. *Clin Lab Haematol*, 23(3), 149-154.
- Nagata, M., & Tanaka, T. (1992). Detection of fecal blood by colloidal gold agglutination using an anti-human hemoglobin monoclonal antibody. *J Immunol Methods*, 153(1-2), 185-192.
- Old, J. M. (2003). Screening and genetic diagnosis of haemoglobin disorders. *Blood Rev*, 17(1), 43-53.
- Osburn, B. I., Klingborg, D. J., & Hart, L. A. (1996). The Mouse in Science: Monoclonal Antibodies [Online]. Available: http://www.vetmed.ucdavis.edu/Animal_Alternatives/mabs.htm [2006, July 8].
- Ozturk, S., & Cirakoglu, B. (2001). Production of Monoclonal Antibody Specific for Human Hemoglobin. *Turk J Med Sci*, 31, 181-186.
- Panyasai, S., Sringam, P., Fucharoen, G., Sanchaisuriya, K., & Fucharoen, S. (2002). A simplified screening for α -thalassemia 1 (SEA type) using a combination of a modified osmotic fragility test and a direct PCR on whole blood cell lysates. *Acta Haematol*, 108(2), 74-78.
- Pontecorvo, G. (1976). Polyethylene glycol (PEG) in the production of mammalian somatic cell hybrids. *Cytogenet Cell Genet*, 16(1-5), 399-400.

- Potter, M., & Boyce, C. R. (1962). Induction of plasma-cell neoplasms in strain BALB/c mice with mineral oil and mineral oil adjuvants. *Nature*, 193, 1086-1087.
- Puttikhunt, C., Kasinrerak, W., Srisa-ad, S., Duangchinda, T., Silakate, W., Moonsom, S., et al. (2003). Production of anti-dengue NS1 monoclonal antibodies by DNA immunization. *J Virol Methods*, 109(1), 55-61.
- Rifkind, R. A., Bank, A., Marks, P. A., Nossel, H. L., Ellison, R. R., & Lindenbaum, J. (1984). *Fundamentals of hematology* (Second ed.). Chicago, London: Year book medical publishers, Inc.
- Ringertz, N. R., & Savage, R. E. (1976). *Cell Hybrids*. New York: Academic Press.
- Rosenbaum, D. L. (1966). Hemoglobin electrophoresis on cellulose acetate. *Am J Med Sci*, 252(6), 726-731.
- Rozman, R. S., Sacks, R. P., & Kates, R. (1963). Rapid Measurement of Hemoglobin A₂ by Means of Cellulose Acetate Membrane Electrophoresis. *J Lab Clin Med*, 62, 692-698.
- Sanguansermisri, T., Thanaratanakorn, P., Steger, H. F., Tongsong, T., Sirivatanapa, P., Wanapirak, C., et al. (2001). Prenatal diagnosis of hemoglobin Bart's hydrops fetalis by HPLC analysis of hemoglobin in fetal blood samples. *Southeast Asian J Trop Med Public Health*, 32(1), 180-185.
- Shulman, M., Wilde, C. D., & Kohler, G. (1978). A better cell line for making hybridomas secreting specific antibodies. *Nature*, 276(5685), 269-270.

Shyamala, M., Kiefer, C. R., Moscoso, H., & Garver, F. A. (1991). Application of a monoclonal antibody specific for the δ chain of hemoglobin A₂ in the diagnosis of β thalassemia. *Am J Hematol*, 38(3), 214-219.

Shyamala, M., Kiefer, C. R., Moscoso, H., & Garver, F. A. (1992). A monoclonal antibody-linked immunoassay for hemoglobin H disease. *Ann Hematol*, 65(1), 37-40.

Simmons, A., & Fimls. (1989). *Hematology a combined theoretical & technical approach*. California: W. B. Saunders company. USA.

Staines, D., & Price, P. (2003). PERSPECTIVES IN CELL CULTURE: Managing Serum Requirements for Cell Culture [Online]. Available: <http://www.invitrogen.com/content/sfs/brochures/PerspectivesWEB.pdf#search=%20fibroblast%20overgrow%22> [2006, August 2].

Sugano, M., Hidaka, H., Yamauchi, K., Nakabayashi, T., Higuchi, Y., Fujita, K., et al. (2000). Analysis of hemoglobin and globin chain variants by a commonly used capillary isoelectric focusing method. *Electrophoresis*, 21(14), 3016-3019.

Tang, W., Luo, H. Y., Albitar, M., Patterson, M., Eng, B., Waye, J. S., et al. (1992). Human embryonic ζ -globin chain expression in deletional α -thalassemias. *Blood*, 80(2), 517-522.

Team, T. (2005). Forensic Science : Blood analysis [Online]. Available: http://library.thinkquest.org/04oct/00206/text_pti_blood_analysis.htm [2006, August 15].

- Thomas, E. D., Lochte, H. L., Jr., Greenough, W. B., 3rd, & Wales, M. (1960). In vitro synthesis of foetal and adult haemoglobin by foetal haematopoietic tissues. *Nature*, 185, 396-397.
- Tongsong, T., Wanapirak, C., Sirivatanapa, P., Sa-nguansermisri, T., Sirichotiyakul, S., Piyamongkol, W., et al. (2001). Prenatal eradication of Hb Bart's hydrops fetalis. *J Reprod Med*, 46(1), 18-22.
- Unitedbiotech. (2006). Alpha thalassemia ELISA [Online]. Available: http://unitedbiotech.com/products/elisa/blood_disorders/bd101.html [2006, June 24].
- Wanapirak, C., Tongsong, T., Sirivatanapa, P., Sa-nguansermisri, T., Sekararithi, R., & Tuggapichitti, A. (1998). Prenatal strategies for reducing severe thalassemia in pregnancy. *Int J Gynaecol Obstet*, 60(3), 239-244.
- Warner, N. L. (1975). Autoimmunity and the pathogenesis of plasma cell tumor induction in NZB inbred and hybrid mice. *Immunogenetics*, 2, 1-20.
- Wasi, P., Pravatmuang, P., & Winichagoon, P. (1979). Immunologic diagnosis of α -thalassemia traits. *Hemoglobin*, 3(1), 21-31.
- Weatherall, D. J., & Clegg, J. B. (2001). *The Thalassemia Syndromes* (Fourth ed.): Black-well Scientific Publications, USA.
- Weatherall, D. J., Clegg, J. B., & Boon, W. H. (1970). The haemoglobin constitution of infants with the haemoglobin Bart's hydrops foetalis syndrome. *Br J Haematol*, 18(3), 357-367.
- Wikipedia. (2006). Monoclonal antibodies [Online]. Available: http://en.wikipedia.org/wiki/Monoclonal_antibodies [2006, July 15].

- Wilkie, A. O., Buckle, V. J., Harris, P. C., Lamb, J., Barton, N. J., Reenders, S. T., et al. (1990). Clinical features and molecular analysis of the α thalassemia/mental retardation syndromes. I. Cases due to deletions involving chromosome band 16p13.3. *Am J Hum Genet*, 46(6), 1112-1126.
- Williams, W. j., Beutler, E., Erslev, A. j., & Lichtman, M. A. (1991). *Hematology* (Fourth ed.). New york: McGraw-Hill publishing company.
- Zhao, J. Q., Luo, H. Y., Clarke, B. J., & Chui, D. H. (1988). An immunoassay to detect human embryonic ϵ globin chains by a murine monoclonal antibody. *Blood*, 71(4), 883-887.