

REFERENCES

1. Global initiative for chronic obstructive lung disease; Global for strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease: NHLBI/WHO Workshop: National Heart Lung Blood Institute; 2005.
2. Wouters E, Creutzberg E. Systemic effects in COPD. *Chest*. 2005;121:127-30.
3. Agusti AG, Noguera A, Sauleda J, Sala E, Pons J, Busquets X. Systemic effects of chronic obstructive pulmonary disease. *Eur Respir J*. 2003 Feb;21(2):347-60.
4. Ershler WB, Chen K, Reyes EB, Dubois R. Economic burden of patients with anemia in selected diseases. *Value Health*. 2005 Nov-Dec;8(6):629-38.
5. John M, Lange A, Hoernig S, Witt C, Anker SD. Prevalence of anemia in chronic obstructive pulmonary disease: comparison to other chronic diseases. *Int J Cardiol*. 2006 Aug 28;111(3):365-70.
6. Silverberg DS, Iaina A, Wexler D, Blum M. The pathological consequences of anaemia. *Clin Lab Haematol*. 2001 Feb;23(1):1-6.
7. Calbet JA, Lundby C, Koskolou M, Boushel R. Importance of hemoglobin concentration to exercise: acute manipulations. *Respir Physiol Neurobiol*. 2006 Apr 28;151(2-3):132-40.
8. Gabrilove J. Anemia and the elderly: clinical considerations. *Best Pract Res Clin Haematol*. 2005;18(3):417-22.
9. Similowski T, Agusti A, MacNee W, Schonhofer B. The potential impact of anaemia of chronic disease in COPD. *Eur Respir J*. 2006 Feb;27(2):390-6.

10. ATS Statement: Guidelines for the Six-Minute Walk Test: American Thoracic Society; 2002.
11. Turner SE, Eastwood PR, Cecins NM, Hillman DR, Jenkins SC. Physiologic responses to incremental and self-paced exercise in COPD: a comparison of three tests. *Chest*. 2004 Sep;126(3):766-73.
12. Honeyman P, Barr P, Stubbing DG. Effect of a walking aid on disability, oxygenation, and breathlessness in patients with chronic airflow limitation. *J Cardiopulm Rehabil*. 1996 Jan-Feb;16(1):63-7.
13. Solway S, Brooks D, Lau L, Goldstein R. The short-term effect of a rollator on functional exercise capacity among individuals with severe COPD. *Chest*. 2002 Jul;122(1):56-65.
14. Roul G, Germain P, Bareiss P. Does the 6-minute walk test predict the prognosis in patients with NYHA class II or III chronic heart failure? *Am Heart J*. 1998 Sep;136(3):449-57.
15. Tan WC, Seale JP, Charaonratanakul S, de Guia T. COPD prevalence in 12 Asia-Pacific countries and regions: Projections based on the COPD prevalence estimation model. *Respirology*. 2003;8:192-8.
16. Maranetra KN, Chuaychoo B, Dejsomritrutai W, Chierakul N, Nana A, Lertakyamanee J, et al. The prevalence and incidence of COPD among urban older persons of Bangkok Metropolis. *J Med Assoc Thai*. 2002 Nov;85(11):1147-55.
17. Singh S. Chronic obstructive pulmonary disease. *Cur Anaes & Cri Care* 2003;14:74-80.

18. Barnes PJ, Chowdhury B, Kharitonov SA, Magnussen H, Page CP, Postma D, et al. Pulmonary biomarkers in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med.* 2006 Jul 1;174(1):6-14.
19. Casaburi R. Skeletal muscle function in COPD. *Chest* 2000;117:267-71
20. Karadag F, Karul AB, Cildag O, Altun C, Gurgey O. Determinants of BMI in patients with COPD. *Respirology.* 2004 Mar;9(1):70-5.
21. Montes de Oca M, Torres SH, Gonzalez Y, Romero E, Hernandez N, Mata A, et al. Peripheral muscle composition and health status in patients with COPD. *Respir Med.* 2006 Oct;100(10):1800-6.
22. Curkendall SM, DeLuise C, Jones JK, Lanes S, Stang MR, Goehring E, Jr., et al. Cardiovascular disease in patients with chronic obstructive pulmonary disease, Saskatchewan Canada cardiovascular disease in COPD patients. *Ann Epidemiol.* 2006 Jan;16(1):63-70.
23. Huiart L, Ernst P, Suissa S. Cardiovascular morbidity and mortality in COPD. *Chest.* 2005 Oct;128(4):2640-6.
24. Stein PK, Nelson P, Rottman JN, Howard D, Ward SM, Kleiger RE, et al. Heart rate variability reflects severity of COPD in PiZ alpha1-antitrypsin deficiency. *Chest.* 1998 Feb;113(2):327-33.
25. Yildiz P, Tukek T, Akkaya V, Sozen AB, Yildiz A, Korkut F, et al. Ventricular arrhythmias in patients with COPD are associated with QT dispersion. *Chest.* 2002 Dec;122(6):2055-61.
26. Ionescu AA, Schoon E. Osteoporosis in chronic obstructive pulmonary disease. *Eur Respir J Suppl.* 2003 Nov;46:64s-75s.

27. Jorgensen NR, Schwarz P, Holme I, Henriksen BM, Petersen LJ, Backer V. The prevalence of osteoporosis in patients with chronic obstructive pulmonary disease: a cross sectional study. *Respir Med.* 2007 Jan;101(1):177-85.
28. Penninx BW, Pahor M, Woodman RC, Guralnik JM. Anemia in old age is associated with increased mortality and hospitalization. *J Gerontol A Biol Sci Med Sci.* 2006 May;61(5):474-9.
29. Issaragrisil S, Kaufman DW, Anderson T, Chansung K, Leaverton PE, Shapiro S, et al. The epidemiology of aplastic anemia in Thailand. *Blood.* 2006 Feb 15;107(4):1299-307.
30. Nutritional anemia: report of a WHO Scientific Group. Geneva:Switzerland: World Health Organization. 1968.
31. John M, Hoernig S, Doehner W, Okonko DD, Witt C, Anker SD. Anemia and inflammation in COPD. *Chest.* 2005 Mar;127(3):825-9.
32. Celli BR, Cote CG, Marin JM, Casanova C, Montes de Oca M, Mendez RA, et al. The body-mass index, airflow obstruction, dyspnea, and exercise capacity index in chronic obstructive pulmonary disease. *N Engl J Med.* 2004 Mar 4;350(10):1005-12.
33. Chambellan A, Chailleux E, Similowski T. Prognostic value of the hematocrit in patients with severe COPD receiving long-term oxygen therapy. *Chest.* 2005 Sep;128(3):1201-8.
34. Kalra PR, Bolger AP, Francis DP, Genth-Zotz S, Sharma R, Ponikowski PP, et al. Effect of anemia on exercise tolerance in chronic heart failure in men. *Am J Cardiol.* 2003 Apr 1;91(7):888-91.

35. Mancini DM, Katz SD, Lang CC, LaManca J, Hudaihed A, Androne AS. Effect of erythropoietin on exercise capacity in patients with moderate to severe chronic heart failure. *Circulation*. 2003 Jan 21;107(2):294-9.
36. Tassiopoulos S, Kontos A, Konstantopoulos K, Hadzistavrou C, Vaiopoulos G, Aessopos A, et al. Erythropoietic response to hypoxaemia in diffuse idiopathic pulmonary fibrosis, as opposed to chronic obstructive pulmonary disease. *Respir Med*. 2001 Jun;95(6):471-5.
37. Schonhofer B, Bohrer H, Kohler D. Blood transfusion facilitating difficult weaning from the ventilator. *Anaesthesia*. 1998 Feb;53(2):181-4.
38. Scoppetta C, Grassi F. Erythropoietin: a new tool for muscle disorders? *Med Hypotheses*. 2004;63(1):73-5.
39. Enright PL. The six-minute walk test. *Respir Care*. 2003 Aug;48(8):783-5.
40. Butland RJ, Pang J, Gross ER, Woodcock AA, Geddes DM. Two-, six-, and 12-minute walking tests in respiratory disease. *Br Med J (Clin Res Ed)*. 1982 May 29;284(6329):1607-8.
41. Kosak M, Smith T. Comparison of the 2-, 6-, and 12-minute walk tests in patients with stroke. *J Rehabil Res Dev*. 2005 Jan-Feb;42(1):103-7.
42. Rabinovich RA, Vilaro J, Roca J. Evaluation exercise tolerance in COPD patients: the 6-minute walking test. *Arch Bronconeumol*. 2004 Feb;40(2):80-5.
43. Troosters T, Vilaro J, Rabinovich R, Casas A, Barbera JA, Rodriguez-Roisin R, et al. Physiological responses to the 6-min walk test in patients with chronic obstructive pulmonary disease. *Eur Respir J*. 2002 Sep;20(3):564-9.

44. Morante F, Guell R, Mayos M. Efficacy of the 6-minute walk test in evaluating ambulatory oxygen therapy. *Arch Bronconeumol*. 2005 Nov;41(11):596-600.
45. Poulain M, Durand F, Palomba B, Ceugniet F, Desplan J, Varray A, et al. 6-minute walk testing is more sensitive than maximal incremental cycle testing for detecting oxygen desaturation in patients with COPD. *Chest*. 2003 May;123(5):1401-7.
46. Bautmans I, Lambert M, Mets T. The six-minute walk test in community dwelling elderly: influence of health status. *BMC Geriatr*. 2004 Jul 23;4:6.
47. Opasich C, Pinna GD, Mazza A, Febo O, Riccardi R, Riccardi PG, et al. Six-minute walking performance in patients with moderate-to-severe heart failure; is it a useful indicator in clinical practice? *Eur Heart J*. 2001 Mar;22(6):488-96.
48. Szekely LA, Oelberg DA, Wright C, Johnson DC, Wain J, Trotman-Dickenson B, et al. Preoperative predictors of operative morbidity and mortality in COPD patients undergoing bilateral lung volume reduction surgery. *Chest*. 1997;111:550-8.
49. Miller MR, Hankinson J, Brusasco V, Burgos F, Casaburi R, Coates A, et al. Standardisation of spirometry. *Eur Respir J*. 2005 Aug;26(2):319-38.
50. Cote C, Zilberberg MD, Mody SH, Dordelly LJ, Celli B. Haemoglobin level and its clinical impact in a cohort of patients with COPD. *Eur Respir J*. 2007 May;29(5):923-9.

51. Topp R, Ditmyer M, King K, Doherty K, Hornyak J, 3rd. The effect of bed rest and potential of prehabilitation on patients in the intensive care unit. AACN Clin Issues. 2002 May;13(2):263-76.
52. Silverberg DS, Wexler D, Iaina A, Steinbruch S, Wollman Y, Schwartz D. Anemia, chronic renal disease and congestive heart failure--the cardio renal anemia syndrome: the need for cooperation between cardiologists and nephrologists. Int Urol Nephrol. 2006;38(2):295-310.
53. Ozalevli S, Ozden A, Itil O, Akkoclu A. Comparison of the Sit-to-Stand Test with 6 min walk test in patients with chronic obstructive pulmonary disease. Respir Med. 2007 Feb;101(2):286-93.