

TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENT	iii
ABSTRACT	iv
LIST OF TABLES	xi
LIST OF ILLUSTRATIONS	xiii
ABBREVIATIONS	xiv
 CHAPTER I: INTRODUCTION	 1
 CHAPTER II: LITERATURE REVIEWS	 5
1. Global and Thailand HIV/AIDS epidemic	5
2. HIV-1 Terminology and structure	6
2.1 HIV-1 terminogy	6
2.2 Structure and genome organization of HIV-1	7
3. Infection and pathogenesis	9
3.1 The infectious of HIV-1	9
3.1.1 Binding and entry	9
3.1.2 Reverse transcription and DNA synthesis	9
3.1.3 Nuclear transport of the pre-integration complex	9
3.1.4 Proviral DNA integration	10
3.1.5 Viral transcription and protein synthesis	10
3.1.6 Assembly and budding of virus	10
3.2 Pathogenesis of HIV-1 infection	10
3.2.1 Primary HIV infection	10
3.2.2 Clinical latency	11
3.2.3 Advance disease	12
4. Antiretroviral drugs	13

5.	Monitoring CD ₄ and viral load	15
6.	Viral load assays	15
6.1	Reverse transcriptase polymerase chain reaction	15
6.1.1	Reverse transcription	16
6.1.2	PCR amplification	16
6.1.3	Selection amplification	17
6.1.4	Hybridization reaction	17
6.1.5	Detection reaction	18
6.1.6	HIV-1 RNA quantitation	18
6.2	bDNA signal amplification (Quantiplex™HIV-1RNA)	19
6.3	NASBA	19
7.	Comparison of the commercial HIV- 1 RNA viral load assays	19
8.	Real-time polymerase chain reaction	20
8.1	DNA binding fluorophores	22
8.2	Hybridization probe	23
8.3	Hydrolysis probe (TaqMan probe)	23
9.	Real-time quantitative PCR	24
10.	Data evaluation on real-time PCR on LightCycler™	25
11.	HIV-1 RNA standard	26
CHAPTER III: MATHERIALS AND METHODS		28
1.	Matherials	28
1.1	Plasma sample	28
1.1.1.	HIV-1 positive pool plasma	28
1.1.2.	HIV-1 negative plasma	28
1.1.3.	Patient samples	28
1.2	PCR primers and TaqMan probe design	29
1.3	Reagents for nucleic acid purification	31
1.4	Reagents for real time RT-PCR	31
2.	Methods	31
2.1	HIV-1 RNA extraction	31

2.2	One-step real-time RT-PCR on LightCycler™	32
2.3	HIV-1 RNA Standard quantitation curve	33
2.4	Quantitation of HIV-1 RNA from plasma sample	33
2.5	Reproducibility and precision studies	33
2.6	Lower limit of detection	33
2.7	Comparative cost analysis	34

CHAPTER IV: RESULTS

1.	HIV-1 RNA standard quantitation curve	36
2.	Reproducibility of assays	37
3.	Detection limit	41
4.	Increasing sensitivity of assay	41
5.	Quantification with the external master standard curve	43
6.	Comparison of plasma viral load quantitation by using in-house quantitative real-time PCR and Amplicor HIV-1 Monitor® assay Kit.	44
7.	Cost analysis of in-house quantitative real-time PCR on LightCycler™ for HIV-1 viral load	49

CHAPTER V: DISCUSSION

CHAPTER VI: SUMMARY

REFERENCES

APPENDICES

CIRRICULUM VITAE

LIST OF TABLES

Table	Page
1 Approved anti-retroviral drugs	14
2 Characteristics of commercial assays for quantitation of Plasma HIV-1 RNA	21
3 Human viruses detected with real-time amplification technology	22
4 Sequences of the primers and probe used for in-house real-time RT-PCR	30
5 The components of one-step RT-PCR reaction	32
6 Dilutions of pool plasma standard for lower limit detection experiment	34
7 Determination of assay precision by intra-assay variation analysis	40
8 Determination of assay reproducibility by inter-assay variation analysis	40
9 Detection Limit of HIV-1 RNA quantification by In-house quantitative real-time-PCR assay on LightCycler™ technology using 140 µl of plasma	41
10 Detection Limit of HIV-1 RNA quantification by In-house quantitative real-time-PCR assay on LightCycler™ technology using 1 ml of plasma	42
11 Cross sectional data of HIV-1 viral load result by using Amplicor HIV-1 Monitor® assay Kit and In-house real-time RT-PCR	45-47
12 Comparison of cost and hand-on time between In-house quantitative real-time PCR and Amplicor HIV-1 Monitor® 1.5 assay Kit for quantitation of HIV-1 RNA	51
13 Estimated consumables cost of In-house quantitative real-time PCR and Amplicor HIV-1 Monitor® 1.5 assay Kit	52

14	Cost of Home-brew reagent and commercial reagent kits for one-step RT-PCR (20ul)	53
----	--	----



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

LIST OF ILLUSTRATIONS

Figure		Page
1A	The structure of HIV-1 particle	8
1B	Diagram of HIV-1 genomic RNA	8
2	Typical course of HIV infection	12
3	Relative locations of HIV-1 specific primers and HIV-1 probe on the HIV-1 <i>gag</i> gene	30
4	Illustration of the fluorescent signal curve obtained from intra assay of HIV-1 RNA dilutions by using real-time PCR on the LightCycler™ system; Upper is a plot between the fluorescent signal and cycle number of PCR; Lower is a plot between cycle threshold (C_T) and Log_{10} RNA copy number	39
5	Correlation between absolute copy number of HIV-1 RNA calculated by using external standard curve ran in parallel with the sample and external master standard curve from the previous run	44
6	Correlation between log_{10} HIV-1 RNA copy number from clinical samples as measured by the Amplicor®HIV-1 Monitor assay Kit version 1.5 and In-house quantitative real-time PCR	48
7	Correlation between Log_{10} HIV-1 RNA copy number in clinical samples determined by using In-house quantitation real-time PCR and analyzed by using external standard curve ran in parallel with the sample and external master standard curve from the previous run	49