

## REFERENCES

- Abbas, A.K. and Lichtman, A.H. (2006) *Basic Immunology: Functions and Disorders of immune system*. Saunders, The Curtis Center, Independent Square West, Philadelphia, Pennsylvania.
- Abbas, A.K., Lichtman, A.H. and Pober, J.S. (2000) *Cellular and Molecular Immunology*. W.B saunders company, The Curtis Center, Independent Square West, Philadelphia, Pennsylvania.
- Alberts, C., van der Schoot, J.B., van Daatselaar, J.J., Braat, M.C. and Roos, C.M. (1983)  $^{67}\text{Ga}$  scintigraphy, serum lysozyme and angiotensin-converting enzyme in pulmonary sarcoidosis. *Eur J Respir Dis* 64, 38-46.
- Andersen, D.C. and Reilly, D.E. (2004) Production technologies for monoclonal antibodies and their fragments. *Curr Opin Biotechnol* 15, 456-62.
- Aruffo, A. and Seed, B. (1987) Molecular cloning of two CD7 (T-cell leukemia antigen) cDNAs by a COS cell expression system. *Embo J* 6, 3313-6.
- Baldwin, R.W. and Byers, V.S. (1991) Monoclonal antibodies: new agents for cancer detection and targeted therapy. *Cancer Detect Prev* 15, 133-6.
- Bessler, W.G. and Baron, D. (1988) [Production and application of monoclonal antibodies]. *Naturwissenschaften* 75, 496-502.
- Birch, J.R. and Lennox, E.S. (1995) *Monoclonal Antibodies: Principles and Applications* WILEY-LISS.
- Burnette, W.N. (1981) "Western blotting": electrophoretic transfer of proteins from sodium dodecyl sulfate--polyacrylamide gels to unmodified nitrocellulose and radiographic detection with antibody and radioiodinated protein A. *Anal Biochem* 112, 195-203.
- Camerini, D. and Seed, B. (1990) A CD4 domain important for HIV-mediated syncytium formation lies outside the virus binding site. *Cell* 60, 747-54.
- Campobasso, N. and Dammacco, F. (1991) Monoclonal antibodies in the diagnosis and therapy of lung cancer]. *Recenti Prog Med* 82, 642-51.
- Catty, D. (1988) *Antibodies: A practical approach*. IRL Press.

- CDC.1993 Revised classification system for HIV infection and expanded surveillance case definition for AIDS among adolescents and adults. *MMWR Recomm Rep* 41, 1-19.
- Chiampanichayakul, S., Peng-in, P., Khunkaewla, P., Stockinger, H. and Kasinrer, W. (2006) CD147 contains different bioactive epitopes involving the regulation of cell adhesion and lymphocyte activation. *Immunobiology* 211, 167-78.
- Chiampanichayakul, S., Szekeres, A., Khunkaewla, P., Moonsom, S., Leksa, V., Drbal, K., Zlabinger, G.J., Hofer-Warbinek, R., Stockinger, H. and Kasinrer, W. (2002) Engagement of Na,K-ATPase beta3 subunit by a specific mAb suppresses T and B lymphocyte activation. *Int Immunol* 14, 1407-14.
- Chinen, J. and Shearer, W.T. (2005) Basic and clinical immunology. *J Allergy Clin Immunol* 116, 411-8.
- Claassen, E., Zegers, N.D., Laman, J.D. and Boersma, W.J. (1993) Use of synthetic peptides for the production of site (amino acid) specific polyclonal and monoclonal antibodies. *Year Immunol* 7, 150-61.
- Clark, M.R. (1986) Medical applications of monoclonal antibodies. *Revis Biol Celular* 9, 1-79.
- Coakham, H.B., Garson, J.A., Brownell, B. and Kemshead, J.T. (1984) Monoclonal antibodies as reagents for brain tumour diagnosis: a review. *J R Soc Med* 77, 780-7.
- Cole, S.P., Campling, B.G., Atlaw, T., Kozbor, D. and Roder, J.C. (1984) Human monoclonal antibodies. *Mol Cell Biochem* 62, 109-20.
- de StGroth, S.F. and Scheidegger, D. (1980) Production of monoclonal antibodies: strategy and tactics. *J Immunol Methods* 35, 1-21.
- Duffy, S., Tsao, K.L. and Waugh, D.S. (1998) Site-specific, enzymatic biotinylation of recombinant proteins in *Spodoptera frugiperda* cells using biotin acceptor peptides. *Anal Biochem* 262, 122-8.
- Duilio, A., Tutino, M.L. and Marino, G. (2004) Recombinant protein production in Antarctic Gram-negative bacteria. *Methods Mol Biol* 267, 225-37.
- Eales, L.-J. (2003) *Immunology for life scientist*. John Wiley & Sons

- Edwards, C.P. and Aruffo, A. (1993) Current applications of COS cell based transient expression systems. *Curr Opin Biotechnol* 4, 558-63.
- Eiden, L.E. and Lifson, J.D. (1992) HIV interactions with CD4: a continuum of conformations and consequences. *Immunol Today* 13, 201-6.
- Elborough, K.M., Winz, R., Deka, R.K., Markham, J.E., White, A.J., Rawsthorne, S. and Slabas, A.R. (1996) Biotin carboxyl carrier protein and carboxyltransferase subunits of the multi-subunit form of acetyl-CoA carboxylase from *Brassica napus*: cloning and analysis of expression during oilseed rape embryogenesis. *Biochem J* 315 ( Pt 1), 103-12.
- Elder, J.T., Spritz, R.A. and Weissman, S.M. (1981) Simian virus 40 as a eukaryotic cloning vehicle. *Annu Rev Genet* 15, 295-340.
- Galfre, G. and Milstein, C. (1981) Preparation of monoclonal antibodies: strategies and procedures. *Methods Enzymol* 73, 3-46.
- Gluzman, Y. (1981) SV40-transformed simian cells support the replication of early SV40 mutants. *Cell* 23, 175-82.
- Goding, J.W. (1996) *Monoclonal Antibodies : Principles and Practice* Academic Press.
- Gosling, J. (2000) *Immunoassays*. Oxford University Press.
- Hannig, G. and Makrides, S.C. (1998) Strategies for optimizing heterologous protein expression in *Escherichia coli*. *Trends Biotechnol* 16, 54-60.
- Harlow, E. and Lane, D. (1988) *Antibodies: A Laboratory Manual* Cold Spring Harbor Laboratory Press New York.
- Heinz, F.X., Allison, S.L., Stiasny, K., Schalich, J., Holzmann, H., Mandl, C.W. and Kunz, C. (1995) Recombinant and virion-derived soluble and particulate immunogens for vaccination against tick-borne encephalitis. *Vaccine* 13, 1636-42.
- James, K., Boyd, J.E., Micklem, L.R., Ritchie, A.W., Dawes, J. and McClelland, D.B. (1984) Monoclonal antibodies, their production and potential in clinical practice. *Scott Med J* 29, 67-83.
- Janeway, C.A., Travers, P., Walport, M. and Shlomchik, M.J. (2004) *Immunobiology: The Immune System in Health and Disease* Paul Garland Science

- Kasinrerker, W., Fiebiger, E., Stefanova, I., Baumruker, T., Knapp, W. and Stockinger, H. (1992) Human leukocyte activation antigen M6, a member of the Ig superfamily, is the species homologue of rat OX-47, mouse basigin, and chicken HT7 molecule. *J Immunol* 149, 847-54.
- Kasinrerker, W., Moonsom, S. and Chawansuntati, K. (2002) Production of antibodies by single DNA immunization: comparison of various immunization routes. *Hybrid Hybridomics* 21, 287-93.
- Kasinrerker, W., Tokrasinwit, N., Moonsom, S. and Stockinger, H. (2000) CD99 monoclonal antibody induce homotypic adhesion of Jurkat cells through protein tyrosine kinase and protein kinase C-dependent pathway. *Immunol Lett* 71, 33-41.
- Kasinrerker, W., Tokrasinwit, N. and Piluk, Y. (1996) Production of mouse anti-CD4 antibodies by DNA-based immunization. *Asian Pac J Allergy Immunol* 14, 99-105.
- Kearney, J.F., Radbruch, A., Liesegang, B. and Rajewsky, K. (1979) A new mouse myeloma cell line that has lost immunoglobulin expression but permits the construction of antibody-secreting hybrid cell lines. *J Immunol* 123, 1548-50.
- Kenemans, P., Yedema, C.A., Hilgers, J.H., Massuger, L.F., Verheijen, R.H., Thomas, C.M. and Poels, L.G. (1988) Clinical applications of monoclonal antibodies against ovarian cancer-associated antigens. *Eur J Obstet Gynecol Reprod Biol* 29, 207-18.
- kennett, R.H., Mckern, T.J. and Bechtol, K.B. (1980) monoclonal antibodies Hybridomas: a new dimension in biological analyses. plenum press, newyork.
- Khunkeawla, P., Moonsom, S., Staffler, G., Kongtawelert, P. and Kasinrerker, W. (2001) Engagement of CD147 molecule-induced cell aggregation through the activation of protein kinases and reorganization of the cytoskeleton. *Immunobiology* 203, 659-69.
- Kohler, G. and Milstein, C. (1975) Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* 256, 495-7.
- Koths, K. (1995) Recombinant proteins for medical use: the attractions and challenges. *Curr Opin Biotechnol* 6, 681-7.

- LaVallie, E.R. and McCoy, J.M. (1995) Gene fusion expression systems in *Escherichia coli*. *Curr Opin Biotechnol* 6, 501-6.
- Leenaars, M. and Hendriksen, C.F. (2005) Critical steps in the production of polyclonal and monoclonal antibodies: evaluation and recommendations. *Ilar J* 46, 269-79.
- Lerner, R.A. (1982) Tapping the immunological repertoire to produce antibodies of predetermined specificity. *Nature* 299, 593-6.
- Liljeqvist, S. and Stahl, S. (1999) Production of recombinant subunit vaccines: protein immunogens, live delivery systems and nucleic acid vaccines. *J Biotechnol* 73, 1-33.
- Liu, P.I. (1986) Production and utilization of monoclonal antibodies. *Changgeng Yi Xue Za Zhi* 9, 258-65.
- Luttman, W., Bratke, K., Kupper, M. and Myrtek, A. (2006) *Immunology*. Academic Press.
- Makrides, S.C. (1996) Strategies for achieving high-level expression of genes in *Escherichia coli*. *Microbiol Rev* 60, 512-38.
- Malienou-Ngassa, R., Puissant, C. and Houdebine, L.M. (1990) Osmotic shock of cultured primary mammary cells amplifies the hormonal induction of casein gene expression. *Mol Cell Endocrinol* 73, 53-61.
- Moonsom, S., Khunkeawla, P. and Kasinrerak, W. (2001) Production of polyclonal and monoclonal antibodies against CD54 molecules by intrasplenic immunization of plasmid DNA encoding CD54 protein. *Immunol Lett* 76, 25-30.
- Murby, M., Uhlen, M. and Stahl, S. (1996) Upstream strategies to minimize proteolytic degradation upon recombinant production in *Escherichia coli*. *Protein Expr Purif* 7, 129-36.
- Nelson, P.N., Reynolds, G.M., Waldron, E.E., Ward, E., Giannopoulos, K. and Murray, P.G. (2000) Monoclonal antibodies. *Mol Pathol* 53, 111-7.
- Pekary, A.E. and Hershman, J.M. (1984) A new monoclonal-antibody two-site solid-phase immunoradiometric assay for human thyrotropin evaluated. *Clin Chem* 30, 1213-5.

- Pelegri, M., Gros, L., Dreja, H. and Piechaczyk, M. (2004) Monoclonal antibody-based genetic immunotherapy. *Curr Gene Ther* 4, 347-56.
- Phillips, A.N., Pezzotti, P., Lepri, A.C. and Rezza, G. (1994a) CD4 lymphocyte count as a determinant of the time from HIV seroconversion to AIDS and death from AIDS: evidence from the Italian Seroconversion Study. *Aids* 8, 1299-305.
- Phillips, A.N., Sabin, C.A., Elford, J., Bofill, M., Janossy, G. and Lee, C.A. (1994b) Use of CD4 lymphocyte count to predict long-term survival free of AIDS after HIV infection. *Bmj* 309, 309-13.
- Pontecorvo, G. (1975) Production of mammalian somatic cell hybrids by means of polyethylene glycol treatment. *Somatic Cell Genet* 1, 397-400.
- Posnett, D.N., McGrath, H. and Tam, J.P. (1988) A novel method for producing anti-peptide antibodies. Production of site-specific antibodies to the T cell antigen receptor beta-chain. *J Biol Chem* 263, 1719-25.
- Prinz, W.A., Aslund, F., Holmgren, A. and Beckwith, J. (1997) The role of the thioredoxin and glutaredoxin pathways in reducing protein disulfide bonds in the *Escherichia coli* cytoplasm. *J Biol Chem* 272, 15661-7.
- Roitt, I., Brostoff, J. and Male, D. (2001) *Immunology*. Harcourt Publishers limited
- Rousseau, F. and Forest, J.C. (1986) [Monoclonal antibodies. Production and clinical use]. *Union Med Can* 115, 394-400, 407.
- Santala, V. and Lamminmaki, U. (2004) Production of a biotinylated single-chain antibody fragment in the cytoplasm of *Escherichia coli*. *J Immunol Methods* 284, 165-75.
- Schmelter, R.F., Friefeld, G.D., Thomas, J. and Robinson, W.A. (1986) Diagnosis of malignant melanoma with radiolabeled monoclonal antibodies: current status. *Drug Intell Clin Pharm* 20, 125-33.
- Schnittman, S.M., Psallidopoulos, M.C., Lane, H.C., Thompson, L., Baseler, M., Massari, F., Fox, C.H., Salzman, N.P. and Fauci, A.S. (1989) The reservoir for HIV-1 in human peripheral blood is a T cell that maintains expression of CD4. *Science* 245, 305-8.
- Seed, B. (1995) Developments in expression cloning. *Curr Opin Biotechnol* 6, 567-73.

- Selden, R.F., Skoskiewicz, M.J., Howie, K.B., Russell, P.S. and Goodman, H.M. (1987) Implantation of genetically engineered fibroblasts into mice: implications for gene therapy. *Science* 236, 714-8.
- Sharon, J., Morrison, S.L. and Kabat, E.A. (1979) Detection of specific hybridoma clones by replica immunoadsorption of their secreted antibodies. *Proc Natl Acad Sci U S A* 76, 1420-4.
- Sibler, A.P., Kempf, E., Glacet, A., Orfanoudakis, G., Bourel, D. and Weiss, E. (1999) In vivo biotinylated recombinant antibodies: high efficiency of labelling and application to the cloning of active anti-human IgG1 Fab fragments. *J Immunol Methods* 224, 129-40.
- Sikora, K. and Smedley, H.M. (1984) *Monoclonal Antibodies*. Blackwell Scientific Publications.
- Sjolander, A., Nygren, P.A., Stahl, S., Berzins, K., Uhlen, M., Perlmann, P. and Andersson, R. (1997) The serum albumin-binding region of streptococcal protein G: a bacterial fusion partner with carrier-related properties. *J Immunol Methods* 201, 115-23.
- Smith, P.A., Tripp, B.C., DiBlasio-Smith, E.A., Lu, Z., LaVallie, E.R. and McCoy, J.M. (1998) A plasmid expression system for quantitative in vivo biotinylation of thioredoxin fusion proteins in *Escherichia coli*. *Nucleic Acids Res* 26, 1414-20.
- Stein, D.S., Korvick, J.A. and Vermund, S.H. (1992) CD4+ lymphocyte cell enumeration for prediction of clinical course of human immunodeficiency virus disease: a review. *J Infect Dis* 165, 352-63.
- Tami, J.A., Parr, M.D., Brown, S.A. and Thompson, J.S. (1986) Monoclonal antibody technology. *Am J Hosp Pharm* 43, 2816-25.
- Tayapiwatana, C., Chotpadiwetkul, R. and Kasinrerak, W. (2006) A novel approach using streptavidin magnetic bead-sorted in vivo biotinylated survivin for monoclonal antibody production. *J Immunol Methods* 317, 1-11.
- Telino, E., De Luca, P.M., Matos, D.C., Azeredo-Coutinho, R.B., Meirelles, M.N., Conceicao-Silva, F., Schubach, A. and Mendonca, S.C. (2006) In vitro responses of human peripheral blood mononuclear cells to whole-cell,

- particulate and soluble extracts of *Leishmania* promastigotes. *Clin Exp Immunol* 143, 338-44.
- Towbin, H., Staehelin, T. and Gordon, J. (1979) Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc Natl Acad Sci U S A* 76, 4350-4.
- Townsend, A. and Bodmer, H. (1989) Antigen recognition by class I-restricted T lymphocytes. *Annu Rev Immunol* 7, 601-24.
- Trill, J.J., Shatzman, A.R. and Ganguly, S. (1995) Production of monoclonal antibodies in COS and CHO cells. *Curr Opin Biotechnol* 6, 553-60.
- Unanue, E.R. (1984) Antigen-presenting function of the macrophage. *Annu Rev Immunol* 2, 395-428.
- Vaccaro, D.E. (1990) Applications of magnetic separation: cell sorting. *Am Biotechnol Lab* 8, 30, 32-5.
- Vetterlein, D. (1989) Monoclonal antibodies: production, purification, and technology. *Adv Clin Chem* 27, 303-54.
- Voigt, A. (1989) [Monoclonal antibodies in research and clinical medicine]. *Kinderarztl Prax* 57, 479-87.
- Walter, G. (1986) Production and use of antibodies against synthetic peptides. *J Immunol Methods* 88, 149-61.
- William, C.D. (1995) monoclonal antibody protocols. Human Press Inc.
- Woolley, D.W. and Merrifield, R.B. (1963) Anomalies of the structural specificity of peptides. *Ann N Y Acad Sci* 104, 161-71.
- Yelton, D.E. and Scharff, M.D. (1980) Monoclonal antibodies. *Am Sci* 68, 510-6.
- Yelton, D.E. and Scharff, M.D. (1981) Monoclonal antibodies: a powerful new tool in biology and medicine. *Annu Rev Biochem* 50, 657-80.