

REFERENCES

1. Rubenstein L.Z., Trueblood P.R. Gait and balance assessment in older persons. *Annals of Long-Term Care* 2004; 12: 39-45.
2. Lord S.R., Sherrington C., Manz H.B. Falls in the older people: Risk factors and strategies for prevention. Cambridge university press; 2001.
3. Tideiksaar R. Falling in old age. Springer Publishing Company, Inc., New York; 1997.
4. VanDieen J.H., Pijnappels M., Bobbert M.F. Age-related intrinsic limitations in preventing a trip and regaining balance after a trip. *Safety Sciences* 2005; 43: 437-53.
5. Lord S.R., Lloyd D.G., Li S.K. Sensori-motor function, gait patterns and falls in community-dwelling women. *Age and Ageing* 1996; 25: 292-99.
6. Imms F.J., Edholm O.G. Studies of gait and mobility in the elderly. *Age and Ageing* 1981; 10:147-56.
7. Murry M.P., Kory R.C., Clarkson B.H. Walking patterns in healthy old men. *J Gerontol* 1969; 24: 169-78.
8. Finley F.R., Cody K.A., Finize R.V. Locomotion patterns in elderly women. *Arch Phys Med Rehabil* 1969; 50: 140-6.
9. Cunningham D.A., Rechnitzer P.A., Pearce M.E., Donner A.P. Determinants of self-selected walking pace across age 16 to 66. *J Gerontol* 1982; 37: 560-4.
10. Bahannon R.W. Comfortable and maximal walking speed of adults age 20-79 years: Reference values and determinants. *Age and Ageing* 1997; 26: 15-9.

11. Prince F., Corriveau H., Hebert R., Winter D.A. Review article: Gait in the elderly. *Gait and Posture* 1997; 5: 128-35.
12. Wollacott M.H., Tang P.F. Balance control during walking in the older adult: Research and its implication. *Phys Ther* 1997; 77: 646-60.
13. Prakash C., Stern G. Neurological in the elderly. *Age and Ageing* 1973; 2: 24-7.
14. Sudarsky L. Geriatrics: Gait disorders in the elderly. *New Eng J med* 1990; 322: 1441-6.
15. Guimaraes R.M., Isaacs B. Characteristics of the gait in old people who fall. *Int Rehabil Med* 1980; 2: 177-80.
16. Kemoun G., Thoumie P, Boisson D., Guieu J.D. Ankle dorsiflexion delay can predict falls in the elderly. *J Rehabil Med* 2002; 34: 278-83.
17. Woolley S.M., Czsaja S.S., Drury C.G. Assessment of falls in elderly men and women. *J Gerontol* 1997; 52A: M80-7.
18. Chiba H., Ebihara S., Tomita N., Sasaki H. Butler J.P. Differential gait kinematics between fallers and non-fallers in community-dwelling elderly people. *Geriatr Gerontol Int* 2005; 5: 127-34.
19. Murry M.P., Kory R.C., Clarkson B.H. Walking patterns in healthy old men. *J Gerontol* 1969; 24: 169-78.
20. Cunningham D.A., Rechnitzer P.A., Pearce M.E., Donner A.P. Determinants of self-selected walking pace across age 16 to 66. *J Gerontol* 1982; 37: 560-4.
21. Bahannon R.W. Comfortable and maximal walking speed of adults age 20-79 years: Reference values and determinants. *Age and Ageing* 1997; 26: 15-9.

22. Maki B.E. Gait changes in older adults: Predictors of falls or indicators of fear. *J Am Geriatr Soc* 1997; 45: 313-20.
23. Hausdorff J.M., Edelberg H.K., Mitchell S.L., Goldberger A.L., Wei J.Y. Increased gait unsteadiness in community-dwelling elderly fallers. *Arch Phys Med Rehabil* 1997; 78: 278-83.
24. Gabell A., Nayak U.S.L. The effect of age on variability in gait. *J Gerontol* 1984; 39: 662-6.
25. Brach J.S., Berthold R., Craik R., VanSwearingen J.M., Newman A.B. Gait variability in community dwelling older adults. *J Am Geriatr Soc* 2001; 49: 1646-50.
26. Hausdroff J.M., Purdon P.L., Peng C.K., Ladin Z., Wei J.Y., Goldberger A.L. Fractal dynamics of human gait: Stability of long-rang correlations in stride interval fluctuation. *J Appl Physiol* 1996; 80: 1448-57.
27. Hausdorff J.M., Rios D.A., Edelberg H.K. Gait variability and fall risk in community-living older adults: A 1-years prospective study. *Arch Phys Med Rehabil* 2001; 82: 1050-6.
28. Lord S.R., Clark R.D., Simple physiological and clinical tests for the accurate prediction of falling in older people. *Gerontology* 1993; 39: 117-23.
29. Clark R.D., Lord S.R., Webster I.W. Clinical parameters associated with falls in an elderly population. *Gerontology* 1993; 39:117-23.
30. Hill R., Schwarz, Flicker L., Corroll S. Falls among healthy, community-dwelling, older women: A prospective study of frequency, circumstance,

consequences and prediction accuracy. Australian and New Zealand of public healthy 1999; 23: 41-8.

31. Lay A.N., Hass C.J., Gregor R.J. The effects of sloped surfaces on locomotion: A kinematic and kinetic analysis, J Biomech; 2005.
32. Earhart G.M., Bastian A.J. From switching during human locomotion: Transverse wedges in a single step. J Neurophysiol 2000; 84: 605-15.
33. Prentice S.D., Hasler E.N., Groves J.J., Frank J.S. Locomotor adaptations for changes in the slope of the walking surface. Gait and Posture 2004; 6: 119-25.
34. Redfern M.S., DiPasquale J. Biomechanics of descending ramps. Gait and Posture 1997; 6: 119-25.
35. Wall J.C. The effects of uphill and downhill walking on pelvic oscillations in the transverse plane. Ergonomics 1981; 24: 807-16.
36. Kawamura K., Tokuhiro A., Takechi H. Gait analysis of slope walking: A study on step length, stride width, time factor and deviation in the center of pressure. Acta Med Okayama 1991; 45: 179-84.
37. Leroux A., Fung J., Barbeau H. Postural adaptation to walking on inclined surfaces: I. Normal strategies. Gait and Posture 2002; 15: 64-74.
38. Nuemann D.A. Kinesiology of the musculoskeletal system: Foundations for physical rehabilitation. Mosby incorporation; 2002
39. Braune W. Fischer O. The human gait. Berlin: Teubner B.G. 1895-904.
40. Inman V.T. Human locomotion. Can Med Assoc J 1996; 94:1047-54.
41. Smidt G.L. Gait in rehabilitation. Churchill Livingstone, New York, Edinberg, London, Melbourne; 1990.

42. Malouin F. Observational gait analysis. In: Craik R.B., Oatis C.A., eds. Gait analysis: Theory and application. St.-Louis: Mosby 1995; 112-4.
43. Kennedy R., Clemis J.D. The geriatric auditory and vestibular systems. Otolaryngol Clin North Am 1990; 23, 1075-82.
44. Klawans H.L., Tufo H.M., Ostfeld A.M. Neurologic examination in a elderly population. Dis Nerv Syst 1971; 32: 274-9.
45. Murray M.P., Gardner G.M., Mollinger L.A., Septic S.B. Strength of isometric and isokinetic contraction: Knee muscles of men aged 20 to 86. Phys Ther 1980; 60: 412-9.
46. Ringsberg K., Gerdhem P., Johansson J., Obrant K.J. Is there a relationship between balance, gait performance and muscle strength in 75-year-old women?. Age and Ageing 1999; 28: 289-93.
47. Andriacchi T.P, Ogle J.A., Galante J.O. Walking speed as a basis for normal and abnormal gait measurements. J Biomech 1997; 10: 261-8.
48. Friedman P.J., Raymond D.E., Baskett J.J. A prospective trial of serial gait speed as a measure of rehabilitation in the elderly. Age and Ageing 1988; 17: 227-35.
49. McFadyen B.J., Prince F. Avoidance and accommodation of surface height changes by healthy, community-dwelling young and elderly men. J Gerontol 2002; 57: B166-74.
50. Elble R.J., Thomas S.S., Higgins C., Colliver J. Stride-dependent changes in gait of older people. J Neurol 1991; 238: 1-5.

51. Hausdorff J.M. Gait variability: Methods, modeling and meaning. *J Neuro Engineer Rehabil* 2005; 2: 1-9.
52. Winter D., Patla A., Frank J. Biomechanical walking pattern changes in the fit and healthy elderly. *Phys Ther* 1990; 70: 340-7.
53. Gregor R., Smith J.L., Smith D.W., Oliver A., Prilutsky B.I. Hindlimb kinetics and neural control slope walking in the cat: Unexpected findings. *J Appl Biomed* 2001; 17: 277-86.
54. Smith J.L., Carlson-Kuhta P., Trank T.V. Forms of forward quadrupedal locomotion III. A comparison of posture, hindlimb kinematics, and motor patterns for downslope and level walking. *J Neurophysiol* 1998; 79: 1702-16.
55. Winter D.A., Eng P. Kinetics: our window into the goals and strategies of the central nervous system. *Behave Brain Res* 1995; 67: 111-20.
56. Griffiths I.W. Principle of biomechanics and motion analysis. Lippincott Williams & wilkins: A woltres kluwer company; 2006.
57. Miller N.R., Shapiro R., McLanglin T.M. A technique for obtaining spatial kinematics of segments of biomechanical systems from cinematography data. *J Biomech* 1989; 13: 535-47.
58. Cornwell M.W. McPoil T.G. Comparison of 2-dimensional and 3-dimensional rearfoot motion during walking. *Clin Biomech* 1995; 10: 36-40.
59. Wayne A.H., Martha J.D., William C.M. Characteristics and predictors of falls in elderly patients. *J Fam Pract* 1992; 34: 577-81.

60. Yamasaki M., Sasaki T., Tsuki S., Torii M. Stereotyped pattern of lower limb movement during walking and grade walking in treadmill. *Ann Physiol Anthropol* 1984; 3: 291-6.
61. US Department of Justice, ADA standards for accessible design. Nondiscrimination on the basis of disability by public accommodations and in commercial facilities 1994; 28: CFR Part 36, 518-521.
62. Ontario Building 1992; Code Act. 3.4.6.6 & 9.8.6.2.
63. Wass E., Taylor N.F. Matsas A. Familiarisation to treadmill walking in unimpaired older people. *Gait and Posture* 2005; 21: 72-9.
64. Owings T.M., Grabiner M.D. Variability of step kinematics in young and older adults. *Gait and posture* 2003; 20: 26-9.
65. Hollmann J.H., Salamon K.B., Priest A.W. Age-related differences in stride-to-stride variability during dual task walking: A pilot study. *J Geriatr Phys Ther* 2004; 27: 83-7.
66. Begg R., Best R., Dell'Oro L., Taylor S. Minimum foot toe clearance during walking: Strategies for the minimization of trip-related falls. *Gait and Posture* 2007; 25: 191-8.
67. Murray M.P., Spurr G.B., Sepic S.B., Gardner G.M. Treadmill vs. floor walking: Kinematics, electromyogram, and heart rate. *J Appl Physiol* 1985; 59(1): 87-91.

68. Riley P.O., Paolini G., Croce U.D., Paylo K.W., Kerrigam D.C. A kinematic and kinetic comparison of overground and treadmill walking in healthy subjects. *Gait and Posture*; 2006.
69. Owing T.M., Grabiner M.D. Measuring step kinematic variability on an instrumented treadmill: How many step are enough?. *J Biomech* 2003; 36: 1215-8.
70. Simpson K.J., Tant C., Shewokis P. Effects of velocity and gradient on temporal Kinematics during downhill walking. In: Book of Abstracts, XIIIth ISB Congress on Biomechanics, Perth 1991, 464-S.
71. Fleiss J.L. cited in Delitto A., Strube M.J. Reliability in the clinical setting. American physical therapy association research section newsletter 1986; 24: 2-8.