

## REFERENCE

1. Quittan M. Management of back pain. *Disabil Rehabil.* 2002;24:423-34.
2. Frank JW, Kerr MS, Brooker A-S, DeMaio SE, Maetzel A, Shannon HS, Sullivan TJ, et al. Disability resulting from occupational low back pain. Part I. What do we know about primary prevention? A review of the scientific evidence on prevention before disability begins. *Spine.* 1996;21:2908-17.
3. Biering-Sorensen F. Low back trouble in general population of 30-, 40-, 50-, and 60-year-old men and women: Study design, representativeness and basic results. *Dan Med Bull.* 1982;29:289-99.
4. Andersson GB. Epidemiological features of chronic low-back pain. *Lancet.* 1999;354:581-5.
5. Fettner A. If it ain't broke. *Harv Health Lett.* 1995;20:6-8.
6. Claiborne N, Vandenburg H, Krause T. Measuring quality of life change in individuals with chronic low back condition: Back education program evaluation. *Eval Program Plann.* 2002;25:61-70.
7. Bono CM. Low-back pain in athletes. *J Bone Joint Surg Br.* 2004;86:382-96.
8. Rossi F, Dragoni S. Lumbar spondylolysis and sports: The radiological findings and statistical considerations. *Radiat Med.* 1994;87:397-400.
9. Aggrawal N, Kaur R, Kumar S, Mathur D. A study of changes in the spine in weightlifters and other athletes. *Br J Sports Med.* 1979;13:58-61.
10. Pirunsan U, Puangmali A, Chamnongkitch S, Pothongsunun P, Sitilertpisan P, Khamwong P, Intarugsa P, et al. Analysis of injuries and rehabilitation for

excellence of Thai national weightlifters. Thailand: Chiangmai University.  
Report No.: 59/2550.

11. Cholewicki J, McGill S, Norman R. Lumbar spine load during the lifting of extremely heavy weights. *Med Sci Sports Exerc.* 1991;23:1179-86.
12. Cappozzo A, Fellci F, Flgura F, Gazzani F. Lumbar spine load during half-squat exercise. *Med Sci Sports Exerc.* 1985;17:613-20.
13. Bogduk N. Management of chronic low back pain. *MJA.* 2004;180:79-83.
14. Heymans M, vanTulder MWv, Esmail R, Bombardier C, Koes BW. 2008. Back schools for non-specific low-back pain [database on the Internet]. [cited. Available from: Cochrance Database of systematic Reviews].
15. Team SS. ยกน้ำหนัก รวมกฎ กติกาและพื้นฐานการเล่น. ปทุมธานี: สายบุญกสี 2550.
16. Panjabi MM. Clinical spinal instability and low back pain. *J Electromyogr Kinesiol.* 2003;13:371-9.
17. Trainor TJ, Wiesel SW. Epidemiology of back pain in the athletes. *Clin Sports Med.* 2002;21:93-103.
18. Reeves M, Laskowski E, Smith J. Weight training injuries. Part 1. Diagnosing and managing chronic conditions. *Phys Sportsmed.* 1998;26:67-83.
19. Kulund D, Dewy J, Brubaker C. Olympic weightlifting injuries. *Phys Sportsmed.* 1978;11:111-9.
20. Meeusen R, Duclos M, Gleeson M, Rietjens G, Steinacker J, Urhausen A. Prevention, diagnosis and treatment of the overtraining syndrome. *European Journal of Sport Science.* 2006;6:1-14.

21. Mannion AF, Balagué F, Pellisé F, Cedraschi C. Pain measurement in patients with low back pain. *Nat Clin Pract Rheumatol.* 2007;3:610-8.
22. Watkins E. Silent pain sufferers. *Mayo Clin Proc.* 2006;81:167-71.
23. Mannion A. Outcome assessment in low back pain: How low can you go? *Eur Spine J.* 2005;14:1014-26.
24. Hansson T, Hansson E. The effects of common medical interventions on pain, back function, and work resumption in patients with chronic low back pain: A prospective 2-year cohort study in six countries. *Spine.* 2000;25:3055-64.
25. van der Roer N, Ostelo RW, Bekkering GE, van Tulder MW, de Vet HC. Minimal clinically important change for pain intensity, functional status, and general health status inpatients with nonspecific low back pain. *Spine.* 2006;31:578-82.
26. Ostelo RW, de Vet HC. Clinically important outcomes in low back pain. *Best Pract Res Clin Rheumatol.* 2005;19:593-607.
27. Von Korff M, Jensen M, Karoly P. Assessing global pain severity by self-report in clinical and health services research. *Spine.* 2000;25:3140-51.
28. Beurskens A, de Vet H, Köke A. Responsiveness of functional status in low back pain: a comparison of different instruments. *Pain.* 1996;65:71-6.
29. Sloan J, Celli D, Hays R. Clinical significance of patient-reported questionnaire data: Another step toward consensus. *J Clin Epidemiol* 2005;58:1217-9.
30. Akuthota V, Nadler S. Core strengthening. *Arch Phys Med Rehabil.* 2004;85:S86-92.

31. Wohlfart D, Jull G, Richardson C. The relationship between the dynamic and static function of the abdominal muscles. *Aust J Physiother.* 1993;39:9-13.
32. Herrington L, Davies R. The influence of Pilates training on the ability to contract the transversus abdominis muscle in asymptomatic individuals. *J Bodywork Mov Ther.* 2005;9:52-7.
33. Hagins M, Adler K, Cash M, Daugherty J, Mitrani G. Effect of practice on the ability to perform lumbar stabilization exercise. *J Orthop Sports Phys Ther.* 1999;29:546-55.
34. Sahrmann S, editor. *Diagnosis and treatment of muscle imbalances associated with regional pain syndromes;* 1990.
35. Richardson C, Jull G, Hodge P, Hides J. Therapeutic exercise for spinal segmental stabilization in low back pain. Chruchill: Livingstonstone, 1999.
36. Hodges P, Richardson C. Inefficient muscular stabilization of the lumbar spine associated with low back pain: a motor control evaluation of transversus abdominis. *Spine.* 1996;21:2640-50.
37. Robison R. The new back school prescription: stabilization training part 1. *OccupMed.* 1992;7:17-43.
38. Panjabi M, Abumi M, Duranceau J, Oxland T. Spinal stability and intersegmental muscle force: A biomechanical model. *Spine.* 1989;14:194-200.
39. McGill S. Kinetic potential of the lumbar trunk musculature about three orthogonal orthopedic axes in the extreme postures. *Spine.* 1991;16:809-15.

40. Zautra A, Smith B. Depression and reactivity to stress in older women with rheumatoid arthritis and osteoarthritis. *Psychosomatic Medicine*. 2001;63:687-96.
41. Tüzün EH. Quality of life in chronic musculoskeletal pain. *Best Pract Res Clin Rheumatol*. 2007;21:567-79.
42. Katz P, Morris A, Yelin E. Prevalence and predictors of disability in valued life activities among individuals with rheumatoid arthritis. *Annals of the rheumatic disease*. 2006;65:763-9.
43. Wolfe F, Ross K, Ander J. The prevalence and characteristics of fibromyalgia in the general population. *Arthritis and rheumatism*. 1995;38:19-28.
44. Wolfe F, Hawley D, Wilson K. The prevalence and meaning of fatigue in rheumatic disease. *The journal of rheumatology*. 1996;23:1407-17.
45. Polatin P, Kinney R, Gatchel R. Psychiatric illness and chronic low-back pain. The mind and the spine-which goes first ? *Spine*. 1993;18:66-71.
46. Kubler-Ross E. On death and dying. New York: Macmillan; 1969
47. Guyatt G, Feenz D, Patrick D. Measuring health related quality of life *Annals of internal medicine*. 1993;118:622-9.
48. Demet U, Ferham S, Ahmet O, Selcuk M. Comparison of SF-36 and WHOQOL-100 in patients with stroke. *Neurology india*. 2008;56:426-32.
49. Hee HT, Whitecloud TS, Myers L, Gaynor J, Roesch W, Richiardi JE. SF-36 health status of workers compensation cases with spinal disorders. *The spine Journal*. 2001;1:176-82.
50. Ware J, Kosinski M, Boston M. The SF-36 health survey (version 2.0) technical note. *Health Assessment Lab*. 1996.

51. Krittayaphong R, Bhuripanyo K, Raungratanaamporn O. Reliability of Thai version of SF-36 questionnaire for the evaluation of quality of life in cardiac patients. *J Med Assoc Thai (Suppl)*. 2000;83:S130-6.
52. Kongsakon R, Silpakit C, Udomsubpayakul U. Thailand normative data for the SF-36 health survey: Bangkok metropolitan. *ASEAN journal of Psychiatry*. 2007;8:131-7.
53. Jirarattanaphochai K, Jung S, Sumananont C, Saengnipanthkul S. Reliability of the medical outcomes study short-form survey version 2.0 (Thai version) for the evaluation of low back pain patients. *J Med Assoc Thai*. 2005;88:1355-62.
54. Forssell MZ. The Swedish back school. *Physiotherapy*. 1980;66:112-4.
55. Forssell MZ. The back school. *Spine*. 1981;6:104-6.
56. Heymans MW, de Vet HCW, Bongers PM, Knol DL, Koes BW, van Mechelen W. The effectiveness of high-intensity versus low-intensity back schools in an occupational setting. *Spine*. 2006;31:1075-82.
57. Donchin M, Woof O, Kaplan I, Floman Y. Secondary prevention of low back pain. *Spine*. 1990;15:1317-20.
58. Klaber Moffett J, Chase S, Portek I, Ennis J. A controlled prospective study to evaluate the effectiveness of a back school in the relief of chronic low-back pain. *Spine*. 1986;11:120-2.
59. Härkäpää K, Mellin G, Järvinen A, Hurri H. A controlled study on the outcome of inpatient and outpatient treatment of low back pain. Part I. *Scand J Rehabil Med* 1990;22:180-8.

60. Linton S, Bradley L, Jensen I, Spangfort E, Sundell L. The secondary prevention of low back pain: A controlled study with follow up. Pain. 1989;35:197-71.
61. Postacchini F, Facchini M, Palieri P. Efficacy of various forms of conservative treatment in low-back pain.A comparative study. Neuro-Orthopedics. 1988;6:28-35.
62. Horng Y, Hwang Y, Wu H. Predicting health-related quality of life in patients with low back pain. Spine. 2005;30:551-5.
63. Häkämä K, Mellin G, Järvinen A, Hurri H. A controlled study on the outcome of inpatient and outpatient treatment of low back pain. Part I. Pain, disability, compliance, and reported treatment benefits three months after treatment. Scand J Rehabil Med 1989;21:81-9.
64. Indahl A, Velund L, Reikeraas O. Good prognosis for low back pain when left untampered: A randomized clinical trial. Spine. 1995;20:473-7.
65. Lonn JH, Glomsrod B, Soukup MG, Bo K, Larsen S. Active back school: Prophylactic management for low back pain. Spine. 1999;24:865-71.
66. Leclaire R, Esdaile JM, Suissa S, Rossignol M, Proulx R, Dupuis M. Back school in a first episode of compensated acute low back pain: A clinical trial to assess efficacy and prevent relapse. Arch Phys Med Rehabil 1996;77:673-9.
67. Hsieh C, Adam A, Tobis J, Hong C, Danielson C, Platt K. Effectiveness of four conservative treatments for subacute low back pain: a randomized clinical trial. Spine. 2002;27:1142-8.
68. Shirado O, Ito T, Kikumoto T, Takeda N, Minami A, Strax TE. A novel back school using a multidisciplinary team approach featuring quantitative

- functional and therapeutic exercises for patients with chronic low back pain. Spine. 2005;30:1219-25.
69. Hodselmans AP, Jaegers SM, Goeken LN. Short-term outcomes of a back school program for chronic low back pain. Arch Phys Med Rehabil. 2001;82:1099-105.
  70. Pettinen J, Nevala-Puranen N, Airaksinen O, Jääskeläinen M, Sintonen H, Takala J. Randomized controlled trial of back school with and without peer support. J Occup Rehabil. 2002;12:21-9.
  71. Tavafian SS, Jamshidi A, Mohammad K, Montazeri A. Low back pain education and short term quality of life: A randomized trial. BMC Musculoskelet Disord. 2007;8:1-6.
  72. Tavafian SS, Jamshidi AR, Montazeri A. A randomized study of back school in women with chronic low back pain: Quality of life at three, six, and twelve months follow-up. Spine. 2008;33:1617-21.
  73. Cardon G, Clereq DD, Bourdeaudhuij ID. Effects of back care education in elementary schoolchildren. Acta Paediatr. 2000;89:1010-7.
  74. Skevington S. Investigating the relationship between pain and discomfort and quality of life, using the WHOQOL. Pain. 1998;76:395-406.
  75. Wang X, Cleeland C, Mendoza T. The effects of pain severity on health-related quality of life: A study of chinese cancer patients. Cancer. 1999;86:1848-55.
  76. Rainville J, Sobel J, Hartigan C, Wright A. The effect of compensation involvement on the reporting of pain and disability by patients referred for rehabilitation of chronic low back pain. Spine. 1997;22:2016-24.

77. Waddell G. A new clinical model for the treatment of low back pain. Spine. 1987;12:632-41.
78. Oleske D, Andersson G, Lavendar S, Hahn J. Association between recovery outcomes for work-related low back disorder and personal, family, and work factors. Spine. 2000;25:1259-65.
79. Abdel-Moty A, Maguire G, Kaplan S, Johnson P. Stated versus observed performance levels in patients with chronic low back pain. Occup Ther. 1996;10:3-23.
80. Malliou P, Gioftsidou A, Beneka A, Godolias G. Measurement and evaluations in low back pain patients. Scand J Med Sci Sports. 2006;16:219-30.