

REFERENCES

1. Leeuwenburgh C, Heinecke JW. Oxidative stress Antioxidant in Exercise. *Curr Med Chem* 2001; 8:829 - 38.
2. Valko M, Leibfritz D, Moncola J, Cronin MTD, Mazur M, Telser J. Free radicals and antioxidants in normal physiological functions and human disease. *Int J Biochem Cell Biol* 2007; 39 44-84.
3. Droge W. Free Radicals in the Physiological Control of Cell Function. *Physiol Rev* 2002; 82:47-95.
4. Bloomer RJ, Cole BJ. Relationship between blood lactate and oxidative stress biomarkers following acute exercise. *Open Sport Med J.* 2009; 3:44-8.
5. Copper C.E, Vollaard N.B, Choueiri T, Wilson M.T. Exercise, free radicals and oxidative stress. *Biochem Soc Trans* 2002; 30:280 - 5.
6. Armstrong RB, Warren GL, Warren JA. Mechanisms of exercise-induced muscle fibre injury. *Sports Med* 1991; 12:184-207.
7. Pedersen BK, Steensberg A, Fischer C, Keller C, Keller P, Plomgaard P, et al. The metabolic role of IL-6 produced during exercise: is IL-6 an exercise factor? *Proc Nutr Soc* 2004; 63:263-7.

8. Febbraio MA, Pedersen BK. Muscle-derived interleukin-6: mechanisms for activation and possible biological roles. *FASEB J.*2002; 16:1335-47.
9. Demirbag R, Yilmaz R, Guzel S, Celik H, Kocyigit A, Ozcan E. Effects of treadmill exercise test on oxidative/antioxidative parameter and DNA damage. *Anadolu Kardiyol Derg* 2006; 6:135-40.
10. Gohil K, Viguie C, Stanley WC, Brooks GA, Packer L. Blood glutathione oxidation during human exercise *J Appl Physiol* 1988; 64:115-9.
11. Sjodin G, Rosenqvist M, Kriegholm E, Nordenstrom J, Bjorkhem I. Verapamil increases seralkaline phosphatase in hypertensive patients *J Intern Med.* 1990; 228:339-42.
12. Halliwell, Gutteridge JMC. Mechanism of Damage to Cellular Target by Oxidative Stress: Lipid Peroxidation. New York: Oxford University press. 1989:295.
13. Clarkson PM, Hupal MJ. Exercise-induced muscle damage in humans. *Am J Phys Med Rehabil* 2002; 81:52-69.
14. Mastaloudis A, Ceonard S.W, Traber M.G. Oxidative stress in athletes during extreme endurance exercise. *Free Radic Biol Med* 2001; 31:911-22.
15. Decramer M, Molken MR-v, Dekhuijzen PNR. Effects of N-acetylcysteine on outcomes in chronic obstructive pulmonary disease: a randomised placebo-controlled trial. *Lancet* 2005; 365:1552-60.

16. Sadowska AM, Manuel-Y-Keenoy B, De Backer WA. Anti-oxidant and anti-inflammatory efficacy of NAC in the treatment of COPD: DIscordant in vitro and in vivo dose-effects: A Review. *Pulm Pharmacol Ther.* 2007; 20:9-22.
17. Bfridgeman MM, Marsden M, Selby C, Morrison D, MacNee W. Effect of N-acetylcysteine on the concentrations of thiols in plasma, bronchoalveolar lavage fluid, and lung tissue. *Thorax* 1994; 49:670-5.
18. Ferreira LF, Reid MB. Muscle-derived ROS and thiol regulation in muscle fatigue. *J Appl Physiol* 2008; 104:853-60.
19. Reid MB, Durham WJ. Generation of reaction oxygen and nitrogen species in contracting skeleton muscle. *Ann NY Acad Sci* 2002; 959:108-16.
20. Yagi K. Lipid Peroxide and Exercise *Med Sci Sport Sci* 1992; 21:37-40.
21. Yu BP. Cellular defense against damage from reactive oxygen species. *Physiol Rev* 1994; 24 139-62.
22. Gay C, Gebicki JM. Measurement of protein and lipid hydroperoxides in biological systems by the ferric-xylene orange method. *Anal Biochem* 2003; 315:29-35.
23. Rosario L, Cristina M, Fabrizio P, Pasqualina B, Giovannangelo O, Garmine F, et al. The mtDNA 15497 G/A polymorphism in cytochrome b in severe obese subjects from southern Italy. *Nutr Metab Cardiovasc Dis* 2006; 16: 466-70.

24. Jun HS, Santamaria P, Lim HM ZM, Yoon JW. Absolute requirement of macrophages for the development and activation of beta-cell cytotoxic CD+8 T-cells in T cell receptor transgenic NOD mice. *Diabetes* 1999; 48:34-42.
25. Sofian J, Alison CC, Anilkumar N, David JG, Ajay MS. Aldosterone mediates angiotension II-induced interstitial cardiac fibrosis via a Nox2-containing NADPH oxidase *FASEB J* 2006; 20:1546-8.
26. Endo T, Imaizumi T, Tagawa T, Shiramoto M, Anso S, Takeshita A. Role of nitric oxide in exercise-induced vosodilation of the forearm. *Circulation* 1994; 90:1886-2890.
27. Reid MB. Free radicals and muscle fatigue: of ROS, canaries, and the IOC. *Free Radic Biol Med* 2008; 44:169-79.
28. Ginsburg GS, O'Toole M RE, Douglas PS, Rifai N. Gender differences in exercise-induced changes in sex hormone levels and lipid peroxidation in athletes participating in the Hawaii Ironman triathlon. *Ginsburg-gender and exercise-induced lipid peroxidation. Clin Chim Acta.* 2001; 305(1-2):131-9.
29. Judge AR, Selsby JT, Dodd SL. Antioxidants attenuate oxidative damage in rat skeletal muscle during mild ischemia. *Exp Physiol* 2008; 93(4):479-85.
30. Tiidus PM, Bombardier E, Hidiroglou N, Madere R. Gender and exercise influence on tissue antioxidant vitamin status in rats. *J Nutr Sci Vitaminol* 1999; 45(6):701-10.

31. Chung SC, Goldfarb AH, Jamurtas AZ, Hegde SS, Lee J. Effect of exercise during the follicular and luteal phases on indices of oxidative stress in healthy women. *Med Sci Sports Exerc* 1999; 31(3):409-13.
32. Bloomer RJ, Fisher-Wellman KH. Blood oxidative stress biomarkers: Influence of sex, exercise training status, and dietary intake. *Gend Med* 2007; 5(3):218-28.
33. Rush JW, Sandiford SD. Plasma glutathione peroxidase in healthy young adults: influence of gender and physical activity. *Clin Biochem* 2003; 36(5):345-51.
34. Sastre J, Borrás C, García-Sala D, Lloret A, Pallardo FV, Vina J. Mitochondrial damage in aging and apoptosis. *Ann N Y Acad Sci* 2002; 959:448-51.
35. Rahman I. Regulation of glutathione in inflammation and chronic lung disease. *Mutat Res* 2005; 579:58-80.
36. Tidball JG. Inflammatory cell response to acute muscle injury. *Med Sci Sports Exerc* 1995; 27:1022-32.
37. Zhang Z, Zhang L, Xu J. The effects of different exercise training mode on interleukin. *Life Science J* 2007; 4(3):82-6.
38. Urso ML, Clarkson PM. Oxidative stress, exercise, and antioxidant supplementation. *Toxicology* 2003; 189:41-54.

39. Davies K.J.A. Free Radical and Oxidative Stress: Environment, Drugs and Food Addition London. Portland Press 1995.
40. Giuliani A, Cestaro BB. Exercise, Free radical generation and vitamin. Eur J Cancer Prev 1997; 6:355-67.
41. Sen CK, Packer L. Thiol homeostasis and supplements in physical exercise. Am J Clin Nutr 2000; 72:653S-69S.
42. Matuszczak Y, Farid M, Jones J, Lansdowne S, Smith MA, Taylor AA, et al. Effects of N-acetylcysteine on glutathione oxidation and fatigue during handgrip exercise. Muscle Nerve 2005; 32:633-8.
43. Hardman JG, Limbird LE, Gilman AG. Goodman & Gilman's The Pharmacological Basis of Therapeutics.10th ed. New York: McGraw-Hill 2001.
44. Van Schooten F.J., Ahmad Besarati Nia, Silvio De Flora, Francesco D'Agostini, Alberto Izzotti, Anna Camoirano. Effects of Oral Administration of N-Acetyl-L-cysteine:A Multi-Biomarker Study in Smokers. Cancer Epidemiol Biomarkers Prev 2002; 11:167-75.
45. Zembron-Lacny A, Slowinska-Lisowska M, Szygula Z, Witkowski K. Association of pro-antioxidant status with immunological response in healthy men after oral N-acetyl-L-cysteine administration. Med Sport 2008; 12(4):129-35.

46. Tsikas D, Sandmann J, Ikic M, Fauler J, Stichtenoth DO, Frolich JC. Analysis of cysteine and N-acetylcysteine in human plasma by high-performance liquid chromatography at the basal state and after oral administration of N-acetylcysteine. *J Chromatography B: Biomedical Sciences and Applications*. 1998; 708:55-60.
47. Nieman DC. Exercise, infection and immunity. *Int J Sports Med* 1994; 15:131-41.
48. Smith KA. Interleukin-2. *Annu Rev Immunol* 1984; 2:319-35.
49. Feng JY, Chen JL. Exercise and immunology. *Chinese J Sports Med* 1992; 11:226-8.
50. Esperson GT, Elbaek A, Ernst E, Toft E, Kaalund S, Jersild C, et al. Effect of physical exercise on cytokines and lymphocyte subpopulations in human peripheral blood. *APMIS* 1990; 98:395-400.
51. Antoni A, Tauler P, Fuentespina E, Tur JA, Cordova A, Pons A. Antioxidant response to oxidative stress induced by exhaustive exercise. *Physiol Behav* 2005; 84:1-7.
52. Black PN, Morgan-Day A, McMillan TE, Poole PJ, Yong RP. Randomized, controlled trial of N-acetylcysteine for treatment of acute exacerbations of chronic obstructive pulmonary disease. *BMC Pulm Med* 2004; 4:13-20.

53. Sen C K, Rankinen T, Vaisanen S, Rauramaa R. Oxidative stress after human exercise: effect of N-acetylcysteine supplementation. *J Appl Physiol* 1994; 76:2570-7.
54. Medved I, Brown MJ, Bjorksten AR, Murphy KT, Petersen AC, Sostaric S, et al. N-acetylcysteine enhances muscle cysteine and glutathione availability and attenuates fatigue during prolonged exercise in endurance-trained individuals. *Appl Physiol* 2004; 97:1477-85.
55. Urban T, Akerlund B, Jarstrand C, Lindeke B. Neutrophil function and glutathione-peroxidase (GSH-px) activity in healthy individuals after treatment with N-acetylcysteine. *Biomed Pharmacother* 1997; 51:338-90.
56. Chirico S. High-performance liquid chromatography-based thiobarbituric acid tests. *Methods Enzymol* 1994; 233:314-8.
57. Griess reagent system; Instructions for use of product G2930. Technical bulletin. Promega. Printed in USA. Revised 6/05. Part# TB229. Available; www.promega.com.
58. Beutler E, Duron O, Kefly B M. Improved method for the determination of blood glutathione. *J Lab Clin Med* 1963; 61:882-8.
59. Re R, Pellegrini N, Proteggente A, Pannala A, Yand M, Rice-Evans C. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radic Bio Med*. 1999; 26:1231-7.

60. Interleukin-2. Quantikine® HS Colorimetric Sandwich ELISAs, High Sensitivity. [cited 2010], Available from: http://www.rndsystems.com/product_detail_objectname_quantikinehs.aspx.
61. Banerjee A, Mandal A, Chanda D, Chakraborti S. Oxidant, antioxidant and physical exercise. *Mol Cell Biochem* 2003; 253:307-12.
62. Jenkins RR. Free radical chemistry. Relationship to exercise. *Sports Med* 1988; 5:156-70.
63. Bloomer RJ, Goldfarb AH. Anaerobic exercise and oxidative stress: a review. *Can J Appl Physiol* 2004; 29:245-63.
64. Steinberg JG, Delliaux S, Jammes Y. Reliability of different blood indices to explore the oxidative stress in response to maximal cycling and static exercises. *Clin Physiol Funct Imaging* 2006; 26:106-12.
65. Di Massimo C, Scarpelli P, Tozzi-Ciancarelli MG. Possible involvement of oxidative stress in exercise-mediated platelet activation. *Clin Hematol Microcirc* 2004; 30:313-6.
66. Tozzi-Ciancarelli MG, Penco M, Di Massimo C. Influence of acute exercise on human platelet responsiveness: possible involvement of exercise-induced oxidative stress. *Eur J Apply Physiol* 2002; 86:266-72.
67. Voguie CA, Frei B, Shigenaga MK, Ames BN, Packer L, Brooks GA. Antioxidant status and indexes of oxidative stress during consecutive days of exercise. *J Appl Physiol* 1993; 75:566-72.


68. Cohen G, Hochstein P. Glutathione peroxidase: the primary agent for the elimination of hydrogen peroxide in erythrocyte. *Biochemistry* 1963; 2:1420-8.
69. Powers SK, Sen CK. Physiology antioxidants and exercise training. In: *Handbook of oxidants and antioxidant in exercise*. Sen CK, Packer L, Hanninen O (eds). Tokyo: Elsevier Science BV 2000:221-39.
70. Veskoukis AS, Nikolaidis MG, Kyparos A, et al. Effects of xanthine oxidase inhibition on oxidative stress and swimming performance in rats. *Appl Physiol Nutr Metab* 2008; 6:1140-54.
71. Balon TW, Nadler JL. Nitric oxide release is present from incubated skeletal muscle preparations. *J Appl Physiol* 1994; 77:2519-21.
72. Jackson MJ. Reactive oxygen species and redox regulation of skeletal muscle adaptations to exercise. *Philos Trans R Soc Lond B Biol Sci* 2005(360):2285-91.
73. Xie YW, Wolin MS. Role of nitric oxide and its interaction with superoxide in the suppression of cardiac muscle mitochondrial respiration; Involvement in response to hypoxia/reoxygenation. *Circulation* 1996; 94: 2580-6.
74. Ong SH, Steiner AL. Localization of cyclic GMP and cyclic AMP in cardiac and skeletal muscle: immunocytochemical demonstration. *Science* 1977; 195:183-5.

75. Mohr S, Stamler JS, Brune B. Posttranslational modification of glyceraldehyde-3-phosphate dehydrogenase by S-nitrosylation and subsequent NADH attachment. *J Biol Chem* 1996; 271:4209-14.
76. Molina Y, Vedia L, McDonald B, et al. Nitric oxide-induced S-nitrosylation of glyceraldehyde-3-phosphate dehydrogenase inhibits enzymatic activity and increases endogenous ADP-ribosylation. *J Biol Chem* 1992; 267:24929-32.
77. Gross WL, Bak MI, Ingwall JS, et al. Nitric oxide inhibits creatine kinase and regulates rat heart contractile reserve. *Proc Natl Acad Sci USA* 1996; 93:5604-9.
78. Miyazaki H, Oh-ishi S, Ookawara T, et al. Strenuous endurance training in humans reduces oxidative stress following exhausting exercise. *Eur J Appl Physiol* 2001; 84: 1-6.
79. Nikolaidis MG, Kyparos A, Hadziioannou M, et al. Acute exercise markedly increases blood oxidative stress in boys and girls. *Appl Physiol Nutr Metab* 2007; 32:197-205.
80. Steensberg A, Toft AD, Bruunsgaard H, Sandmand M, Halkjaer-Kristensen J, Pedersen BK. Strenuous exercise decreases the percentage of type 1 T cells in the circulation. *J Appl Physiol* 2001; 91:1708-12.
81. Suzuki K, Nakaji S, Yamada M, Totsuka M, Sato K, Sugawara K. Systemic inflammatory response to exhaustive exercise. Cytokine kinetics. *Exerc Immunol Rev* 2002; 8:6-48.

82. Ibfelt T, Petersen EW, Bruunsgaard H, Sandmand M, Pedersen BK. Exercise-induced change in type 1 cytokine-producing CD8⁺ T cells is related to a decrease in memory T cells. *J Appl Physiol* 2002; 93:645-8.
83. Balkwill FR. *Cytokines: A practical approach*. New York, Oxford University Press. 1991:309-30.
84. Rhind SG, Shek PN, Shinkai S, Shephard RJ. Effects of moderate endurance exercise and training on in vitro lymphocyte proliferation, interleukin-2 (IL-2) production and IL-2 receptor expression. *Eur J Appl Physiol Occupa Physiol* 1996; 74:348-60.
85. Giraldo E, Garcia JJ, Hinchado MD, Ortega E. Exercise intensity-dependent changes in the inflammatory response in sedentary women: role of neuroendocrine parameters in the neutrophil phagocytic process and the pro-/anti-inflammatory cytokine balance. *Neuroimmunomodulation* 2009; 16: 237-44.
86. Borgstrom L, Kagedal B, Paulsen O. Pharmacokinetics of N-acetylcysteine in man. *Eur J Clin Pharmacol* 1986; 31:217-22.
87. Olsson B, Johansson M, Gabrielsson J, Bolme P. Pharmacokinetics and bioavailability of reduced and oxidized N-acetylcysteine. *Eur J Clin Pharmacol* 1988; 34:77-82.

88. Medved I, Brown MJ, Bjorksten AR, McKenna MJ. Effects of intravenous N-acetylcysteine infusion on time to fatigue and potassium regulation during prolonged cycling exercise. *J Appl Physiol* 2004; 96:211-7.
89. Meister A, Anderson ME. Glutathione. *Annu Rev Biochem* 1983; 52:711-60.
90. Sen CK. Glutathione homeostasis in response to exercise training and nutritional supplements. *Mol Cell Biochem* 1999; 196:31-42.
91. Kretzschmar M, Muller D. Aging, training and exercise. A review of effects on plasma glutathione and lipid peroxides. *Sports Med* 1993; 15:196-309.
92. Sen CK, Atalay M, Hanninen O. Exercise-induced oxidative stress: glutathione supplementation and deficiency. *J Appl Physiol* 1994; 77:2177-87.
93. Medved I, Brown MJ, Bjorksten AR, Leppik JA, Sostaric S, McKenna MJ. N-acetylcysteine infusion alters blood redox status but not time to fatigue during intense exercise in humans. *J Appl Physiol* 2003; 94:1572-82.
94. Robergs RA, Keteyian SJ. Metabolic adaptations to exercise. In: *Fundamentals of exercise physiology*. 2nd edition. Toronto: McGraw Hill. 2003:110-39.
95. Flanagan RJ, Meredith TJ. Use of N-acetylcysteine in clinical toxicology. *Am J Med* 1991; 91:131S-9S.
96. Reid MB, Stokic DS, Koch SM, Khawli FA, Leis AA. N-acetylcysteine inhibits muscle fatigue in humans. *J Clin Invest* 1994; 94:2468-74.

97. Koechlin C, Couillard A, Simar D, et al. Does oxidative stress alter quadriceps endurance in chronic obstructive pulmonary disease? *Am J Respir Crit Care Med* 2004; 169:1022-7.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved