

## References

1. Tungjai, M. A study of structure and anticancer activity relationship of flavonoids: Behavior in physiological solution and interaction with myristyl myristate bilayer. *Phd. Thesis*, Chiang Mai University 2008.
2. Hooijberg, J. H., Broxterman, H. J., Heijn, M., Fles, D. L. A., Lankelma, J. And Pinado, H. M. (1997) Modulation by (iso)flavonoids of the ATPase activity of the multidrug resistance protein. *FEBS LLetter* 413, 344-348.
3. Trompier, D., Baubichon-Cortay, H., Chang, X. B., Maitrejean, M., Barron, D., Riordan, J. R., and Pietro, A. P., (2003) Multiple flavonoid-binding sites within multidrug resistance protein MRP1. *Cellular and Molecular Life Sciences* 60(10), 2164-2177.
4. Monika, O., Siegfried, W., Annette, K., Hilde, S. L. and Peter, L. (2005) Modulation of drug transport by selected flavonoids: Involvement of P-gp and OCT? *European J. pharmaceutical sciences* 25(2-3), 263-271.
5. Lania-Pietrzak, B., Michalak, K., Hendrich, A. B. And Mosiąd, D. (2005) Modulation of MRP1 protein transport by plant, and synthetically modified flavonoids. *Life Sciences* 77(15), 1879-1891.
6. Cooray, H. C., Janvilistri, T., Veen, H. W. V., Hladky, S. B. and Barrand, M. A., (2004) Interaction of the breast cancer resistance protein with plant polyphenols. *BBRC*. 317(1),269-275.

7. Versantvoort, C. H. M., Broxterman, H. J., Lankelma, J., Feller, N. and Pinedo, H. M. (1994) Saturation and inhibition of the ATP-dependent daunorubicin transport in an MRP overexpressing multidrug resistant human small cell lung cancer cell line. *Biochem Pharmacol* 48: 1129–1136.
8. Choiprasert, W., Dechsupa, N., Kothan, S., Garrigos, M. and Mankhetkorn, S. (2010) Quercetin, quercetrin except rutin potentially increased pirarubicin cytotoxicity by non-competitively inhibiting the P-glycoprotein- and MRP1 function in living K562/adr and GLC4/adr Cells. *Am. J. Pharmacology and Toxicology* 5, 24-33.