

REFERENCES

- Aims BN, Shinegava MK, Hagen TM. Oxidants, antioxidants and the degenerative diseases. *Proc Natl Acad Sci USA* 1993; 90: 7915–22.
- Akbas SH, Timur M. The effect of quercetin on topotecan cytotoxicity in MCF-7 and MDA-MB 231 human breast cancer cells. *J Sur Res* 2005; 125: 49-55.
- Albers DS, Beal MT. Mitochondrial dysfunction and oxidative stress in aging and neurodegenerative disease. *J Neural Transm Supply* 2000; 59: 133-54.
- Alexander P. Can antioxidants facilitate cancer induction? Oxidation reactions involved in host-mediated destruction of cancer cells. In: Nygaard OF, Simic MG, editors. *Radioprotectors and anticarcinogenes*. New York: Academic Press; 1983: 575–84.
- Alijannis N, Mitaku S, Mitrocotsa MD, Lectere S. Flavonoids as cycline- dependent kinase inhibitors: inhibition of cdc 25 phosphatase activity by flavonoids belonging to the quercetin and kaempferol series. *Planta Med* 2001; 67: 568-17.
- Babior BM. Oxygen-dependent microbial killing by phagocytes. *N Engl J Med*. 1978; 298: 721–5.

- Blackstone NW, Green DR. The evolution of a mechanism of cell suicide. *Bio Essays* 1999; 21: 84–8.
- Blommaart EFC, Luiken, JJFP, Meijer AJ. Autophagic proteolysis: control and specificity. *Histochem J* 1997; 29: 365-85.
- Bostwick DG, Alexander EE, Singh R, Shan A, Qian J, Santella RM. Antioxidant enzyme expression and reactive oxygen species damage in prostatic intraepithelial neoplasm and cancer. *Cancer* 2000; 189: 123-34.
- Burgart LJ, Zheng J, Shu Q, Shibata D. Somatic mitochondrial mutation in gastric cancer. *Am J Pathol* 1995; 147:1105–11.
- Bursch W, Ellinger A, Kienzl H, Torok L, Pandey S, Sikorska M, *et al.* *Carcinogenesis* 1996; 17, 1595-607.
- Caltagirone S, Rossi C, Poggi A, Ranelletti FO, Natali PG, Brunetti M, *et al.* Flavonoids apigenin and quercetin inhibit melanoma growth and metastasis potential. *Int J Cancer* 2000; 87: 595-600.
- Cedro K, Klosiewicz-Wasek B, Wasek W. Inhibitory effect of vitamins C and E on the oxygen free radical production in human polymorphonuclear leucocytes. *Eur J Clin Invest* 1994; 24: 316–9.
- Chen J, Lin G, Cheng J, Tang F, Zhu H, Liu S. Mechanism of manganese superoxide dismutase mediated growth inhibition of gastric cancer cell line SGC7901. *World Chin J Digestol* 2005; 13(12): 1386-9.

- Chen Y, McMillan-Ward E, Kong J, Israels SJ and Gibson SB. Oxidative stress induces autophagic cell death independent of apoptosis in transformed and cancer cells. *Cell death Differ* 2008; 15: 172-182.
- Clarke PGH. Developmental cell death: morphological diversity and multiple mechanisms. *Anat Embryol (Berl)* 1990; 181: 195-213.
- Cook NC, Samman S. Flavonoids-chemistry, metabolism, cardioprotective effects, and dietary sources. *Nutr Biochem* 1996; 7: 66-76.
- Coursin DB, Cihla HP, Sempf JM, Oberley TD, Oberlay LW. An immunohistochemical analysis of antioxidant and glutathione S-transferase enzyme levels in normal and neoplastic human lens. *Histol Histopathol* 1996; 11: 851-60.
- Dasgupta S, Hoque MO, Upadhyay S, Sidransky D. Mitochondrial cytochrome B gene mutation promotes tumor growth in bladder cancer. *Cancer Res* 2008; 68: 700-6.
- Duun WAJ. Autophagy and related mechanisms of lysosome-mediated protein degradation. *Trens Cell Biol* 1994; 4: 139-43.
- Eapen CE, Madesh M, Balasubramanian K, Pulimood A, Mathan M, Ramakrishna BS. Mucosal mitochondrial function and antioxidant defences in patients with gastric carcinoma. *Scand J Gastroenterol* 1998; 33: 975-81.
- Edinger A, Thomson C. Death by design: apoptosis, necrosis and autophagy. *Curr Opin Cell Biol* 2004; 16: 663-9.

- Epperlt MW, Defilippi S, Sikora C, Gretton J, Greenberger JS. Radioprotection of lung and esophagus by overexpression of the human manganese superoxide dismutase transgene. *Mil Med* 2002; 167: 71.
- Festjene N, Vanden Berghe T, Vandenabeele P. Necrosis, a well-orchestrated form of cell demise: signaling cascades, important mediators and concomitant immune response. *Biochim Biophys Acta* 2006; 1757: 1371-87.
- Foulkus WD, Ragoussis J, Stamp GW, allan GL, Trowsdale J. Frequent loss of heterozygosity on chromosome 6 in human ovarian carcinoma. *Br J Cancer* 1993; 67, 551-9.
- Gonzaley-Polo RA, Boya P, Pauleau AL, Jalil A, Larochette N, Souqueres, *et al.* The apoptosis/autophagy paradox autophagic vacuolization before apoptotic death *J Cell Sci* 2005; 118: 3091-102.
- Halliwell B. Antioxidants in human health and diseases. *Ann Rev Nutr* 1996; 20: 2261-6.
- Halliwell B, Cutteridge JMC. Free radicals in biology and medicine. Oxford: Oxford University Press, 1999.
- Halliwell B. The antioxidant paradox. *Lancet* 2000; 355: 1179-80.
- Hanahan D, Weinberg RA. The hallmarks of cancer. *Cell* 2000; 100: 57-70.
- Hickman JA. Apoptosis induced by anticancer drugs. *Cancer Metast Rev* 1992; 11: 121-39.

- Hollman PC, Katan MB. Dietary flavonoids: intake, health effects and bioavailability. Food Chem Toxicol 1999; 37: 937-42.
- Indo HP, Davidson M, Yen H, Suenaga S, Tomita K, Nishii T, *et al.* Evidence of ROS generation by mitochondria in cells with impaired electron transport chain and mitochondrial DNA damage. Mitochondrion 2007; 7: 106-18.
- Ishikawa K, Takenaga K, Akimoto M, Koshikawa N, Yamaguchi A, Imanishi H *et al.* ROS-generating mitochondrial DNA mutations can regulate tumor cell metastasis. Science 2008; 320, 661-4.
- Johnson TM, Yu ZX, Ferrans VJ, Lowenstein RA, Finkel T. Reactive oxygen species are downstream mediators of p53-dependent apoptosis. Proc Natl Acad USA 1996; 93: 11848-52.
- Junqueira VBC, Barros BM, Chan SS, Podrigues L, Giavarotti L, Abud RL *et al.* Aging and oxidative stress. Mol Aspects Med 2004; 1-2: 5-16.
- Kanzawa T, Kondo Y, Ito H, Kondo S, Germano I. Cancer Res. 2003, 63, 2103-8.
- Kerr JFR, Winterfold CM, Harmon BV. Apoptosis, its significance in cancer and cancer therapy. Cancer 1994; 73: 2014-26.
- Kim HK, Park WS, Kang SH, Warda M, Kim N, Ko JH, *et al.* Mitochondrial alterations in human gastric carcinoma cell line. Am J Physiol Cell. Physiol 2007; 293: 761-71.
- Kim JJ, Chae SW, Hur GC, Cho SJ, Kim MK, Choi J, *et al.* Manganese superoxide dismutase expression correlates with a poor prognosis in gastric cancer. Pathobiology 2002; 70: 353-60.

Kothan S, Dechsupa S, Leger G, Moretti JL, Vergote J, Mankhetkorn S. Spontaneous mitochondrial membrane potential change during apoptotic induction by quercetin in K562 and K562/adr cells. *Can J Physiol Pharmacol* 2004; 82(12):1084-90.

Kothan S. Ph.D. Dissertation. Université de Paris Nord, Paris, France and Burapha University, Chonburi, Thailand. 2004.

Kroemer G, Zamzami N, Susin SA. Mitochondrial control of apoptosis. *Immunol Today* 1997; 18: 44–51.

Labriola D, Linvingston R. Possible interaction between dietary antioxidants and chemotherapy. *Oncology* 1999; 13: 1003–12.

Kim JJ, Chae SW, Hur GG, Cho SJ, Kim MK, Choi J, et al. Manganese superoxide dismutase as a marker of malignant potential in colorectal carcinoma. *Oncol Rep* 2003; 10: 39-43.

Krysho D, Vandenberghe T, D'Herde A, Vandensbeele P. Apoptosis and necrosis: detection, discrimination and phagocytosis. *Methods* 2008; 44: 205-21.,

Lamson DW, Brignall MS. Antioxidants and cancer III: Quercetin. *Altern Med Rev* 2000; 5(3): 196-208.

Lee JC, Kim J, Park JK, Chung GH, Jang YS. The antioxidant, rather than prooxidant, activities of quercetin on normal cells: Quercetin protects mouse thymocytes from glucose oxidase-mediated apoptosis. *Exp Cell Res* 2003; 291: 386-97.

Longe JL, editor. The gale encyclopedia of cancer: a guide to cancer and its treatments. 2nd ed. Detroit: Gale Group, 2005:137.

Lo WY, Tsai MH, Zhang Y, Hinkhouse MM, Ritchie JM, Oberley LW, *et al.* Inhibition of over-expressed proteins in oral squamous cell carcinoma (OSCC) patients by clinical proteomic analysis. *Clin Chim Acta* 2007; 376: 101-107.

Li N, Zhai Y, Oberley TD. Two distinct mechanisms for inhibition of cell growth in human prostate carcinoma cells with antioxidant enzyme imbalance. *Free Radic Biol Med* 1999; 26: 1154-68.

Liu MJ, Wang Z, Li HX, Wu RC, Liu YZ, Wu QY. Mitochondrial dysfunction as an early event in the process of apoptosis induced by woodfordin I in human leukemia K562 cells. *Toxico Appl Pharm* 2004; 194: 141-55.

Liu Z, Lenardo M. Reactive oxygen species regulate autophagy through redox-sensitive protease. *Dev Cell* 2007; 12: 484-5.

Lockshin R, Zakeri Z. Aoptosis, autophagy, and more. *Int J Biochem Cell Biol* 2004; 36: 2405-19.

Ma Y, Bai R, Trieu R, Wong LC. Mitochondrial dysfunction in human breast cancer cells and their transmitchondrial cybrids. *Biochimica et Biophysica Acta* 2009 (inpress).

Malafa M, Margenthaler J, Webb B, Neitzel L, Christophersen M. Mn-SOD expression is increased in metastatic gastric cancer. *J Surg Res* 2000; 88: 130-134.

Marino G, Lopez-Otib C. Autophagy: molecular mechanisms, physiological functions and relevance in human pathology. *CMLS Cell Mol Life Sci* 2004; 61: 1439-54.

Matsui Y, Takagi H, Que X, Adbellatif M, Sakoda H, Asano T, *et al.* Distinct roles of autophagy in the heart during ischemia and reperfusion : roles of AMP-activated protein kinase and Beclin 1 in mediating autophagy. *Cir Res* 2007; 100: 914-922.

McCord JM, Fridovich I. Superoxide dismutase. An enzymic function for erythrocuprein (hemocuprein). *J. Biol. Chem.* 1969;244, 6049–55.

McGowan AJ, Fernandes RS, Samali AA, Cotter TG. Anti-oxidants and apoptosis. *Biochem Soc Trans* 1996; 24: 229–33.

Moncada S, Palmer RM, Higgs EA. Nitric oxide: physiology, pathophysiology, and pharmacology. *Pharmac Rev* 1991; 43: 109–42.

Morel I, Lescoat G, Cogrel P, Sergent O, Pasdeloup N, Brissot P, *et al.* Antioxidant and iron-chelating activities of the flavonoids catechin, quercetin and diosmetin on iron-loaded rat hepatocyte cultures. *Biochem Pharmacol* 1993; 45: 13-9.

Mortimore GE, Poso AR. Intracellular protein catabolism and its control during nutrient deprivation and supply. *Annu Rev Nutr* 1987; 7: 539-64.

Nathan C. Specificity of a third kind: reactive oxygen and nitrogen intermediates in cell signaling. *J Clin Invest* 2003; 111: 769-78.

- Nickolloff JA, Hoekstra MF, editors. DNA Damage and Repair, vols. 1 and 2. Totova, New Jersey: Human Press; 1998.
- Nijveldt R J, van Nood E, van Hoorn DEC, Boelens P G, van Norren K, van Leeuwen PAM. Flavonoids: a review of probable mechanisms of action and potential applications. *Am J Clin Nutr* 2001; 74 (4): 418-25.
- Nozoe T, Honda M, Inutsuka S, Yasuda M, Korennaga D. Significance of immunohistochemicals expression of manganese superoxide dismutase as a marker of malignant potential in colorectal carcinoma. *Oncal. Rep.* 2003; 10, 39-43.
- Oberley LW. Anticancer Therapy by Overexpression of Superoxide Dismutase *Antioxid Redox Signal* 2001; 3: 461.
- Oberley TD and Oberley LW. Antioxidant enzyme levels in cancer. *Histol Histopathol* 1997; 12(2): 525-35.
- Oberly LW, Mechanism of the tumor suppressive effect of Mn-SOD expression. *Biomed. Pharmacother* 2005; 59: 143-8.
- Oberley TD, Sempf JM, Oberley LW. Localization of antioxidant enzymes and oxidative damage products in normal and malignant prostate epithelium. *Prostate* 2000; 44(2): 144-55.
- Oberley TD, Sempf JM, Oberley MJ, McCormick ML, Muse KE, Oberley LW. Immunogold analysis of antioxidant enzymes in human renal carcinoma. *Virchows Arch* 1994; 424: 155-64.

Paglin S, Hollister,T Deloherty T, *et al.* A novel response of cancer cells to radiation involves autophagy and formation of acidic vesicles. *Can Res* 2001; 61: 439-44.

Pietta PG. Flavonoids as antioxidants. *J Nat Prod* 2000; 63: 1035-42.

Policastro L, Molinari B, Larcher F, Blanco P, Podhajcer OL, Costa CS *et al.* Imbalance of antioxidant enzymes in tumor cells and inhibition of proliferation and malignant features by scavenging hydrogen peroxide. *Mol Carcinogen* 2004; 39(2): 103-13.

Re D, Starostik P, Massoudi N, Staratschek-Jox A, Dries V, Thomas RK, *et al.* Allelic losses on chromosome 6q25 in Hodgkin and Reed Sternberg cells. *Cancer Res* 2003; 63 , 2606-09.

Reungpatthanaphong P, Dechupa S, Meesungnoen J, Loetchutinat C, Mankhetkorn S, Rhodamine B as mitochondrial probe for measurement and monitoring of mitochondrial membrane potential in drug-sensitive and -resistant cells. *J Biomed Sci* 2003; 57: 1-16.

Rice-Evans CA, Miller NJ, Bolwell PG, Bramley PM, Pridham JB. The relative antioxidant activities of plant-derived polyphenolic flavonoid. *Free Radic Res* 1995; 22: 375-83.

Ria F, Landriscina M, Remiddi F, Rosselli R, Lacoangeli M, Serrati M *et al.* The level of manganese superoxide dismutase content is an independent prognostic factor for glioblastoma. Biological mechanisms and clinical implications. *Br J Cancer* 2001; 84: 259-534.

Rossi F, Zatti M. Biochemical aspects of phagocytosis in polymorphonuclear leucocytes. NADH and NADPH oxidation by the granules of resting and phagocytizing cells. *Experientia* 1980; 20: 21–7.

Salganik RI. Benefits and hazards of antioxidants: controlling apoptosis and other protective mechanisms in cancer patients and the human population. *J Am Coll Nutr* 2001; 20: 464-72.

Sasaki R, Suzuki Y, Yonezawa Y, Ota Y, Okamoto Y, Demizu T, *et al.* DNA polymerase gamma inhibition by vitamin K3 induces mitochondria-mediated cytotoxicity in human cancer cell. *Cancer Sci* 2008; 99: 1040-8.

Scambia G, Ranelletti FO, Benedetti Panici P, De Vincenzo R, Bonanno G, Ferrandina G, *et al.* Quercetin potentiates the effect of adriamycin in a multidrug-resistant MCF-7 human breast-cancer cell line: P-glycoprotein as a possible target. *Cancer Chemother Pharmacol* 2002; 34: 459-64.

Scambia G, Ranelletti FO, Benedetti Panici P, Piantelli M, Bonanno G, De Vincenzo R, *et al.* Quercetin inhibits the growth of a multidrug-resistant estrogen-receptor-negative MCF-7 human breast-cancer cell line expressing type II estrogen-binding sites. *Cancer Chemother Pharmacol* 1991; 28(4): 255-8.

Scherz-Shouval R, Shvets E, Fass E, Shorer H, Gil L, Elazar Z. Reactive oxygen species are essential for autophagy and specifically regulate the activity. *EMBO J* 2007; 26: 1749-60.

Schumacker PT. Reactive oxygen species in cancer cells: live by the sword, die by the sword. *Cancer Cell* 2006; 10(3): 241-52.

Shenkman JB. Historical background and description of the cytochrome P450. In Shenkman JB, Greim H, editors: *Cytochrome P450*. Berlin: Springer-Verlag1993, 3–14.

Seglen, PO, Bohley, P. Autophagy and other vacuolar protein degradation mechanisms. *Experientia* 1992; 48: 158-72.

Slater AFG, Nobel CSI, Orrenius S. The role of intracellular oxidants in apoptosis. *Bioch Biophys Acta* 1995; 1271: 59–62.

St. Clair DK and Holland JC. Complementary DNA encoding human colon cancer manganese superoxide dismutase and the expression of its gene in human cells. *Cancer Res* 1991; 51: 939-43.

Sulić S, Panić L, Dikić I, Volarević S . Deregulation of cell growth and malignant transformation. *Croatian Medical Journal* 2005; 46 (4): 622–38.

Szatrowski TP, Nathan CF. Production of large amounts of hydrogen peroxide by human tumor cell. *Cancer Res* 1991; 51(3): 194-8.

Tsanou E, Ioachim E, Briassoulis E, Damala K, Charchanti A, Karavasilis V, *et al.* Immunohistochemical expression of manganese superoxide dismutase (Mn-SOD) anti-oxidant enzyme in invasive breast carcinoma. *Histo Histopathol* 2004; 19: 807-813.

Trachootham D, Zhou Y, Zhang H, Demizu Y, Chen Z, Pelicano H, *et al.* Selective killing of oncogenically transformed cell through a ROS- Mediated

- mechanism by beta-phenyleethyl isothiocyanate. *Cancer Cell* 2006; 10: 241-52.
- Voet D, Voet JG. *Biochemistry*. 2nd ed. USA: John Wiley & Sons, 1995.
- Verhaegen S, Adrian J, McGovan J, Brophy AR, Fernandes RS, Gotter TG. Inhibition of apoptosis by antioxidants in the human HL-60 leukemia cell line. *Biochem Pharmacol* 1995; 40: 1021-9.
- Wallace DC. A mitochondrial paradigm of metabolic and degenerative diseases, aging, and cancer: A dawn for evolutionary medicine. *Annu Rev Genet* 2005; 39: 359-407.
- Wang IK, Lin-Shiau SY, Lin JK. Induction of apoptosis by apigenin and related flavonoids through cytochrome c release and activation of caspase-9 and caspase-3 in leukemia HL-60 cells. *Eur J Cancer* 1999; 35:1517-25.
- Warburg O. *On metabolism of tumors*. London: Constable, 1930.
- Wispé JR, Clark JC, Burhans MS, Kropp KE, Korfhagen TR, Whitsett JA. Synthesis and processing of the precursor for human mangano-superoxide dismutase. *Biochim Biophys Acta* 1989. 19; 994(1): 30-6.
- Xu Y, Krishnan A, Wan XS, Majima H, Yeh C, Ludewig G, *et al*. Mutations in the promoter reveal a cause for the reduced expression of the human manganese superoxide dismutase gene in cancer cell. *Oncogene* 1999; 18: 93-102.
- Yao KC, Komata T, Kondo Y, Kanzawa T, Kondo S and Germano IM. *J Neurosurg* 2003; 98: 378-84.

Yoshimori T. Autophagy: paying Charon's toll. *Cell* 2007; 128: 833-6.

Zhang H, Zhao W, Venkataraman S, Robbins M, Buettner G, Kregel K, et al.

Activation of matrix metalloproteinase-2 by overexpression of manganese superoxide dismutase in human breast cancer MCF-7 cells involves reactive oxygen species. *J Biol Chem* 2002; 277: 20919–26.

Zhao Y, Xue Y, Oberley TD, Kiningham KK., Lin S, Yen H, et al. Overexpression of manganese superoxide dismutase suppresses tumor formation by modulation of activator protein-1 signaling in a multistage skin carcinogenesis Model
Cancer Res 2001; 61: 6082-8.

Zörning M, Hueber AO, Baum W, Evan G. Apoptosis regulators and their role in tumorigenesis. *Biochim Biophys Acta*. 2001; 1551: F1–F37.