

## REFERENCES

- Abbasova, S.G., Shcheprova, M., Laman, A.G., Shepelyakovskaya, A.O., Baidakova, L.K., Rodionov, I.L., Kushlinskii, N.E. (2007) Epitope mapping of human Fas using peptide phage display. *Bull Exp Biol Med* 144, 515-9.
- Abedi, M.R., Caponigro, G., Kamb, A. (1998) Green fluorescent protein as a scaffold for intracellular presentation of peptides. *Nucleic Acids Res* 26, 623-30.
- Amstutz, P., Binz, H.K., Parizek, P., Stumpp, M.T., Kohl, A., Grutter, M.G., Forrer, P., Plückthun, A. (2005) Intracellular kinase inhibitors selected from combinatorial libraries of designed ankyrin repeat proteins. *J Biol Chem* 280, 24715-22.
- Amstutz, P., Forrer, P., Zahnd, C., Plückthun, A. (2001) *In vitro* display technologies: novel developments and applications. *Curr Opin Biotechnol* 12, 400-405.
- Andrade, M.A., Perez-Iratxeta, C., Ponting, C.P. (2001) Protein repeats: structures, functions, and evolution. *J Struct Biol* 134, 117-31.
- Arora, D.R., Gautam, V., Gill, P.S., Mishra, N. (2010) Recent advances in antiretroviral therapy in HIV infection. *J Indian Med Assoc* 108, 29-34.
- Assenga, S.P., You, M., Shy, C.H., Yamagishi, J., Sakaguchi, T., Zhou, J., Kibe, M.K., Xuan, X., Fujisaki, K. (2006) The use of a recombinant baculovirus expressing a chitinase from the hard tick *Haemaphysalis longicornis* and its potential application as a bioacaricide for tick control. *Parasitol Res* 98, 111-8.
- Azzazy, H.M., Highsmith, W.E., Jr. (2002) Phage display technology: clinical applications and recent innovations. *Clin Biochem* 35, 425-45.

- Bagasra, O. (1998) Potent inhibition of human immunodeficiency virus type 1 replication by an intracellular anti-Rev single-chain antibody. *Proc Natl Acad Sci U S A* 95, 10344.
- Barbas, C.F., Burton, D.R., Scott, J.K., Silverman, G.J. (2001a) Phage Display: A Laboratory Manual. *Cold Spring Harbor Laboratory Press*, NY
- Bass, S., Greene, R., Wells, J.A. (1990) Hormone phage: an enrichment method for variant proteins with altered binding properties. *Proteins* 8, 309-14.
- Berkhout, B. (2009) Toward a durable anti-HIV gene therapy based on RNA interference. *Ann N Y Acad Sci* 1175, 3-14.
- Berntzen, G., Andersen, J.T., Ustgard, K., Michaelsen, T.E., Mousavi, S.A., Qian, J.D., Kristiansen, P.E., Lauvrak, V., Sandlie, I. (2009) Identification of a high affinity Fc $\gamma$ RIIA-binding peptide that distinguishes Fc $\gamma$ RIIA from Fc $\gamma$ RIIB and exploits Fc $\gamma$ RIIA-mediated phagocytosis and degradation. *J Biol Chem* 284, 1126-35.
- Binz, H.K., Plückthun, A. (2005) Engineered proteins as specific binding reagents. *Curr Opin Biotechnol* 16, 459-69.
- Binz, H.K., Stumpp, M.T., Forrer, P., Amstutz, P., Plückthun, A. (2003) Designing repeat proteins: well-expressed, soluble and stable proteins from combinatorial libraries of consensus ankyrin repeat proteins. *J Mol Biol* 332, 489-503.
- Blakey, D.C. (1992) Drug targeting with monoclonal antibodies. A review. *Acta Oncol* 31, 91-7.
- Bonning, B.C., Possee, R.D., Hammock, B.D. (1999) Insecticidal efficacy of a recombinant baculovirus expressing JHE-KK, a modified juvenile hormone esterase. *J Invertebrate Pathol* 73, 234-6.

- Bostrom, J., Fuh, G. (2009) Design and construction of synthetic phage-displayed Fab libraries. *Methods Mol Biol* 562, 17-35.
- Breeden, L., Nasmyth, K. (1987) Similarity between cell-cycle genes of budding yeast and fission yeast and the Notch gene of *Drosophila*. *Nature* 329, 651-4.
- Cao, C.P., Wu, X.F. (2006) A novel application of baculovirus in mammalian gene therapy. *Wei Sheng Wu Xue Bao* 46, 668-72.
- Cascales, E., Gavioli, M., Sturgis, J.N., Lloubes, R. (2000) Proton motive force drives the interaction of the inner membrane TolA and outer membrane pal proteins in *Escherichia coli*. *Mol Microbiol* 38, 904-15.
- Casey, J.L., Coley, A.M., Foley, M. (2008) Phage display of peptides in ligand selection for use in affinity chromatography. *Methods Mol Biol* 421, 111-24.
- Cesareni, G. (1992) Peptide display on filamentous phage capsids. A new powerful tool to study protein-ligand interaction. *FEBS Lett* 307, 66-70.
- Check, E. (2005) Pioneering HIV treatment would use interference and gene therapy. *Nature* 437, 601.
- Dantas-Barbosa, C., Brigido, M.M., Maranhao, A.Q. (2005) Construction of a human Fab phage display library from antibody repertoires of osteosarcoma patients. *Genet Mol Res* 4, 126-40.
- Dearden, C.E. (2007) Role of antibody therapy in lymphoid malignancies. *Br Med Bull* 83, 275-290.
- Deng, L.W., Malik, P., Perham, R.N. (1999) Interaction of the globular domains of pIII protein of filamentous bacteriophage fd with the F-pilus of *Escherichia coli*. *Virology* 253, 271-7.

- Dordick, J.S. (1990) Protein engineering and site-directed mutagenesis. Patents and literature. *Appl Biochem Biotechnol* 26, 107-13.
- Esposito, D., Chatterjee, D.K. (2006) Enhancement of soluble protein expression through the use of fusion tags. *Curr Opin Biotechnol* 17, 353-8.
- Fenton, C., Xu, H., Petersen, E.I., Petersen, S.B., El-Gewely, M.R. (2002) Random mutagenesis for protein breeding. *Methods Mol Biol* 182, 231-41.
- Fernandez, J.M., Hoeffler, J.P. (1999) Gene Expression Systems: using nature for the art of expression. *Academic Press*, San Diego.
- Forrer, P., Stumpp, M.T., Binz, H.K., Plückthun, A. (2003) A novel strategy to design binding molecules harnessing the modular nature of repeat proteins. *FEBS Letters* 539, 2-6.
- Gailus, V., Ramsperger, U., Johner, C., Kramer, H., Rasched, I. (1994) The role of the adsorption complex in the termination of filamentous phage assembly. *Res Microbiol* 145, 699-709.
- Ganser-Pornillos, B.K., Yeager, M., Sundquist, W.I. (2008) The structural biology of HIV assembly. *Curr Opin Struct Biol* 18, 203-17.
- Gao, C., Mao, S., Lo, C.H., Wirsching, P., Lerner, R.A., Janda, K.D. (1999) Making artificial antibodies: a format for phage display of combinatorial heterodimeric arrays. *Proc Natl Acad Sci U S A* 96, 6025-30.
- Ghosh, S., Parvez, M.K., Banerjee, K., Sarin, S.K., Hasnain, S.E. (2002) Baculovirus as mammalian cell expression vector for gene therapy: an emerging strategy. *Mol Ther* 6, 5-11.
- Green, D.F. (2004) Computer graphics, Homology modeling, and Bioinformatics. *Protein engineering and design*, NY.

- Griffiths, A.D., Duncan, A.R. (1998) Strategies for selection of antibodies by phage display. *Curr Opin Biotechnol* 9, 102-8.
- Gronwall, C., Stahl, S. (2009) Engineered affinity proteins--Generation and applications. *J. Biotechnol* 140, 254-69.
- Groves, M.R., Barford, D. (1999) Topological characteristics of helical repeat proteins. *Curr Opin Struct Biol* 9, 383-9.
- Guengerich, F.P., Brian, W.R., Sari, M.A., Ross, J.T. (1991) Expression of mammalian cytochrome P450 enzymes using yeast-based vectors. *Methods Enzymol* 206, 130-45.
- Hall, B.G. (1973) *In Vivo* complementation between wild-type and mutant {beta}-galactosidase in *Escherichia coli*. *J. Bacteriol.* 114, 448-450.
- Hao, J., Serohijos, A.W., Newton, G., Tassone, G., Wang, Z., Sgroi, D.C., Dokholyan, N.V., Basilion, J.P. (2008) Identification and rational redesign of peptide ligands to CRIP1, a novel biomarker for cancers. *PLoS Comput Biol* 4, e1000138.
- Harrison, R.L., Jarvis, D.L., Bryony C. Bonning, K.M., Aaron, J.S. (2006) Protein N[hyphen] (true graphic) Glycosylation in the Baculovirus-Insect Cell Expression System and Engineering of Insect Cells to Produce "Mammalianized" Recombinant Glycoproteins. In: Advances in Virus Research, Vol. Volume 68. Academic Press, 159-91.
- Hell, R.C., Amim, P., de Andrade, H.M., de Avila, R.A., Felicori, L., Oliveira, A.G., Oliveira, C.A., Nascimento, E., Tavares, C.A., Granier, C., Chavez-Olortegui, C. (2009) Immunodiagnosis of human neurocysticercosis using a synthetic peptide selected by phage-display. *Clin Immunol*, 153, 332-40.

- Hertveldt, K., Belien, T., Volckaert, G. (2009) General M13 phage display: M13 phage display in identification and characterization of protein-protein interactions. *Methods Mol Biol* 502, 321-39.
- Hey, T., Fiedler, E., Rudolph, R., Fiedler, M. (2005) Artificial, non-antibody binding proteins for pharmaceutical and industrial applications. *Trend Biotechnol* 23, 514-522.
- Hoogenboom, H.R., de Bruine, A.P., Hufton, S.E., Hoet, R.M., Arends, J.W., Roovers, R.C. (1998) Antibody phage display technology and its applications. *Immunotechnology* 4, 1-20.
- Hosse, R.J., Rothe, A., Power, B.E. (2006) A new generation of protein display scaffolds for molecular recognition. *Protein Sci* 15, 14-27.
- Hoyer, W., Gronwall, C., Jonsson, A., Stahl, S., Hard, T. (2008) Stabilization of a beta-hairpin in monomeric Alzheimer's amyloid-beta peptide inhibits amyloid formation. *Proc Natl Acad Sci U S A* 105, 5099-104.
- Huber, T., Steiner, D., Rothlisberger, D., Plückthun, A. (2007) In vitro selection and characterization of DARPins and Fab fragments for the co-crystallization of membrane proteins: The Na<sup>+</sup>-citrate symporter CitS as an example. *Journal of Structural Biology* 159, 206-21.
- Hughes, M.D., Nagel, D.A., Santos, A.F., Sutherland, A.J., Hine, A.V. (2003) Removing the redundancy from randomised gene libraries. *J Mol Biol* 331, 973-9.
- Huynh, C.Q., Zieler, H. (1999) Construction of modular and versatile plasmid vectors for the high-level expression of single or multiple genes in insects and insect cell lines. *J Mol Biol* 288, 13-20.

- Intasai, N., Mai, S., Kasinrerk, W., Tayapiwatana, C. (2006) Binding of multivalent CD147 phage induces apoptosis of U937 cells. *Int Immunol* 18, 1159-69.
- Interlandi, G., Wetzel, S.K., Settanni, G., Pluckthun, A., Caflisch, A. (2008) Characterization and Further Stabilization of Designed Ankyrin Repeat Proteins by Combining Molecular Dynamics Simulations and Experiments. *J. Mol Biology* 375, 837-54.
- Jager, S., Jahnke, A., Wilmes, T., Adebahr, S., Vogtle, F.N., Delima-Hahn, E., Pfeifer, D., Berg, T., Lubbert, M., Trepel, M. (2007) Leukemia-targeting ligands isolated from phage-display peptide libraries. *Leukemia* 21, 411-20.
- Jarvis, D.L. (2003) Developing baculovirus-insect cell expression systems for humanized recombinant glycoprotein production. *Virology* 310, 1-7.
- Jia, L., Yu, J., Song, H., Liu, X., Ma, W., Xu, Y., Zhang, C., Dong, S., Li, Q. (2008) Screening of human antibody Fab fragment against HBsAg and the construction of its dsFv form. *Int J Biol Sci* 4, 103-10.
- Kang, C.Y. (1997) Expression of human immunodeficiency virus genes using baculovirus expression system. *Mol Biotechnol* 8, 173-87.
- Karlsson, F., Borrebaeck, C.A., Nilsson, N., Malmborg-Hager, A.C. (2003) The mechanism of bacterial infection by filamentous phages involves molecular interactions between TolA and phage protein 3 domains. *J Bacteriol* 185, 2628-34.
- Koch, H., Grafe, N., Schiess, R., Plückthun, A. (2006) Direct selection of antibodies from complex libraries with the protein fragment complementation assay. *J Mol Biol* 357, 427-41.

- Kohl, A., Amstutz, P., Parizek, P., Binz, H.K., Briand, C., Capitani, G., Forrer, P., Plückthun, A., Grutter, M.G. (2005a) Allosteric inhibition of aminoglycoside phosphotransferase by a designed ankyrin repeat protein. *Structure* 13, 1131-41.
- Koide, A., Bailey, C.W., Huang, X., Koide, S. (1998) The fibronectin type III domain as a scaffold for novel binding proteins. *J Mol Biol* 284, 1141-51.
- Koprivova, A., des Francs-Small, C.C., Calder, G., Mugford, S.T., Tanz, S., Lee, B.R., Zechmann, B., Small, I., Kopriva, S. (2010) Identification of a pentatricopeptide repeat protein implicated in splicing of intron 1 of mitochondrial nad7 transcripts. *J Biol Chem* 285, 32192-9.
- Kronqvist, N., Liofblom, J., Jonsson, A., Wernerus, H., Stahl, S. (2008) A novel affinity protein selection system based on staphylococcal cell surface display and flow cytometry. *PEDS* 21, 247-55.
- Kulakosky, P., Shuler, M., Wood, H. (1998) N-glycosylation of a baculovirus-expressed recombinant glycoprotein in three insect cell lines. In Vitro Cellular & Developmental Biology, *Animal* 34, 101-8.
- Kwong, K.Y., Baskar, S., Zhang, H., Mackall, C.L., Rader, C. (2008) Generation, affinity maturation, and characterization of a human anti-human NKG2D monoclonal antibody with dual antagonistic and agonistic activity. *J Mol Biol* 384, 1143-56.
- Lazdunski, C.J., Bouveret, E., Rigal, A., Journet, L., Lloubes, R., Benedetti, H. (1998) Colicin import into *Escherichia coli* cells. *J Bacteriol* 180, 4993-5002.
- Lee, C.C., Sun, Y.J., Barkham, T., Leo, Y.S. (2009) Primary drug resistance and transmission analysis of HIV-1 in acute and recent drug-naïve seroconverters in Singapore. *HIV Med* 10, 370-7.

- Levin, R., Mhashilkar, A.M., Dorfman, T., Bukovsky, A., Zani, C., Bagley, J., Hinkula, J., Niedrig, M., Albert, J., Wahren, B., Gottlinger, H.G., Marasco, W.A. (1997) Inhibition of early and late events of the HIV-1 replication cycle by cytoplasmic Fab intrabodies against the matrix protein, *Mol Med* 3, 96-110.
- Levy-Mintz, P., Duan, L., Zhang, H., Hu, B., Dornadula, G., Zhu, M., Kulkosky, J., Bizub-Bender, D., Skalka, A.M., Pomerantz, R.J. (1996) Intracellular expression of single-chain variable fragments to inhibit early stages of the viral life cycle by targeting human immunodeficiency virus type 1 integrase. *J Virol* 70, 8821-32.
- Li, J., Mahajan, A., Tsai, M.D. (2006) Ankyrin repeat: a unique motif mediating protein-protein interactions. *Biochemistry* 45, 15168-78.
- Lowman, H.B. (1997) Bacteriophage display and discovery of peptide leads for drug development. *Annu Rev Biophys Biomol Struct* 26, 401-24.
- Lowman, H.B., Bass, S.H., Simpson, N., Wells, J.A. (1991) Selecting high-affinity binding proteins by monovalent phage display. *Biochemistry* 30, 10832-8.
- Lowman, H.B., Wells, J.A. (1993) Affinity maturation of human growth hormone by monovalent phage display. *J Mol Biol* 234, 564-78.
- Luque, F., Oya, R., Macias, D., Saniger, L. (2005) Gene therapy for HIV-1 infection: are lethal genes a valuable tool, *Cell Mol Biol*, 51, 93-101.
- Marasco, W.A., Haseltine, W.A., Chen, S.Y. (1993) Design, intracellular expression, and activity of a human anti-human immunodeficiency virus type 1 gp120 single-chain antibody. *Proc Natl Acad Sci U S A* 90, 7889-93.
- Matsuura, T., Yomo, T. (2006) In vitro evolution of proteins. *J Bioscience Bioengineering* 101, 449-56.

- McAuley, A., Jacob, J., Kolvenbach, C.G., Westland, K., Lee, H.J., Brych, S.R., Rehder, D., Kleemann, G.R., Brems, D.N., Matsumura, M. (2008) Contributions of a disulfide bond to the structure, stability, and dimerization of human IgG1 antibody CH3 domain. *Protein Sci* 17, 95-106.
- McCafferty, J., Griffiths, A.D., Winter, G., Chiswell, D.J. (1990) Phage antibodies: filamentous phage displaying antibody variable domains. *Nature* 348, 552-4.
- Mohrluder, J., Stangler, T., Hoffmann, Y., Wiesehan, K., Mataruga, A., Willbold, D. (2007) Identification of calreticulin as a ligand of GABARAP by phage display screening of a peptide library. *FEBS J* 274, 5543-55.
- Montgomery, J., Ilg, T., Thompson, J.K., Kobe, B., Handman, E. (2000) Identification and predicted structure of a leucine-rich repeat motif shared by Leishmania major proteophosphoglycan and Parasite Surface Antigen 2. *Mol Biochem Parasitol* 107, 289-95.
- Mosavi, L.K., Cammett, T.J., Desrosiers, D.C., Peng, Z.Y. (2004) The ankyrin repeat as molecular architecture for protein recognition. *Protein Sci* 13, 1435-48.
- Neri, D., Petrul, H., Roncucci, G. (1995) Engineering recombinant antibodies for immunotherapy. *Cell Biophys* 27, 47-61.
- Nord, K., Gunneriusson, E., Ringdahl, J., Stahl, S., Uhlen, M., Nygren, P.A. (1997) Binding proteins selected from combinatorial libraries of an alpha-helical bacterial receptor domain. *Nat Biotechnol* 15, 772-7.
- Nygren, P.A., Skerra, A. (2004) Binding proteins from alternative scaffolds. *J Immunol Methods* 290, 3-28.
- Ono, A. (2010) HIV-1 assembly at the plasma membrane. *Vaccine* 28, B55-B59.

- Parrish, J.R., Gulyas, K.D., Finley, R.L., Jr. (2006) Yeast two-hybrid contributions to interactome mapping. *Curr Opin Biotechnol* 17, 387-93.
- Paschke, M. (2006) Phage display systems and their applications. *Applied Microbiology and Biotechnology* 70, 2-11.
- Patrick, W.M., Firth, A.E. (2005) Strategies and computational tools for improving randomized protein libraries. *Biomol Eng* 22, 105-12.
- Pelletier, J.N., Remy, I., Michnick, S.W. (1998) Protein-Fragment Complementation Assays: A General Strategy for the in vivo Detection of Protein-Protein Interactions, *J Biomolecular Techniques* 9.
- Remy, I., Michnick, S.W. (2007) Application of protein-fragment complementation assays in cell biology. *Biotechniques* 42, 137-41.
- Roberts, B.L., Markland, W., Ley, A.C., Kent, R.B., White, D.W., Guterman, S.K., Ladner, R.C. (1992) Directed evolution of a protein: selection of potent neutrophil elastase inhibitors displayed on M13 fusion phage. *Proc Natl Acad Sci U S A* 89, 2429-33.
- Roberts, R.W. (1999) Totally in vitro protein selection using mRNA-protein fusions and ribosome display. *Curr Opin Chem Biol* 3, 268-73.
- Robles, Y., Gonzalez, E., Govezensky, T., Mungia, M.E., Acero, G., Bobes, R.J., Gevorkian, G., Manoutcharian, K. (2005) Isolation of the *Taenia crassiceps* antigens from a phage display cDNA library and evaluation of their use for diagnosis of neurocysticercosis. *Clin Immunol* 116, 265-70.
- Rockberg, J., Lofblom, J., Hjelm, B., Uhlen, M., Stahl, S. (2008) Epitope mapping of antibodies using bacterial surface display. *Nat Meth* 5, 1039-45.

- Rossi, J.J., June, C.H., Kohn, D.B. (2007) Genetic therapies against HIV. *Nat Biotech* 25, 1444-54.
- Sedgwick, S.G., Smerdon, S.J. (1999) The ankyrin repeat: a diversity of interactions on a common structural framework. *Trends Biochem Sci* 24, 311-6.
- Sidhu, S.S. (2000) Phage display in pharmaceutical biotechnology. *Curr Opin Biotechnol* 11, 610-6.
- Sidhu, S.S. (2001) Engineering M13 for phage display. *Biomol Eng* 18, 57-63.
- Simons, K., Gerl, M.J. (2010) Revitalizing membrane rafts: new tools and insights. *Nat Rev Mol Cell Biol* 11, 688-99.
- Skerra, A. (2000) Engineered protein scaffolds for molecular recognition. *J Mol Recognit* 13, 167-87.
- Skerra, A. (2001) 'Anticalins': a new class of engineered ligand-binding proteins with antibody-like properties. *J Biotechnol* 74, 257-75.
- Smith, G.P. (1985a) Filamentous fusion phage: Novel expression vectors that display cloned antigens on the virion surface. *Science* 228, 1315-17.
- Smith, G.P., Petrenko, V.A. (1997) Phage Display. *Chem Rev* 97, 391-410.
- Stemmer, W.P. (1994) DNA shuffling by random fragmentation and reassembly: in vitro recombination for molecular evolution. *Proc Natl Acad Sci U S A* 91, 10747-51.
- Strayer, D.S., Akkina, R., Bunnell, B.A., Dropulic, B., Planelles, V., Pomerantz, R.J., Rossi, J.J., Zaia, J.A. (2005) Current status of gene therapy strategies to treat HIV/AIDS. *Mol Ther* 11, 823-42.
- Tang, J.W., Pillay, D. (2004) Transmission of HIV-1 drug resistance. *J Clin Virol* 30, 1-10.

Tayapiwatana, C., Arooncharus, P., Kasinrerk, W. (2003) Displaying and epitope mapping of CD147 on VCSM13 phages: influence of Escherichia coli strains. *J Immunol Methods* 281, 177-85.

Tewari, D., Goldstein, S.L., Notkins, A.L, Zhou, P. (1998) cDNA encoding a single-chain antibody to HIV p17 with cytoplasmic or nuclear retention signals inhibits HIV-1 replication. *J Immunol* 161, 2642-7.

Trkola, A., Kuster, H., Rusert, P., Joos, B., Fischer, M., Leemann, C., Manrique, A., Huber, M., Rehr, M., Oxenius, A., Weber, R., Stiegler, G., Vcelar, B., Katinger, H., Aceto, L., Gunthard, H.F. (2005) Delay of HIV-1 rebound after cessation of antiretroviral therapy through passive transfer of human neutralizing antibodies. *Nat Med*, 11, 615-22.

Urvoas, A., Guellouz, A., Valerio-Lepiniec, M., Graille, M., Durand, D., Desravines, D.C., van Tilbeurgh, H., Desmadril, M., Minard, P. (2010) Design, Production and Molecular Structure of a New Family of Artificial Alpha-helicoidal Repeat Proteins (alphaRep) Based on Thermostable HEAT-like Repeats. *J Mol Biol*, 404, 307-27.

Vercruyse, T., Pardon, E., Vanstreels, E., Steyaert, J., Daelemans, D. (2010) An intrabody based on a llama single-domain antibody targeting the N-terminal alpha-helical multimerization domain of HIV-1 rev prevents viral production. *J Biol Chem* 285, 21768-80.

Verma, R., Boleti, E., George, A.J.T. (1998) Antibody engineering: Comparison of bacterial, yeast, insect and mammalian expression systems. *J Immunol Methods* 216, 165-81.

- Vogel, M., Keller-Gautschi, E., Baumann, M.J., Amstutz, P., Ruf, C., Kricek, F., Stadler, B.M. (2007) Designed ankyrin repeat proteins as anti-idiotypic-binding molecules. *Ann N Y Acad Sci* 1109, 9-18.
- Von Laer, D., Hasselmann, S., Hasselmann, K. (2006) Gene therapy for HIV infection: what does it need to make it work, *J Gene Med* 8, 658-67.
- Wensing, A.M., Boucher, C.A. (2003) Worldwide transmission of drug-resistant HIV. *AIDS Rev* 5, 140-55.
- Winter, G., Griffiths, A.D., Hawkins, R.E., Hoogenboom, H.R. (1994) Making antibodies by phage display technology. *Annu Rev Immunol* 12, 433-55.
- Yang, W., Meng, L., Wang, H., Chen, R., Wang, R., Ma, X., Xu, G., Zhou, J., Wang, S., Lu, Y., Ma, D. (2006) Inhibition of proliferative and invasive capacities of breast cancer cells by arginine-glycine-aspartic acid peptide in vitro. *Oncol Rep* 15, 113-7.
- Yin, J., Li, G., Ren, X., Herrler, G. (2007) Select what you need: A comparative evaluation of the advantages and limitations of frequently used expression systems for foreign genes. *J Biotechnol* 127, 335-47.
- Yuan, L., Kurek, I., English, J., Keenan, R. (2005) Laboratory-directed protein evolution. *Microbiol Mol Biol Rev* 69, 373-92.
- Zahnd, C., Wyler, E., Schwenk, J.M., Steiner, D., Lawrence, M.C., McKern, N.M., Pecorari, F., Ward, C.W., Joos, T.O., Plückthun, A. (2007) A designed ankyrin repeat protein evolved to picomolar affinity to Her2. *J Mol Biol* 369, 1015-28.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved