

## REFERENCES

1. Alexander NB. Gait disorders in older adults. *J Am Geriatr Soc* 1996; 44: 434 - 51.
2. Montero-Odasso M, Bergman H, Phillips N, Wong C, Sourial N, Chertkow H. Dual-tasking and gait in people with mild cognitive impairment. The effect of working memory. *BMC Geriatrics* 2009; 9: 41-8.
3. Yogev-Seligmann G, Hausdorff JM, Giladi N. The role of executive function and attention in gait. *Mov Disord* 2008; 23: 329 - 42.
4. Beauchet O, Allai G, Berrut G, Hommet C, Dubost V, Assal F. Gait analysis in demented subjects: interests and perspectives. *Neuropsychiatr Dis Treat* 2008; 4: 155-60.
5. van Iersel MB, Hoefsloot W, Munneke M, Bloem BR, Olde Rikkert MG. Systematic review of quantitative clinical gait analysis in patients with dementia. *Z Gerontol Geriatr* 2004; 37: 27 - 32.
6. Geda YE, Roberts RO, Knopman DS, Petersen RC, Christianson TJH, Pankratz VS, et al. Prevalence of neuropsychiatric symptoms in mild cognitive impairment and normal cognitive aging: population-based study. *Arch Gen Psychiatry* 2008; 65: 1193-8.
7. Petersen RC, Doody R, Kurz A, Mohs RC, Morris JC, Rabins PV, et al. Current concepts in mild cognitive impairment. *Arch Neurol* 2001; 58: 1985-92.

8. Belleville S, Gilbert B, Fontaine F, Gagnon L, Ménard E, Gauthier S. Improvement of episodic memory in persons with Mild Cognitive Impairment and healthy older adults: evidence from a cognitive intervention program. *Dement Geriatr Cogn Disord* 2006; 22: 486-99.
9. Montero-Odasso M, Casas A, Hansen K, Bilski P, Gutmanis I, Wells J, et al. Quantitative gait analysis under dual-task in older people with mild cognitive impairment: a reliability study. *J Neuroeng Rehabil* 2009; 6: 35-40.
10. Montero-Odasso M, Casas A, Hansen K, Gutmanis I, Wells J, Borrie M. Increasing gait variability with dual tasks in people with MCI. Complexity of the task does matter. *Parkinsonism Relat Disord* 2008; 14: S51.
11. Verghese J, Wang C, Lipton RB, Holtzer R, Xue X. Quantitative gait dysfunction and risk of cognitive decline and dementia. *J Neurol Neurosurg Psychiatry* 2007; 78: 929-35.
12. Webster KE, Merory JR, Wittwer JE. Gait variability in community dwelling adults with Alzheimer disease. *Alzheimer Dis Assoc Disord* 2006; 20: 37-40.
13. Hausdorff JM. Gait variability: methods, modeling and meaning. *J Neuroeng Rehabil* 2005; 2: 19.
14. Storandt M, Grant EA, Miller JP, Morris JC. Rates of progression in mild cognitive impairment and early Alzheimer's disease. *Neurology* 2002; 59: 1034-41.
15. Grundman M, Petersen RC, Ferris SH, Thomas RG, Aisen PS, Bennett DA, et al. Mild cognitive impairment can be distinguished from Alzheimer disease and normal aging for clinical trials. *Arch Neurol* 2004; 61: 59-66.

16. Maki BE. Gait changes in older adults: predictors of falls or indicators of fear. *J Am Geriatr Soc* 1997; 45: 313-20.
17. Cromwell RL, Newton RA. Relationship between balance and gait stability in healthy older adults. *J Aging Phys Act* 2004; 11: 90-100.
18. Rosengren KS, McAuley E, Mihalko SL. Gait adjustments in older adults: activity and efficacy influences. *Psychol Aging* 1998; 13: 375-86.
19. van Iersel MB, Benraad CE, Rikkert MG. Validity and reliability of quantitative gait analysis in geriatric patients with and without dementia. *J Am Geriatr Soc* 2007; 55: 632 - 4.
20. Waite LM, Grayson DA, Piguet O, Creasey H, Bennett HP, Broe GA. Gait slowing as a predictor of incident dementia: 6-year longitudinal data from the Sydney older persons study. *J Neurol Sci* 2005; 229-230: 89 - 93.
21. Verghese J, Robbins M, Holtzer R, Zimmerman M, Wang C, Xue X, et al. Gait dysfunction in mild cognitive impairment syndromes. *J Am Geriatr Soc* 2008; 56: 1244-51.
22. Pettersson AF, Olsson E, Wahlund L-O. Effect of divided attention on gait in subjects with and without cognitive impairment. *J Geriatr Psychiatry Neurol* 2007; 20: 58-62.
23. Owings TM, Grabiner MD. Step width variability, but not step length variability or step time variability, discriminates gait of healthy young and older adults during treadmill locomotion. *J Biomech* 2004; 37: 935-8.
24. Owings TM, Grabiner MD. Variability of step kinematics in young and older adults. *Gait Posture* 2004; 20: 26-9.

25. Hausdorff JM, Rios DA, Edelberg HK. Gait variability and fall risk in community-living older adults: a 1-year prospective study. *Arch Phys Med Rehabil* 2001; 82: 1050-6.
26. Schwenk M, Zieschang T, Oster P, Hauer K. Dual-task performances can be improved in patients with dementia: a randomized controlled trial. *Neurology* 2010; 74: 1961-8.
27. Maquet D, Lekeu F, Warzee E, Gillain S, Wojtasik V, Salmon E, et al. Gait analysis in elderly adult patients with mild cognitive impairment and patients with mild Alzheimer's disease: simple versus dual task: a preliminary report. *Clin Physiol Funct Imaging* 2010; 30: 51-6.
28. Sheridan PL, Solomont J, Kowall N, Hausdorff JM. Influence of executive function on locomotor function: divided attention increases gait variability in Alzheimer's disease. *J Am Geriatr Soc* 2003; 51: 1633 - 7.
29. Hausdorff JM, Schweiger A, Herman T, Yogev-Seligmann G, Giladi N. Dual-task decrements in gait: contributing factors among healthy older adults. *J Gerontol A Biol Sci Med Sci* 2008; 63A: 1335-43.
30. Persad CC, Jones JL, Ashton-Miller JA, Alexander NB, Giordani B. Executive function and gait in older adults with cognitive impairment. *J Gerontol A Biol Sci Med Sci* 2008; 63: 1350-5.
31. Sheridan PL, Hausdorff JM. The role of higher-level cognitive function in gait: executive dysfunction contributes to fall risk in Alzheimer's disease. *Dement Geriatr Cogn Disord* 2007; 24: 125-37.
32. Woollacott M, Shumway-Cook A. Attention and the control of posture and gait: a review of an emerging area of research. *Gait Posture* 2002; 16: 1 - 14.

33. Cole CS, Tak SH. Assessment of attention in Alzheimer's disease. *Geriatr Nurs*; 27: 238-43.
34. Ostrosky-Solis F, Lozano A. Digit Span: effect of education and culture. *Int J Psychol* 2006; 41: 333-41.
35. Nutter-Upham KE, Saykin AJ, Rabin LA, Roth RM, Wishart HA, Pare N, et al. Verbal fluency performance in amnesic MCI and older adults with cognitive complaints. *Arch Clin Neuropsychol* 2008; 23: 229-41.
36. Branch JS, Berlin JE, VanSwearingen JM, Newman AB, Studenski SA. Too much or too little step width variability is associated with a fall history in older persons who walk at or near normal gait speed. *J Neuroeng Rehabil* 2005; 2: 21-8.
37. Kramer AF. Aging and dual-task performance. In: Rogers WA, Fisk AD, Walker N, editors. *Aging and skilled performance advances in theory and application*. United States of America: Lawrence Erlbaum Associates; 1996 p. 83.
38. McCulloch K. Attention and dual-task conditions: physical therapy implications for individuals with acquired brain injury. *J Neurol Phys Ther* 2007; 31: 104-18
39. Yogev-Seligmann G, Giladi N, Peretz C, Springer S, Simon ES, Hausdorff JM. Dual tasking, gait rhythmicity, and Parkinson's disease: Which aspects of gait are attention demanding? *Eur J Neurosci* 2005; 22(5): 1248-56.
40. Nordin E, Moe-Nilssen R, Ramnemark A, Lundin-Olsson L. Changes in step-width during dual-task walking predicts falls. *Gait Posture* 2010; 32: 92-7.

41. Krebs DE, Goldvasser D, Lockert JD, Portney LG, Gill-Body KM. Is base of support greater in unsteady gait? *Physical Therapy* 2002; 82: 138-47.
42. Frenkel-Toledo S, Giladi N, Peretz C, Herman T, Gruendlinger L, Hausdorff JM. Effect of gait speed on gait rhythmicity in Parkinson's disease: variability of stride time and swing time respond differently. *J Neuroeng Rehabil* 2005; 2: 23.
43. Beauchet O, Dubost V, Gonthier R, Kressig RW. Dual-task related gait changes in the elderly: does the type of cognitive task matter? *Gerontology* 2005; 51: 48-52.
44. Triebel KL, Martin R, Griffith HR, Marceaux J, Okonkwo OC, Harrell L, et al. Declining financial capacity in mild cognitive impairment. *Neurology* 2009; 73: 928-34.
45. Gauthier S, Reisberg B, Zaudig M, Petersen RC, Ritchie K, Broich K, et al. Mild cognitive impairment. *The Lancet* 2006; 367: 1262-70.
46. Train The Brain Forum Committee. Thai Geriatric Depression Scale-TGDS. *Siriraj Hosp Gaz.* 1994; 46: 1-9.