

## BIBIOGRAPHY

- Altay OT, Kutkam T, Koseoglu O. The Biological Effects of Implanted Magnetic Fields on the Bone Tissue of Dogs. *Int J Oral Max Im* 1991; 6: 345-9.
- Barbre RE, Sinclair PM. A Cephalometric Evaluation of Anterior Open bite Correction with the Magnetic Active Vertical Corrector. *Angle Orthod* 1991; 61: 93-102.
- Becker JJ. Permanent Magnets. *Sci Am* 1970; 223: 92-100.
- Blechman AM, Smiley H. Magnetic Force in Orthodontics. *Am J Orthod* 1978; 74: 435-43.
- Blechman AM. Magnetic Force Systems in Orthodontics. *Am J Orthod* 1985; 87: 201-10.
- Bondemark L, Kurol J. Force-Distance Relation and Dependence of Repelling Sm-Co<sub>5</sub> Magnets in Orthodontic Clinical Use – an Experimental Model. *Swed Dent J* 1992; 16: 66.
- Bondemark L, Kurol J, Hallonsten AL, Andreasen JO. Attractive Magnets for Orthodontic Extrusion of Crown Root Fractured Teeth. *Am J Orthod* 1997; 112: 187-93.
- Bondemark L, Kurol J, Jonkoping. Force Distance Relation and Dependence of Repelling Sm-Co<sub>5</sub> Magnets in Orthodontic. *Swed Dent J* 1992; 16: 66.
- Bondemark L, Kurol J, Wisten A. Force Stability and Biocompatibility of Orthodontic Magnets. *Swed Dent J* 1992; 16: 66.
- Bondemark L, Kurol J, Wennberg A. Orthodontic Rare Earth Magnets–In Vitro Assesment of Cytotoxicity. *Br J Orthod* 1994a; 21: 335-41.
- Bondemark L, Kurol J, Wennberg A. Biocompatibility of New, Clinical Used, and Recycled Orthodontic Samarium-Cobalt Magnets. *Am J Orthod* 1994b; 105: 568-74.

- Bondemark L, Kurol J, Larsson A. Human Dental Pulp and Gingival Tissue After Static Magnetic Field Exposure. *Eur J Orthod* 1995; 17: 85-91.
- Bondemark L, Kurol J, Larsson A. Long-Term Effects of Orthodontic Magnets on Human Buccal Mucosa – A Clinical, Histological and Immunohistochemical Study. *Eur J Orthod* 1998; 20: 211-8.
- Bondemark L, Kurol J, Wisten A. Extent and Flux Density of Static Magnetic Fields Generated by Orthodontic Samarium-Cobalt Magnets. *Am J Orthod* 1995; 107: 488-96.
- Camilleri S, McDonald F. Static Magnetic Field Effects on the Sagittal Suture in Rattus Norvegicus. *Am J Orthod* 1993; 103: 240-6.
- Chin GY. New Magnetic Alloys. *Science* 1980; 208: 888-94.
- Darendeliler MA, Chiarini M, Joho JP. Early Class III Treatment with Magnetic Appliances, Case Report. *J Clin Orthod* 1993; 27: 563-9.
- Daskalogiannakis J, MaLachlan KP. Canine Retraction with Rare Earth Magnets An Investigation in to the Validity of the Constant Force Hypothesis. *Am J Orthod* 1996; 109: 489-95.
- David J. Introduction to Magnetism and Magnetic Materials. 2<sup>nd</sup> ed. London: Chapman & Hall, 1998.
- Dellinger EL. A Clinical Assessment of the Active Vertical Corrector A Nonsurgical Alternative for Skeletal Open Bite Treatment. *Am J Orthod* 1986; 89: 428-36.
- Fraunhofer JA. Force Generation by Orthodontic Samarium-Cobalt Magnets. *Angle Orthod* 1991; 62: 191-4.
- Gillings BR. Magnetic Retention for Complete and Partial Overdentures. Part I. *J Prosthet Dent* 1981; 45: 484-91.
- Graber TM. Current Status of Magnetic forces in Orthodontics. In: Biomechanics in Clinical Orthodontics 65-85 ; Philadelphia: W.B. Saunders Company, 1997.
- Javid N. The Use of Magnets in a Maxillofacial Prosthesis. *J Prosthet Dent* 1971; 25: 334-41.
- Kalra V, Burstone CJ, Nonda R. Effects of a Fixed Magnetic Appliance on the Dento-

- facial Complex. Am J Orthod 1989; 95: 467-78.
- Kawata T, Hirota K, Sumitani K, Umehara K, Yono K, Jer Tzeng H, et al. A New Orthodontic Force System of magnetic brackets. Am J Orthod 1987; 92: 241-8.
- Kiliaridis S, Egermark I, Thilander B. Anterior Open bite Treatment with Magnets. Eur J Orthod 1990; 12: 447-57.
- Kuster R, Ingervall B. The effect of Treatment of Skeletal Open bite with Two Type of Bite-Blocks. Eur J Orthod 1992; 14: 489-99.
- Linder-Aronson A, Forsberg CM, Rygh P, Lindskog S. Tissue Response to Space Closure in Monkeys: A Comparison of Orthodontic Magnets and Superelastic Coil Springs. Eur J Orthod 1996; 18: 581-8.
- Linder-Aronson A, Lindskog S. Effects of Static Magnetic Field on Human Periodontal Fibroblasts in Vitro. Swed Dent J 1995; 19: 131-7.
- Linder-Aronson A, Lindskog S, Rygh P. Orthodontic Magnets: Effects on Gingival Epithelium and Alveolar Bone in Monkeys. Eur J Orthod 1992; 14: 255-63.
- Linder-Aronson A, Rygh P, Lindskog S. Effects of Orthodontic Magnets on Cutaneous Epithelial Thickness and Tibial Bone Growth in Rats. Acta Odontol Scand 1995; 53: 259-63.
- Linder-Aronson S, Lindskog S. A Morphometric Study of Bone Surfaces and Skin Reactions After Stimulation with Static Magnetic Fields in Rat. Am J Orthod 1991; 99: 44-8.
- Linder-Aronson S, Lindskog S. Orthodontic Magnets: Effects on Gingival Epithelium and Alveolar Bone in Monkeys. Eur J Orthod 1992; 14: 255-63.
- Mancini GP, Noar JH, Evans RD. The Physical Characteristics of Neodymium Iron Boron Magnets for Tooth Extrusion. Eur J Orthod 1999; 21: 541-50.
- Mc Cord JF, Harvie H. Magnet Used to Extrude Root of Incisor with Subgingival Fracture. Br J Orthod 1984; 157: 320-2.
- Muller M. The Use of Magnets in Orthodontics. Eur J Orthod 1984; 6: 247-53.
- Noar JH, Evans RD. Rare Earth Magnets in Orthodontics: An Overview. Br J Orthod 1999; 29: 29-37.

- Noar JH, Shell N, Hunt NP. The Physical Properties and Behavior of Magnets Used in the Treatment of Anterior Open Bite. Am J Orthod 1996a; 109: 437-44.
- Noar JH, Shell N, Hunt NP. The Performance of Bonded Magnets Used in the Treatment of Anterior Open Bite. Am J Orthod 1996b; 109: 549-56.
- Robinson AL. Powerful New Magnet Material Found. Science 1984; 223: 920-2.
- Sandler PJ, Meghi S, Murray AM, Springate SD, Sandy JR, Crow V, et al. Magnets in Orthodontics. Br J Orthod 1989; 16: 243-9.
- Sandler PJ, Springate SD. Unerupted Premolars-An Alternative Approach. Br J Orthod 1991; 18: 315-21.
- Springate SD, Sandler PJ. Micro-Magnetic Retainers: An Attractive Solution of Fixed Retention. Br J Orthod 1992; 18: 139-41.
- Tsutsui H, Kinouchi Y, Sasaki H, Shiota M, Ushita T. Studies on the Sm-Co Magnet as a Dental Material. J Dent Res 1979; 58: 597-606.
- Vardimon AD, Gruber TM, Drescher D, Bourauel C. Rare Earth Magnets and Impaction. Am J Orthod 1991; 100: 494-512.
- Vardimon AD, Gruber TM, Voss LR, Muller TP. Functional Orthopedic Magnetic Appliance (FOMA) III-Modus Operandi. Am J Orthod 1990; 97: 135-45.
- Vardimon AD, Gruber TM, Voss LR, Verrusio E. Magnetic Versus Mechanical Expansion with Different Force Thresholds and Points of Force Application. Am J Orthod 1987; 92: 455-66.
- Vardimon AD, Mueller HJ. In-Vivo and in Vitro Corrosion of Permanent Magnets in Orthodontic Therapy. J Dent Res 1985; 64: 89.
- Vardimon AD, Stutzmann JJ, Gruber TM, Voss LR, Petrovic AG. Functional Orthopedic Magnetic Appliance (FOMA) II-Modus Operandi. Am J Orthod 1989; 95: 371-87.