THE EFFECTS OF A 2% GLUTARALDEHYDE SOLUTION ON THE GENERATED FORCE AND DIMENSIONS OF ELASTOMERIC LIGATURE

SAENGDAO SAWANGWATANA

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE
IN ORTHODONTICS

GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
JULY 2001

THE EFFECTS OF A 2% GLUTARALDEHYDE SOLUTION ON THE GENERATED FORCE AND DIMENSIONS OF ELASTOMERIC LIGATURE

SAENGDAO SAWANGWATANA

THIS THESIS HAS BEEN APPROVED

TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS

FOR THE DEGREE OF MASTER OF SCIENCE

IN ORTHODONTICS

EXAMINING COMMITTEE

Duangsamon Charnehinda CHAIRMAN
Lecturer Duangsamorn Charuchinda Member
Assistant Professor Nithipawee Srisuk
Ammop Family MEMBER Assistant Professor Aunnop Koonphandh
D. Hotikashii MEMBER Assistant Professor Dhirawat Jotikasthira

11 July 2001

©Copyright by the Graduate School, Chiang Mai University

ACKNOWLEDGEMENTS

This thesis succeeded thanks to the supports of several persons.

Firstly, I would like to express my deepest gratitude to my advisor, Lecturer Duangsamorn Charuchinda for her valuable advice, insightful guidance and careful proof of this thesis.

I feel greatly indebted to Lecturer Searmsuk Buachareon, Head of Metal Technology Division, Rajamangala Institute of Technology, Northern Campus, Chiang Mai for his advice for the metal jig design and the use of his ten-times magnifying glass. I also would like to thank Dr. Robert Molloy, Polymer Science, Industrial Chemistry Department, Faculty of Science, Chiang Mai University for his useful recommendations on polymers and for permitting me to use the universal testing machine and an incubator.

I greatly appreciate the help of Assistant Professor Aunnop Koonphandh, and also to Associate Professor Dr. Tay Chiengchee, the Educational Measurements and Evaluation Department, Faculty of Education, Chiang Mai University for the helpful advice in the design and interpretation of the statistical analysis. Moreover, I would like to express my thanks to Mr. John M. Cadet for his careful refining my thesis in English.

In addition, my special words of thanks are extended to Mr. Somchai Duangtaweesub and Thai Association of Orthodontists for financial supports, and also to all the members of the staffs of the Orthodontic Department, Faculty of Dentistry, Chiang Mai University for their helpful suggestions.

Finally, with everlasting love and respect, I dedicate this thesis to my parents, who have always loved me and inspired my life.