

## TABLE OF CONTENTS

	Page
<b>ACKNOWLEDGEMENTS</b>	iii
<b>ABSTRACT (THAI)</b>	iv
<b>ABSTRACT (ENGLISH)</b>	vii
<b>LIST OF TABLES</b>	x
<b>LIST OF FIGURES</b>	xii
<b>CHAPTER 1 INTRODUCTION</b>	1
1.1 Background	1
1.2 Statement of problems and objectives	3
<b>CHAPTER 2 TRENDS IN MINISCREW IMPLANT DESIGN AND USE FOR ORTHODONTIC ANCHORAGE: A SYSTEMATIC LITERATURE REVIEW</b>	4
2.1 Introduction	4
2.2 Materials and methods	7
2.3 Results	9
2.4 Discussion	14
2.5 Conclusions	20
<b>CHAPTER 3 LOADING PROTOCOLS FOR MINISCREW IMPLANTS USED FOR ORTHODONTIC ANCHORAGE: A SYSTEMATIC REVIEW</b>	21
3.1 Introduction	21
3.2 Materials and methods	22
3.3 Results	23
3.4 Discussion	27
3.5 Conclusions	31

	<b>Page</b>
<b>CHAPTER 4 FINITE ELEMENT METHOD</b>	32
4.1 Introduction	32
4.2 History	33
4.3 Advantages	34
4.4 Disadvantages	35
4.5 Conclusions	35
<b>CHAPTER 5 INFLUENCE OF ORTHODONTIC MINISCREW IMPLANT SIZES AND LOADING FORCES ON STRESS DISTRIBUTION: FINITE ELEMENT METHOD</b>	36
5.1 Introduction	36
5.2 Materials and methods	37
5.3 Results	42
5.4 Discussion	52
5.5 Conclusions	57
<b>CHAPTER 6 CONCLUSIONS</b>	58
<b>BIBLIOGRAPHY</b>	60
<b>APPENDIX A</b>	74
<b>APPENDIX B</b>	81
<b>CURRICULUM VITAE</b>	85

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
2.1 Numbers of excluded and included articles in this systematic review	8
2.2 Numbers and percentages of diameters of miniscrew implants distributed by area	11
2.3 Numbers and percentages of lengths of miniscrew implants distributed by area	12
2.4 Numbers and percentages of miniscrew implants features reported in reviewed articles	13
3.1 Numbers of miniscrew implants and frequency of cited protocols distributed by waiting period	24
3.2 Numbers of miniscrew implants distributed by waiting period and surgical procedure	25
3.3 Numbers of miniscrew implants distributed by waiting period and insertion site	26
3.4 Number of miniscrew implants distributed by force magnitude and mechanics of tooth movement	27
5.1 The detail of sizes and numbers of miniscrew implant models	39
5.2 Details of properties of materials used in this study	40
5.3 Stress values in different sizes of miniscrew implant models with 50 g loading force	46
5.4 The degree of rotation in miniscrew implant diameter 1.2 mm	55
A.1 Stress values in different sizes of miniscrew implants with 100 g loading force	74
A.2 Stress values in different sizes of miniscrew implants with 150 g loading force	75

<b>Table</b>	<b>Page</b>
A.3 Stress values in different sizes of miniscrew implants with 200 g loading force	76
A.4 Stress values in different sizes of miniscrew implants with 250 g loading force	77
A.5 Stress values in different sizes of miniscrew implants with 300 g loading force	78
A.6 Stress values in different sizes of miniscrew implants with 350 g loading force	79
A.7 Stress values in different sizes of miniscrew implants with 400 g loading force	80

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
2.1 Components of miniscrew implant	5
2.2 Shape of miniscrew implant	6
2.3 Percentages of miniscrew implants distributed by insertion site	9
2.4 Percentages of miniscrew implants distributed by shape	18
2.5 Numbers of miniscrew implants by shape, distributed by year	18
3.1 Diagram presenting the process of inclusion and exclusion for this reviewed article	23
5.1 Diagram of the of miniscrew model design	38
5.2 Detail of miniscrew implant and bone model dimensions	40
5.3 Direction and position of force applied parallel to the Y axis.	41
5.4 Patterns of stress distribution in miniscrew implant models with lengths of 4.0 mm (A), 6.0 mm (B), 8.0 mm (C), 10.0 mm (D), 12.0 mm (E)	43
5.5 Patterns of stress distribution in cortical and cancellous bone assembly with miniscrew models with length of 4.0 mm (A), 6.0 mm (B), 8.0 mm (C), 10.0 mm (D), 12.0 mm (E)	44
5.6 Maximum von Mises stresses in miniscrew implant models (A), maximum first principal stresses in (B), cortical, and (C) cancellous bone models in relation to miniscrew implant diameter.	47
5.7 Maximum von Mises stresses in miniscrew implant models (A), maximum first principal stresses in (B), cortical, and (C) cancellous bone models in relation to miniscrew implant length.	48
5.8 Maximum von Mises stresses in miniscrew implant models with lengths of 4.0 mm (A), 6.0 mm (B), 8.0 mm (C), 10.0 mm (D), 12.0 mm (E) shown in relation to magnitude of loading force.	49

<b>Figure</b>	<b>Page</b>
5.9 Maximum first principal stresses in cortical bone models containing miniscrew implants with lengths of 4.0 mm (A), 6.0 mm (B), 8.0 mm (C), 10.0 mm (D), 12.0 mm (E) shown in relation to magnitude of loading force.	50
5.10 Maximum first principal stresses in cancellous bone models containing miniscrew implants with lengths of 4.0 mm (A), 6.0 mm (B), 8.0 mm (C), 10.0 mm (D), 12.0 mm (E) shown in relation to magnitude of loading force.	51
5.11 Diagram presenting the degree of rotation ( $\Theta$ )	55
B.1 Poster presented at 6 <sup>th</sup> AIOC in Taiwan	81
B.2 Abstract	82
B.3 Pictures of 6 <sup>th</sup> AIOC	83