

REFERENCES

- Aksornmuang, J., Foxton, R. M., Nakajima, M., and Tagami, J. 2004. "Microtensile bond strength of a dual-cure resin core material to glass and quartz fiber posts". *J of Dentistry*, 32 : 433-450.
- Angmar-Mansson, B., Omnell, K., and Rud, J. 1969. "Root fractures due to corrosion. 1. Metallurgical aspects". *Odontol Review*, 20 : 245-265.
- Arefi-Khonsari, F., and Tatoulian, M. 2008. "Plasma processing of polymers by a low-frequency discharge with asymmetrical configuration of electrodes". in *Advanced plasma technology*, Willey-VCH Verlag GmbH & Co. KGaA, Germany, pp 137-174.
- Ashby, M. F., and Jones, D. R. H. 1980. "Creep and creep fracture in Engineering material1". in *An introduction to their properties and applications*. Pergamon Press, New York, pp. 157-164.
- Assif, D., and Gorfil, C. 1994. "Biomechanical considerations in restoring endodontically treated teeth". *J Prosthet Dent*, 71 : 565-567.
- Asmussen, E., Peutzfeldt, A., and Heitmann, T. 1999. "Stiffness, elastic limit, and strength of newer types of endodontic posts". *J Dent*, 27 : 275-278.
- Balbosh, A., and Kern, M. 2006. "Effect of surface treatment on retention of glass-fiber endodontic posts". *J Prosthet Dent*, 95 : 218-223.
- Boenig, H. V. 1982. *Plasma Science and Technology*. Cornell Press, New York : Ithanaica.
- Chai, J., Lu, F., Li, B., and Kwok, D. Y. 2004. "Wettability interpretation of oxygen plasma modified poly(methy methacrylate)". *Langmuir*, 20 : 10919-10927.
- Cvelbar, U., Pejovnik, S., Mozetie, M., and Zalar, A. 2003. "Increased surface roughness by oxygen plasma treatment of graphite/polymer composite". *Appl Surf Sci*, 210 : 255-261.
- Dean, J. P., Jeansonne, B. G., and Sarkar, N. 1998. "In vitro evaluation of a carbon fiber post". *J Endod*, 24 : 807-810.

- Denes, F. S., and Manolache, S. 2004. "Macromolecular plasma-chemistry: an emerging field of polymer science". *Prog Polym Sci*, 29 : 815-885.
- Derand, T., Molin, M., and Kvam, K. 2005. "Bond strength of composite luting cement to zirconia ceramic surfaces". *Dent Mater*, 21 : 1158-1162.
- Dietschi, D., Romelli, M., and Goretti, A. 1996. "Evaluation of post and cores in the laboratory: rationale for developing a fatigue test and preliminary results". *Compend Contin Educ Dent*, 20(suppl) : s65-73.
- Duret, B., Duret, F., and Reynaud, M. 1996. "Long-life physical property preservation and postendodontic rehabilitation with the composipost". *Compend Contin Educ Dent*, 20 : s50-56.
- Duret, B., Reynaud, M., and Duret, F. 1990. "A new concept of coronoradicular reconstruction, the composipost". *Chir Dent Fr*, 60 : 69-77.
- Eliasson, B., and Kogelschatz, U. 1991. "Nonequilibrium volume plasma chemical processing". *IEEE Transactions on Plasma Science*, 19 : 1063-1077.
- France, R. M., and Short, R. D. 1997. "Effects of energy transfer from an argon plasma on the surface chemistry of poly(styrene), low density poly(ethylene). Poly(propylene) and poly(ethylene terephthalate)". *J Chem Soc, Faraday Trans*, 17 : 3173-3178.
- Fredriksson, M., Astback, J., Pamenius, M., and Arvidson, K. 1998. "A retrospective study of 236 patients with teeth restored by carbon fiber-reinforced epoxy resin posts". *J Prosthet Dent*, 80 : 151-157.
- Ferrari, M., Vichi, A., and Mannocci, F. 2000. "Retrospective study of the clinical performance of fiber posts". *Am J Dent*, 13 : 9b-13b.
- Ferrari, M., Vichi A., Godoy, F. G. 2000. "Clinical evaluation of fiber-reinforced epoxy resin posts and cast post and core". *Am J Dent*, 13 : 15b-18b.
- Glantz, P. O., and Nilner, K. 1994. "The devitalized tooth as an abutment in dentitions with a reduced but healthy periodontium". *Periodontology*, 4 : 52-77.
- Goodacre, C. J., and Spolnik, K. J. 1994. "The prosthodontic management of endodontically treated teeth: a literature review. Part 1 success and failure data, treatment concepts". *J Prosthodont*, 3 : 243-250.
- Goracci, C., Tavares, A. U., Fabianelli, A., Monticelli, F., Raffaelli, O., Cardoso, P. C., Tay F., and Ferrari, M. 2004. "The adhesion between fiber posts and root

canal walls: comparison between microtensile and push-out bond strength measurements". Eur J Oral Sci, 112 : 353-361.

- Goracci, C., Raffaelli, O., Monticelli, F., Balleri, B., Bertelli, E., and Ferrari, M. 2005. "The adhesion between prefabricated FRC posts and composite resin cores : microtensile bond strength with and without post-silanization". Dent Mater, 21 : 437-444.
- Grace, J. M., and Gerenser, L. J. 2003. "Plasma treatment of polymers. J dispersion Sci Technol". 24 : 305-341.
- Hall, J. R., Westerdahl, G. A. L., Bodnar, M. J., and Levi, D. W. 1972. "Effect of activated gas plasma treatment time on adhesive bondability of polymers". J Appl Polym Sci, 16: 1465-1477.
- Inagaki, N. 2007. "Plasma surface modification and polymer chain ends". J Vac Soc Jpn, 50 : 625-628.
- Isidor, F., Odman, P., and Brondum, K. 1996. "Intermittent loading of teeth restored using prefabricated carbon fiber posts". Int J Prosthodont, 9 : 131-136.
- King, P.A., and Setchell, D. J. 1990. "An in vitro evaluation of a prototype CFRC prefabricated post developed for the restoration of pulpless teeth". J Oral Rehabil, 17 : 599-609.
- Kinloch, A. J. 1987. *Adhesion and Adhesive*. London : Chapman & Hall.
- Kusano, Y., Mortensen, H., Stenum, B., Goutianos, S., Mitra, S., Ghanbari-Siahkali, A., Kingshott, P., Sorensen, B. F., and Bindslev, H. 2007. "Atmospheric pressure plasma treatment of glassy carbon for adhesion improvement". Int J Adhes Adhes, 27 : 402-408.
- Lai, J., Sunderland, B., Xue, J., Yan, S., Zhao, M. F., Michael, B. D., and Wang, Y. 2006. "Study on hydrophilicity of polymer surfaces improved by plasma treatment". Appl Surf Sci, 252 : 3375-3379.
- Laurens, P., Bouali, M.O., Meducin, F., and Sadras, B. 1999. "Characterization of modifications of polymer surfaces after excimer laser treatments below the ablation threshold". Appl Surf Sci, 154-155 : 211-216.
- Liston, E. M., Martinu, L., and Wertheimer, M. R. 1993. "Plasma surface modification of polymers for improved adhesion: a critical review". J Adhesion Sci Technol, 7 : 1091-1127.

- Loh, I.H. 1999. "*Plasma surface modification in biomedical applications*". Med Device Technol, January/February : 24-30.
- Loyaga-Rendon, P. G., Takahashi, H., Iwasaki, N., and Reza, F. 2007. "*Effect of ultraviolet light irradiation on bonding of experimental composite resin artificial teeth*". Dent Mater, 26 : 805-813.
- Malferrari, S., Monaco, C., and Scotti, R. 2003. "*Clinical evaluation of teeth restored with quartz fiber-reinforced epoxy resin posts*". Int J Prosthodont, 16 : 39-44.
- Malquarti, G., Berruet, R. G., and Bois, D. 1990. "*Prosthetic use of carbon-fiber reinforced epoxy resin for esthetic crowns and fixed partial dentures*". J Prosthet Dent, 63 : 251-257.
- Mannocci, F., Bertelli, E., Sherriff, M., Watson, T.F., and Ford, T. R. 2002. "*Three-year clinical comparison of survival of endodontically treated teeth restored with either full cast coverage or with direct composite restoration*". J Prosthet Dent, 88 : 297-301.
- Martinez-Insua, A., Da-Silva, L., and Rilo, B. 1998. "*Comparison of the fracture resistances of pulpless teeth restored with a cast post and core or carbon-fiber post with a composite core*". J Prosthet Dent, 80 : 527-532.
- Mateer, R. S., and Reitz, C. D. 1970. "*Corrosion of amalgam restoration*". J Dent Res, 49 : 399-407.
- Monticelli, F., Grandini, S., Goracci, C., and Ferrari, M. 2003. "*Clinical behavior of translucent-fiber posts: a 2-years prospective study*". Int J Prosthodont, 16 : 593-596.
- Monticelli, F., Toledano, M., Tay, F. R., Cury, A. H., Goracci, C., and Ferrari, M. 2006. "*Post-surface conditioning improves interfacial adhesion in post/core restorations*". Dent Mater, 22 : 602-609.
- Morosoff, N., Crist, B., Baumgarmer, M., Hsu, T., and Yasuda, H. 1976. "*Free radicals resulting from plasma polymerization and plasma treatment*". J Macromol Sci Chem, 3 : 451-471.
- Morra, M., Occhiello, E., and Garbassi, F. 1990. "*Plasma surface modification of polymer: relevance to adhesion*". Surf Interface Anal, 16 : 412-417.
- Nickerson, R. 2000. "*Plasma surface modification for cleaning and adhesion*". Vac Technol and Coat, June : 55-61.

- Nishigawa, G., Maruo, Y., Oka, M., Oki, K., and Minaki, S. 2003. “*Plasma treatment increased shear bond strength between heat cured acrylic resin and self-curing acrylic resin*”. J Oral Rehabil, 30 : 1081-1084.
- Noeske, M., Degenhardt, J., Struthoff, S., and Lommatzsch, U. 2004. “*Plasma jet treatment of five polymers at atmospheric pressure: surface modifications and the relevance for adhesion*”. Int J Adhes Adhes, 24 : 171-177.
- Noh, B. I., Seok, C. S., Moon, W. C., and Jung, S. B. 2007. “*Effect of plasma treatment on adhesion characteristics at interfaces between underfill and substrate*”. Int J Adhes Adhes, 27 : 200-206.
- Ozden, N., Akaltan, F., Suzer, S., and Akovali, D. 1999. “*Time-related wettability characteristic of acrylic resin surfaces treated by glow discharge*”. J Prosthet Dent, 82 : 680-684.
- Pascual, M., Balart, R., Sanchez, L., Fenollar, O., and Calvo, O. 2008. “*Study of the aging process of corona discharge plasma effects on low density polyethylene film surface*”. J Matter Sci, 43 : 4901-4909.
- Pascault, J. P., Sautereau, H., Verdu, J., and Williams, R. J. J. 2002. “*Thermoplastic and thermosetting polymers*” in *Thermosetting polymer*. Marcel Dekker Inc. New York, pp. 1-4.
- Pitel, M. L., and Hicks, N.L. 2003. “*Evolving technology in endodontic posts*”. Compendium, 24 : 13-28.
- Pittman, C. U., Jiang, W., He, G-R., and Gardner, S. D. 1998. “*Oxygen plasma and isobutylene plasma treatments of carbon fibers: determination of surface functionality and effects on composite properties*”. Carbon, 36 : 25-37.
- Purton, D.G., and Love, R. M. 1996. “*Rigidity and retention of carbon fiber versus stainless steel root canal posts*”. Int Endod J, 29 : 262-265.
- Purton, D. G., and Payne, J. A. 1996. “*Comparison of carbon fiber and stainless steel root canal posts*”. Quintessence Int, 27 : 93-97.
- Rengo, S. 1999. “*Behavior of RTD fiber posts in finite element analysis (FEM) on three-dimensional models*”. 3rd annual Carbon-Denit International Symposium, San Msrgherita, Italy.
- Rosen, S. L. 1993 “*Bonding in polymer*” in *Fundamental principles of polymeric materials*. 2nd ed. A Willy-Interscience publication, New York, pp 28-31.

- Roth, J. R. 2001. "Parametric plasma effects on plasma processing" in *Industrial plasma engineering*. Institute of Physics Publishing, London, pp 240-283.
- Rusu, I. A., Borcia, G., Sayed, S. O., and Sullivan, J. L. 2007. "Ar rf plasma effect on polymer surface". 28th ICPIG. Prague, Czech Republic.
- Sahafi, A., Peutzfeldt, A., Asmussen, E., and Gotfredsen, K. 2003. "Bond strength of resin cement to dentin and to surface-treated posts of titanium alloy, glass fiber, and zirconia". *J Adhes Dent*, 5 : 153-162.
- Sahafi, A., Peutzfeldt, A., Asmussen, E., and Gotfredsen, K. 2004. "Effect of surface treatment of prefabricated posts on bonding of resin cement". *Oper Dent*, 29-1 : 60-68.
- Silness, J., Gustaven, F., and Hunsbeth, J. 1979. "Distribution of corrosion products in teeth restored with metal crowns retained by stainless steel posts". *Acta Odontol Scand*, 37: 317-321.
- Sorensen JA., and Engelman MJ. 1990. "Effect of post adaptation on fracture resistance of endodontically treated teeth". *J Prosthet Dent*, 64 : 419-424.
- Sorensen, J. A., and Martinoff, J. T. 1984. "Intracoronar reinforcement and coronal coverage: A study of endodontically treated teeth". *J Prosthet Dent*, 51 : 780-784.
- Thompson, W. B. 1962. "An induction to plasma physics". London : Addison-Wesley Publication company, Inc.
- Torbjorner, A., Karlsson, S., and Syverud, M. 1996. "Carbon fiber reinforced root canal posts : mechanical and cytotoxic properties". *Eur J Oral Sci*, 104 : 605-611.
- Vano, M., Goracci, F., Monticelli, F., Tognini, M., Tay, F. R., and Ferrari, M. 2006. "The adhesion between fiber posts and composite resin cores: the evaluation of microtensile bond strength following various surface chemical treatments to posts". *Int Endod J*, 39 : 31-39.
- Vassilakos, N., Fernandes, C. P., and Nilner, K. 1993. "Effect of plasma treatment on the wettability of elastomeric impression materials". *J Prosthet Dent*, 70 : 165-171.

- Viguie, G., Malquarti, G., Vincent, B., and Bourgeois, D. 1994. “Epoxy/carbon composite resins in dentistry: mechanical properties related to fiber reinforcement”. *J Prosthet Dent*, 72 : 245-249.
- Wei, Q. F., Gao, W. D., Hou, D. Y., and Wang, X. Q. 2005. “Surface modification of polymer nanofibers by plasma treatment”. *Appl Surf Sci*, 245 : 16-20.
- Yang, S., and Gupta, M. C. 2004. “Surface modification of polyethyleneterephthalate by an atmospheric-pressure plasma source”. *Surf Coat Technol*, 187 : 172-176.
- Yun, Y. I., Kim, K. S., Uhm, S. J., Khatua, B. B., Cho, K., Kim, J. K., and Park, C. E. 2004. “Aging behavior of oxygen plasma-treated polypropylene with different crystallinities”. *J Adhes Sci Technol*, 18 : 1279-1291.

ราณี สุวรรณพฤกษ์, 2552 “พันธะเคมี”ในเคมีทั่วไปเล่ม 1, พิมพ์ครั้งที่ 3, วิทยพัฒน์ จำกัด, กรุงเทพฯ, หน้า 122.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved