

REFERENCES

- Agarwal, S., Chandra, C. S., Piesco, N. P., Langkamp, H. H., Bowen, L., and Baran, C. (1998). Regulation of periodontal ligament cell functions by interleukin-1beta. *Infect Immun*, 66, 932-7.
- Aimes, R. T., and Quigley, J. P. (1995). Matrix metalloproteinase-2 is an interstitial collagenase. Inhibitor-free enzyme catalyzes the cleavage of collagen fibrils and soluble native type I collagen generating the specific 3/4- and 1/4-length fragments. *J Biol Chem*, 270, 5872-6.
- Allan, J. A., Docherty, A. J., Barker, P. J., Huskisson, N. S., Reynolds, J. J., and Murphy, G. (1995). Binding of gelatinases A and B to type-I collagen and other matrix components. *Biochem J*, 309 (Pt 1), 299-306.
- Atkinson, S. J., Patterson, M. L., Butler, M. J., and Murphy, G. (2001). Membrane type 1 matrix metalloproteinase and gelatinase A synergistically degrade type 1 collagen in a cell model. *FEBS Lett*, 491, 222-6.
- Azzam, H. S., and Thompson, E. W. (1992). Collagen-induced activation of the M(r) 72,000 type IV collagenase in normal and malignant human fibroblastoid cells. *Cancer Res*, 52, 4540-4.
- Baker, A. H., Edwards, D. R., and Murphy, G. (2002). Metalloproteinase inhibitors: biological actions and therapeutic opportunities. *J Cell Sci*, 115, 3719-27.
- Baik, J. E., Ryu, Y. H., Han, J. Y., Im, J., Kum, K. Y., Yun, C. H., Lee, K., and Han, S. H. (2008). Lipoteichoic acid partially contributes to the inflammatory responses to *Enterococcus faecalis*. *J Endod*, 34, 975-82.

- Belmar, M. J., Pabst, C., Martinez, B., and Hernandez, M. (2008). Gelatinolytic activity in gingival crevicular fluid from teeth with periapical lesions. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 105, 801-6.
- Berkovitz, B. K. (1990). The structure of the periodontal ligament: an update. *Eur J Orthod*, 12, 51-76.
- Bernardo, M. M., and Fridman, R. (2003). TIMP-2 (tissue inhibitor of metalloproteinase-2) regulates MMP-2 (matrix metalloproteinase-2) activity in the extracellular environment after pro-MMP-2 activation by MT1 (membrane type 1)-MMP. *Biochem J*, 374, 739-45.
- Bhakdi, S., Klonisch, T., Nuber, P., and Fischer, W. (1991). Stimulation of monokine production by lipoteichoic acids. *Infect Immun*, 59, 4614-20.
- Birkedal-Hansen, H. (1993). Role of matrix metalloproteinases in human periodontal diseases. *J Periodontol*, 64, 474-84.
- Birkedal-Hansen, H., Moore, W. G., Bodden, M. K., Windsor, L. J., Birkedal-Hansen, B., DeCarlo, A., and Engler, J. A. (1993). Matrix metalloproteinases: a review. *Crit Rev Oral Biol Med*, 4, 197-250.
- Bleiweis, A. S., and Zimmerman, L. N. (1964). Properties of Proteinase from *Streptococcus faecalis* Var. Liquefaciens. *J Bacteriol*, 88, 653-9.
- Brassart, B., Randoux, A., Hornebeck, W., and Emonard, H. (1998). Regulation of matrix metalloproteinase-2 (gelatinase A, MMP-2), membrane-type matrix metalloproteinase-1 (MT1-MMP) and tissue inhibitor of metalloproteinases-2 (TIMP-2) expression by elastin-derived peptides in human HT-1080 fibrosarcoma cell line. *Clin Exp Metastasis*, 16, 489-500.

- Brown, D. J., Bishop, P., Hamdi, H., and Kenney, M. C. (1996). Cleavage of structural components of mammalian vitreous by endogenous matrix metalloproteinase-2. *Curr Eye Res*, 15, 439-45.
- Choi, B. K., Jung, J. H., Suh, H. Y., Yoo, Y. J., Cho, K. S., Chai, J. K., and Kim, C. K. (2001). Activation of matrix metalloproteinase-2 by a novel oral spirochetal species *Treponema lecithinolyticum*. *J Periodontol*, 72, 1594-600.
- Costa, E. D., de Souza-Filho, F. J., and Barbosa, S. V. (2003). Tissue reactions to a component of root canal system bacteria: lipoteichoic acid. *Braz Dent J*, 14, 95-8.
- Creemers, L. B., Jansen, I. D., Docherty, A. J., Reynolds, J. J., Beertsen, W., and Everts, V. (1998). Gelatinase A (MMP-2) and cysteine proteinases are essential for the degradation of collagen in soft connective tissue. *Matrix Biol*, 17, 35-46.
- Damiens, C., Fortun, Y., Charrier, C., Heymann, D., and Padrines, M. (2000). Modulation by soluble factors of gelatinase activities released by osteoblastic cells. *Cytokine*, 12, 1727-31.
- Deryugina, E. I., Ratnikov, B., Monosov, E., Postnova, T. I., DiScipio, R., Smith, J. W., and Strongin, A. Y. (2001). MT1-MMP initiates activation of pro-MMP-2 and integrin alphavbeta3 promotes maturation of MMP-2 in breast carcinoma cells. *Exp Cell Res*, 263, 209-23.
- Fabricius, L., Dahlen, G., Holm, S. E., and Moller, A. J. (1982). Influence of combinations of oral bacteria on periapical tissues of monkeys. *Scand J Dent Res*, 90, 200-6.

- Figdor, D., Davies, J. K., and Sundqvist, G. (2003). Starvation survival, growth and recovery of *Enterococcus faecalis* in human serum. *Oral Microbiol Immunol*, 18, 234-9.
- Goldberg, G. I., Marmer, B. L., Grant, G. A., Eisen, A. Z., Wilhelm, S., and He, C. S. (1989). Human 72-kilodalton type IV collagenase forms a complex with a tissue inhibitor of metalloproteases designated TIMP-2. *Proc Natl Acad Sci U S A*, 86, 8207-11.
- Golub, L. M., McNamara, T. F., Ryan, M. E., Kohut, B., Blieden, T., Payonk, G., Sipos, T., and Baron, H. J. (2001). Adjunctive treatment with subantimicrobial doses of doxycycline: effects on gingival fluid collagenase activity and attachment loss in adult periodontitis. *J Clin Periodontol*, 28, 146-56.
- Gomes, B. P., Pinheiro, E. T., Jacinto, R. C., Zaia, A. A., Ferraz, C. C., and Souza-Filho, F. J. (2008). Microbial analysis of canals of root-filled teeth with periapical lesions using polymerase chain reaction. *J Endod*, 34, 537-40.
- Haapasalo, M., and Orstavik, D. (1987). In vitro infection and disinfection of dentinal tubules. *J Dent Res*, 66, 1375-9.
- Harper, E., Bloch, K. J., and Gross, J. (1971). The zymogen of tadpole collagenase. *Biochemistry*, 10, 3035-41.
- Hernandez-Barrantes, S., Toth, M., Bernardo, M. M., Yurkova, M., Gervasi, D. C., Raz, Y., Sang, Q. A., and Fridman, R. (2000). Binding of active (57 kDa) membrane type 1-matrix metalloproteinase (MT1-MMP) to tissue inhibitor of metalloproteinase (TIMP)-2 regulates MT1-MMP processing and pro-MMP-2 activation. *J Biol Chem*, 275, 12080-9.

- Hirose, T., Patterson, C., Pourmotabbed, T., Mainardi, C. L., and Hasty, K. A. (1993). Structure-function relationship of human neutrophil collagenase: identification of regions responsible for substrate specificity and general proteinase activity. *Proc Natl Acad Sci U S A*, 90, 2569-73.
- Hou, L. T., and Yaeger, J. A. (1993). Cloning and characterization of human gingival and periodontal ligament fibroblasts. *J Periodontol*, 64, 1209-18.
- Hur, J. H., Park, M. J., Park, I. C., Yi, D. H., Rhee, C. H., Hong, S. I., and Lee, S. H. (2000). Matrix metalloproteinases in human gliomas: activation of matrix metalloproteinase-2 (MMP-2) may be correlated with membrane-type-1 matrix metalloproteinase (MT1-MMP) expression. *J Korean Med Sci*, 15, 309-14.
- Hynes, W. L., and Walton, S. L. (2000). Hyaluronidases of Gram-positive bacteria. *FEMS Microbiol Lett*, 183, 201-7.
- Jo, Y., Yeon, J., Kim, H. J., and Lee, S. T. (2000). Analysis of tissue inhibitor of metalloproteinases-2 effect on pro-matrix metalloproteinase-2 activation by membrane-type 1 matrix metalloproteinase using baculovirus/insect-cell expression system. *Biochem J*, 345 Pt 3, 511-9.
- Joosten, H. M., Rodriguez, E., and Nunez, M. (1997). PCR detection of sequences similar to the AS-48 structural gene in bacteriocin-producing enterococci. *Lett Appl Microbiol*, 24, 40-2.
- Julovi, S. M., Yasuda, T., Shimizu, M., Hiramitsu, T., and Nakamura, T. (2004). Inhibition of interleukin-1beta-stimulated production of matrix metalloproteinases by hyaluronan via CD44 in human articular cartilage. *Arthritis Rheum*, 50, 516-25.

- Kakehashi, S., Stanley, H. R., and Fitzgerald, R. J. (1965). The Effects of Surgical Exposures of Dental Pulps in Germ-Free and Conventional Laboratory Rats. *Oral Surg Oral Med Oral Pathol*, 20, 340-9.
- Katebzadeh, N., Sigurdsson, A., and Trope, M. (2000). Radiographic evaluation of periapical healing after obturation of infected root canals: an in vivo study. *Int Endod J*, 33, 60-6.
- Kayaoglu, G., and Orstavik, D. (2004). Virulence factors of *Enterococcus faecalis*: relationship to endodontic disease. *Crit Rev Oral Biol Med*, 15, 308-20.
- Kiili, M., Cox, S. W., Chen, H. Y., Wahlgren, J., Maisi, P., Eley, B. M., Salo, T., and Sorsa, T. (2002). Collagenase-2 (MMP-8) and collagenase-3 (MMP-13) in adult periodontitis: molecular forms and levels in gingival crevicular fluid and immunolocalisation in gingival tissue. *J Clin Periodontol*, 29, 224-32.
- Kinane, D. F., and Lappin, D. F. (2001). Clinical, pathological and immunological aspects of periodontal disease. *Acta Odontol Scand*, 59, 154-60.
- Kinoshita, T., Sato, H., Okada, A., Ohuchi, E., Imai, K., Okada, Y., and Seiki, M. (1998). TIMP-2 promotes activation of progelatinase A by membrane-type 1 matrix metalloproteinase immobilized on agarose beads. *J Biol Chem*, 273, 16098-103.
- Knauper, V., Docherty, A. J., Smith, B., Tschesche, H., and Murphy, G. (1997). Analysis of the contribution of the hinge region of human neutrophil collagenase (HNC, MMP-8) to stability and collagenolytic activity by alanine scanning mutagenesis. *FEBS Lett*, 405, 60-4.

- Kojima, S., Itoh, Y., Matsumoto, S., Masuho, Y., and Seiki, M. (2000). Membrane-type 6 matrix metalloproteinase (MT6-MMP, MMP-25) is the second glycosyl-phosphatidyl inositol (GPI)-anchored MMP. *FEBS Lett.*, 480, 142-6.
- Korostoff, J. M., Wang, J. F., Sarment, D. P., Stewart, J. C., Feldman, R. S., and Billings, P. C. (2000). Analysis of in situ protease activity in chronic adult periodontitis patients: expression of activated MMP-2 and a 40 kDa serine protease. *J Periodontol.*, 71, 353-60.
- Kreft, B., Marre, R., Schramm, U., and Wirth, R. (1992). Aggregation substance of *Enterococcus faecalis* mediates adhesion to cultured renal tubular cells. *Infect Immun.*, 60, 25-30.
- Krisanaprakornkit, S., Kimball, J. R., and Dale, B. A. (2002). Regulation of human beta-defensin-2 in gingival epithelial cells: the involvement of mitogen-activated protein kinase pathways, but not the NF-kappaB transcription factor family. *J Immunol.*, 168, 316-24.
- Lackler, K. P., Cochran, D. L., Hoang, A. M., Takacs, V., and Oates, T. W. (2000). Development of an in vitro wound healing model for periodontal cells. *J Periodontol.*, 71, 226-37.
- Lekic, P., and McCulloch, C. A. (1996). Periodontal ligament cell population: the central role of fibroblasts in creating a unique tissue. *Anat Rec.*, 245, 327-41.
- Liaciini, A., Sylvester, J., Li, W. Q., Huang, W., Dehnade, F., Ahmad, M., and Zafarullah, M. (2003). Induction of matrix metalloproteinase-13 gene expression by TNF-alpha is mediated by MAP kinases, AP-1, and NF-kappaB transcription factors in articular chondrocytes. *Exp Cell Res.*, 288, 208-17.

- Love, R. M., and Jenkinson, H. F. (2002). Invasion of dentinal tubules by oral bacteria. *Crit Rev Oral Biol Med*, 13, 171-83.
- Love, R. M., McMillan, M. D., and Jenkinson, H. F. (1997). Invasion of dentinal tubules by oral streptococci is associated with collagen recognition mediated by the antigen I/II family of polypeptides. *Infect Immun*, 65, 5157-64.
- Makinen, P. L., Clewell, D. B., An, F., and Makinen, K. K. (1989). Purification and substrate specificity of a strongly hydrophobic extracellular metalloendopeptidase ("gelatinase") from *Streptococcus faecalis* (strain OG1-10). *J Biol Chem*, 264, 3325-34.
- McKee, M. D., Zalzal, S., and Nanci, A. (1996). Extracellular matrix in tooth cementum and mantle dentin: localization of osteopontin and other noncollagenous proteins, plasma proteins, and glycoconjugates by electron microscopy. *Anat Rec*, 245, 293-312.
- Meikle, M. C., Heath, J. K., and Reynolds, J. J. (1986). Advances in understanding cell interactions in tissue resorption. Relevance to the pathogenesis of periodontal diseases and a new hypothesis. *J Oral Pathol*, 15, 239-50.
- Morrison, C. J., Butler, G. S., Bigg, H. F., Roberts, C. R., Soloway, P. D., and Overall, C. M. (2001). Cellular activation of MMP-2 (gelatinase A) by MT2-MMP occurs via a TIMP-2-independent pathway. *J Biol Chem*, 276, 47402-10.
- Murphy, G., Stanton, H., Cowell, S., Butler, G., Knauper, V., Atkinson, S., and Gavrilovic, J. (1999). Mechanisms for pro matrix metalloproteinase activation. *APMIS*, 107, 38-44.

- Nagase, H., and Woessner, J. F., Jr. (1999). Matrix metalloproteinases. *J Biol Chem*, 274, 21491-4.
- Nair, P. N. (2004). Pathogenesis of apical periodontitis and the causes of endodontic failures. *Crit Rev Oral Biol Med*, 15, 348-81.
- Nakata, K., Yamasaki, M., Iwata, T., Suzuki, K., Nakane, A., and Nakamura, H. (2000). Anaerobic bacterial extracts influence production of matrix metalloproteinases and their inhibitors by human dental pulp cells. *J Endod*, 26, 410-3.
- Nanci, A., and Bosshardt, D. D. (2006). Structure of periodontal tissues in health and disease. *Periodontol 2000*, 40, 11-28.
- Nawrocki, B., Polette, M., Marchand, V., Monteau, M., Gillery, P., Tournier, J. M., and Birembaut, P. (1997). Expression of matrix metalloproteinases and their inhibitors in human bronchopulmonary carcinomas: quantitative and morphological analyses. *Int J Cancer*, 72, 556-64.
- Nelson, A. R., Fingleton, B., Rothenberg, M. L., and Matrisian, L. M. (2000). Matrix metalloproteinases: biologic activity and clinical implications. *J Clin Oncol*, 18, 1135-49.
- Overall, C. M. (2001). Matrix metalloproteinase substrate binding domains, modules and exosites. Overview and experimental strategies. *Methods Mol Biol*, 151, 79-120.
- Overall, C. M., Tam, E., McQuibban, G. A., Morrison, C., Wallon, U. M., Bigg, H. F., King, A. E., and Roberts, C. R. (2000). Domain interactions in the gelatinase A.TIMP-2.MT1-MMP activation complex. The ectodomain of the

- 44-kDa form of membrane type-1 matrix metalloproteinase does not modulate gelatinase A activation. *J Biol Chem*, 275, 39497-506.
- Park, H. I., Ni, J., Gerkema, F. E., Liu, D., Belozerov, V. E., and Sang, Q. X. (2000). Identification and characterization of human endometase (Matrix metalloproteinase-26) from endometrial tumor. *J Biol Chem*, 275, 20540-4.
- Pattamapun, K., Tiranathanagul, S., Yongchaitrakul, T., Kuwatanasuchat, J., and Pavasant, P. (2003). Activation of MMP-2 by *Porphyromonas gingivalis* in human periodontal ligament cells. *J Periodontal Res*, 38, 115-21.
- Patterson, M. L., Atkinson, S. J., Knauper, V., and Murphy, G. (2001). Specific collagenolysis by gelatinase A, MMP-2, is determined by the hemopexin domain and not the fibronectin-like domain. *FEBS Lett*, 503, 158-62.
- Peciuliene, V., Balciuniene, I., Eriksen, H. M., and Haapasalo, M. (2000). Isolation of *Enterococcus faecalis* in previously root-filled canals in a Lithuanian population. *J Endod*, 26, 593-5.
- Pinheiro, E. T., Gomes, B. P., Ferraz, C. C., Sousa, E. L., Teixeira, F. B., and Souza-Filho, F. J. (2003). Microorganisms from canals of root-filled teeth with periapical lesions. *Int Endod J*, 36, 1-11.
- Quintero, J. C., Piesco, N. P., Langkamp, H. H., Bowen, L., and Agarwal, S. (1995). LPS responsiveness in periodontal ligament cells is regulated by tumor necrosis factor-alpha. *J Dent Res*, 74, 1802-11.
- Ramnath, N., and Creaven, P. J. (2004). Matrix metalloproteinase inhibitors. *Curr Oncol Rep*, 6, 96-102.
- Reynaud af Geijersstam, A., Sorsa, T., Stackelberg, S., Tervahartiala, T., and Haapasalo, M. (2005). Effect of *E. faecalis* on the release of serine proteases

- elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs). *Int Endod J*, 38, 667-77.
- Reynolds, J. J. (1996). Collagenases and tissue inhibitors of metalloproteinases: a functional balance in tissue degradation. *Oral Dis*, 2, 70-6.
- Rich, R. L., Kreikemeyer, B., Owens, R. T., LaBrenz, S., Narayana, S. V., Weinstock, G. M., Murray, B. E., and Hook, M. (1999). Ace is a collagen-binding MSCRAMM from *Enterococcus faecalis*. *J Biol Chem*, 274, 26939-45.
- Rocas, I. N., Jung, I. Y., Lee, C. Y., and Siqueira, J. F., Jr. (2004). Polymerase chain reaction identification of microorganisms in previously root-filled teeth in a South Korean population. *J Endod*, 30, 504-8.
- Saetre, T., Kahler, H., Foster, S. J., and Lyberg, T. (2001). Aminoethyl-isothiourea inhibits leukocyte production of reactive oxygen species and proinflammatory cytokines induced by streptococcal cell wall components in human whole blood. *Shock*, 15, 455-60.
- Sato, H., and Seiki, M. (1996). Membrane-type matrix metalloproteinases (MT-MMPs) in tumor metastasis. *J Biochem*, 119, 209-15.
- Seymour, G. J., and Gemmell, E. (2001). Cytokines in periodontal disease: where to from here? *Acta Odontol Scand*, 59, 167-73.
- Shipley, J. M., Doyle, G. A., Fliszar, C. J., Ye, Q. Z., Johnson, L. L., Shapiro, S. D., Welgus, H. G., and Senior, R. M. (1996). The structural basis for the elastolytic activity of the 92-kDa and 72-kDa gelatinases. Role of the fibronectin type II-like repeats. *J Biol Chem*, 271, 4335-41.

- Shungu, D. L., Cornett, J. B., and Shockman, G. D. (1979). Morphological and physiological study of autolytic-defective *Streptococcus faecium* strains. *J Bacteriol*, 138, 598-608.
- Siqueira, J. F., Jr., and Rocas, I. N. (2004). Polymerase chain reaction-based analysis of microorganisms associated with failed endodontic treatment. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 97, 85-94.
- Siren, E. K., Haapasalo, M. P., Ranta, K., Salmi, P., and Kerosuo, E. N. (1997). Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation. *Int Endod J*, 30, 91-5.
- Sjogren, U., Figdor, D., Persson, S., and Sundqvist, G. (1997). Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis. *Int Endod J*, 30, 297-306.
- Sjogren, U., Hagglund, B., Sundqvist, G., and Wing, K. (1990). Factors affecting the long-term results of endodontic treatment. *J Endod*, 16, 498-504.
- Sobrinho, A. P., Barros, M. H., Nicoli, J. R., Carvalho, M. A., Farias, L. M., Bambirra, E. A., Bahia, M. G., and Vieira, E. C. (1998). Experimental root canal infections in conventional and germ-free mice. *J Endod*, 24, 405-8.
- Sorsa, T., Tjaderhane, L., and Salo, T. (2004). Matrix metalloproteinases (MMPs) in oral diseases. *Oral Dis*, 10, 311-8.
- Stashenko, P. (1990). Role of immune cytokines in the pathogenesis of periapical lesions. *Endod Dent Traumatol*, 6, 89-96.
- Sternlicht, M. D., Bissell, M. J., and Werb, Z. (2000). The matrix metalloproteinase stromelysin-1 acts as a natural mammary tumor promoter. *Oncogene*, 19, 1102-13.

- Sternlicht, M. D., and Werb, Z. (2001). How matrix metalloproteinases regulate cell behavior. *Annu Rev Cell Dev Biol*, 17, 463-516.
- Strongin, A. Y., Collier, I., Bannikov, G., Marmer, B. L., Grant, G. A., and Goldberg, G. I. (1995). Mechanism of cell surface activation of 72-kDa type IV collagenase. Isolation of the activated form of the membrane metalloprotease. *J Biol Chem*, 270, 5331-8.
- Su, Y. A., Sulavik, M. C., He, P., Makinen, K. K., Makinen, P. L., Fiedler, S., Wirth, R., and Clewell, D. B. (1991). Nucleotide sequence of the gelatinase gene (gelE) from *Enterococcus faecalis* subsp. liquefaciens. *Infect Immun*, 59, 415-20.
- Sundqvist, G., Figdor, D., Persson, S., and Sjogren, U. (1998). Microbiologic analysis of teeth with failed endodontic treatment and the outcome of conservative re-treatment. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 85, 86-93.
- Tanriverdi, F., Esener, T., Erganis, O., and Belli, S. (1997). An in vitro test model for investigation of disinfection of dentinal tubules infected with *Enterococcus faecalis*. *Braz Dent J*, 8, 67-72.
- Tervahartiala, T., Pirila, E., Ceponis, A., Maisi, P., Salo, T., Tuter, G., Kallio, P., Tornwall, J., Srinivas, R., Konttinen, Y. T., and Sorsa, T. (2000). The in vivo expression of the collagenolytic matrix metalloproteinases (MMP-2, -8, -13, and -14) and matrilysin (MMP-7) in adult and localized juvenile periodontitis. *J Dent Res*, 79, 1969-77.
- Wang, Z., Juttermann, R., and Soloway, P. D. (2000). TIMP-2 is required for efficient activation of proMMP-2 in vivo. *J Biol Chem*, 275, 26411-5.

- Wise, G. E., Lin, F., and Fan, W. (1992). Effects of transforming growth factor-beta 1 on cultured dental follicle cells from rat mandibular molars. *Arch Oral Biol*, 37, 471-8.
- Westerlund, U., Ingman, T., Lukinmaa, P. L., Salo, T., Kjeldsen, L., Borregaard, N., Tjaderhane, L., Konttinen, Y. T., and Sorsa, T. (1996). Human neutrophil gelatinase and associated lipocalin in adult and localized juvenile periodontitis. *J Dent Res*, 75, 1553-63.
- Wicken, A. J., and Knox, K. W. (1975). Lipoteichoic acids: a new class of bacterial antigen. *Science*, 187, 1161-7.
- Yanagisawa, N., Geironson, L., Al-Soud, W. A., and Ljungh, S. (2005). Expression of matrix metalloprotease-2, -7 and -9 on human colon, liver and bile duct cell lines by enteric and gastric Helicobacter species. *FEMS Immunol Med Microbiol*, 44, 197-204.
- Zhou, J., and Windsor, L. J. (2006). *Porphyromonas gingivalis* affects host collagen degradation by affecting expression, activation, and inhibition of matrix metalloproteinases. *J Periodontal Res*, 41, 47-54.