

TABLE OF CONTENTS

| | Page |
|--|------|
| ACKNOWLEDGEMENTS | iii |
| ABSTRACT | v |
| LIST OF TABLES | xi |
| LIST OF FIGURES | xii |
| CHAPTER I INTRODUCTION | 1 |
| Purposes of the study | 3 |
| The hypothesis | 3 |
| Anticipated benefits | 4 |
| CHAPTER II LITERATURE REVIEW | 5 |
| 2.1 Tooth surface | 6 |
| 2.2 Bonding adhesive systems | 9 |
| 2.3 Tooth colored materials | 27 |
| 2.4 Ceramic brackets | 29 |
| 2.5 Light curing unit (LCU) | 34 |
| CHAPTER III MATERIALS AND METHODS | 36 |
| 3.1 Materials | 36 |
| 3.2 Instruments | 43 |
| 3.3 Methods | 46 |

| | |
|---|----|
| CHAPTER IV RESULTS | 56 |
| CHAPTER V DISCUSSION | 61 |
| 1. Discussion of the results of the study | 61 |
| 2. Discussion of the materials and methods of the study | 64 |
| CHAPTER VI CONCLUSIONS | 69 |
| BIBLIOGRAPHY | 71 |
| APPENDIX | 82 |
| CURRICULUM VITAE | 86 |



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLES


| Table | Page |
|--|-------------|
| 1 Composition of Transbond XT™, Clearfil SE Bond and Clearfil S ³ Bond | 21 |
| 2 Compositions of Transbond XT, APCII and APC | 28 |
| 3 The teeth were divided into six groups | 47 |
| 4 Means, standard deviations and ranges of shear bond strength values of the total-etching adhesive system, and the two-step and one-step self-etching adhesive systems with uncoated and precoated ceramic brackets | 57 |
| 5 Two-way analysis of variance (Two-way ANOVA) of mean shear bond strength values | 58 |
| 6 Tukey's HSD test of shear bond strength values | 59 |
| 7 Frequency distribution of the Adhesive Remnant Index (ARI) | 59 |
| 8 Kruskal-Wallis test of the Adhesive Remnant Index scores of each group | 60 |
| 9 The data of shear bond strength values in all groups | 82 |
| 10 The data of Adhesive Remnant Index scores (ARI scores) | 85 |

LIST OF FIGURES

| Figure | | Page |
|---------------|--|-------------|
| 1 | The basic mechanism of adhesion to tooth substrate | 7 |
| 2 | Compositions of enamel and dentin by weight and volume | 7 |
| 3 | Three patterns of etched enamel | 8 |
| 4 | Classification of contemporary adhesives following adhesion strategy and number of clinical application steps | 9 |
| 5 | Field-emission scanning electron microscopy (Fe-SEM) photomicrograph and transmission electron microscopy (TEM) photomicrograph of macrotags and microtags | 11 |
| 6 | Field-emission scanning electron microscopy (Fe-SEM) pictures of enamel surfaces | 14 |
| 7 | The interaction of different etching aggressiveness of self-etching adhesive systems | 16 |
| 8 | The coupling mechanism of ceramics | 32 |
| 9 | A extracted maxillary premolar tooth | 36 |
| 10 | Uncoated ceramic bracket | 37 |
| 11 | Precoated ceramic bracket | 38 |
| 12 | 37%phosphoric acid | 39 |

| | | |
|----|---|----|
| 13 | Transbond XT™ | 39 |
| 14 | Clearfil SE bond | 40 |
| 15 | Clearfil S ³ bond | 40 |
| 16 | Self-curing acrylic resin | 41 |
| 17 | Elastomeric ligatures and rectangular stainless steel wire | 41 |
| 18 | Plastic sheath | 42 |
| 19 | Stainless steel ring | 42 |
| 20 | Mini LED 1250 mW/cm ² | 43 |
| 21 | Incubator | 43 |
| 22 | Thermocycling equipment | 44 |
| 23 | Instron® universal testing machine | 44 |
| 24 | Digital single-lens reflex camera | 45 |
| 25 | Computer-generated transparent grid | 45 |
| 26 | Sectioning of the tooth by using carborundum disc | 46 |
| 27 | Tooth embedded in self-cured acrylic resin | 50 |
| 28 | Specimen in stainless steel ring | 50 |
| 29 | 500 Newtons load cell of universal testing machine | 52 |
| 30 | The force from universal testing machine applied in gingivo-occlusal direction | 52 |
| 31 | Photograph of de-bonded bracket bases from Digital single-lens reflex camera | 54 |
| 32 | Residual adhesive on the de-bonded bracket base was calculated using computer-generated transparent grid | 54 |

- 33 The graph of interception of APC Plus Clarity™ ceramic bracket and Clarity™ ceramic bracket with 37% phosphoric acid, Clearfil SE bond and Clearfil S³ bond 83
- 34 The shear bond strength graph of 37% phosphoric acid, Clearfil SE bond and Clearfil S³ bond bonded with APC Plus Clarity™ ceramic bracket and Clarity™ ceramic bracket 84



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved